

**Bed Size, Region, and Census Division: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals¹ in the U.S.
January - December 1985**

Hospital Category	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total ²	Number in Books	Percent in Books	U.S. Total ²	Number in Books	Percent in Books
Bedsizes						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

¹Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

²1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.¹ Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM*.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

- 1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*²)
- 2) Codes V27.0-V27.9 (outcome of delivery)
- 3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS³ Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

¹*ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

²*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

³Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^N (X_i - \bar{X})^2 / (N - 1)$, where the X_i 's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

- Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*¹) that contains the admission diagnosis in one of the following ways:
 - a. Usually the diagnosis can be found in *Concurrent Review Screening*,² developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.
 - b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

¹*ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

²*Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

- c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.¹ That code can then be located in *List A* or in the heading of the length of stay table.
- d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

¹*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

- a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

- b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)	
Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile.
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

- c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis

INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal)
(chronic) (infective) (malignant)
(primary) (recurrent) (sclerosing)
(secondary) (stenosing) (suppurative)
576.1
chronic nonsuppurative destructive 571.6
nonsuppurative destructive (chronic)
571.6

Cholecystodocholithiasis — see
Choledocholithiasis

Cholecystitis (chronic) 575.1

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction

1 with obstruction

with
calculus, stones in
bile duct (common) (hepatic) 574.4
gallbladder 574.1
choledocholithiasis 574.4
cholelithiasis 574.1
acute 575.0
with
calculus, stones in
bile duct (common) (hepatic)
574.3
gallbladder 574.0
choledocholithiasis 574.3
cholelithiasis 574.0
emphysematous (acute) (see also
Cholecystitis, acute) 575.0
gangrenous (see also Cholecystitis, acute)
575.0
paratyphoidal, current (see also Fever,
paratyphoid) 002.9
suppurative (see also cholecystitis, acute)
575.0
typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — see Choledocholithiasis

Choledocholithiasis 574.5

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.4
acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

*Note — Use the following fifth-digit
subclassification with category 574:*

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.1
acute 574.0
Cholemia (see also Jaundice) 782.4
familial 277.4
Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — see Cholelithiasis
Choleperitoneum, choleperitonitis (see also
Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic)
(epidemic) (gravis) (Indian) (malignant)
(morbus) (pestilential) (spasmodic)
001.9
antimonial 985.4
carrier (suspected) of V02.0
classical 001.0
contact V01.0
due to
Vibrio
cholerae (Inaba, Ogawa, Hikojima
serotypes) 001.0
El Tor 001.1
El Tor 001.1
exposure to V01.0
vaccination, prophylactic (against) V03.0
Cholerine (see also Cholera) 001.9
Cholestasis (see also Disease, gallbladder)
575.8
Cholesteatoma (ear) 385.30
attic (primary) 385.31
diffuse 385.35
external ear (canal) 380.21
marginal (middle ear) 385.32
with involvement of mastoid cavity
385.33
secondary (with middle ear involvement)
385.33
mastoid cavity 385.30
middle ear 385.30
secondary 385.32
with involvement of mastoid cavity
385.33
postmastoidectomy cavity (recurrent)
383.32
primary 385.31
recurrent, postmastoidectomy cavity
383.32
secondary (middle ear) 385.32
with involvement of mastoid cavity
385.33
Cholesteatosis (middle ear) (see also
Cholesteatoma) 385.30
diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. <i>Not Operated</i>										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. <i>Operated</i>										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. <i>Not Operated</i>										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. <i>Operated</i>										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. <i>Not Operated</i>	6693	4.1	9	1	1	3	5	8	9	14
B. <i>Operated</i>	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. <i>Not Operated</i>	14921	6.5	24	2	2	5	8	12	15	25
B. <i>Operated</i>	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
<i>B. Operated</i>										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
<i>B. Operated</i>										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

366 Hospitals, Southern Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	179091	3.1	11	1	1	3	3	5	6	13	
20-34	87178	3.4	18	1	1	3	4	6	9	22	
35-49	37582	4.7	28	1	1	3	5	9	14	28	
50-64	26724	5.1	29	1	1	4	6	10	14	28	
65+	24327	5.8	30	1	2	4	7	11	15	29	
B. Operated											
0-19 YRS	58017	3.0	11	<1	1	2	3	6	8	16	
20-34	101319	3.5	8	1	1	3	4	6	8	14	
35-49	51987	4.5	15	1	1	3	6	9	11	18	
50-64	41974	5.1	19	1	1	4	7	10	13	20	
65+	35189	6.0	28	1	1	5	8	13	16	24	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	143998	4.6	40	1	1	3	5	7	12	38	
20-34	79822	5.1	39	1	1	3	6	10	15	33	
35-49	85683	5.7	35	1	2	4	7	11	15	31	
50-64	130972	6.2	32	1	2	5	8	12	15	29	
65+	277074	7.3	38	2	2	6	9	13	18	32	
B. Operated											
0-19 YRS	51794	6.1	92	1	1	3	6	13	23	67	
20-34	125880	5.2	30	1	2	4	6	9	12	30	
35-49	92117	6.7	44	1	2	5	8	12	17	36	
50-64	102566	8.1	64	1	2	6	10	16	22	43	
65+	155381	10.1	80	2	2	8	13	20	26	48	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	354902	3.7	18	1	1	3	4	6	9	22	
B. Operated	288486	4.1	15	1	1	3	5	8	11	18	
2. MULTIPLE DX											
A. Not Operated	717549	6.1	38	1	2	4	7	12	16	32	
B. Operated	527738	7.5	64	1	2	5	9	15	21	43	
1. SINGLE DX	643388	3.9	16	1	1	3	4	7	10	20	
2. MULTIPLE DX	1245287	6.7	50	1	2	5	8	13	18	37	
A. NOT OPERATED	1072451	5.3	33	1	1	4	6	10	14	30	
B. OPERATED	816224	6.3	49	1	1	4	8	13	18	37	
TOTAL 0-19 YRS	432900	3.9	31	1	1	3	4	6	10	31	
20-34	394199	4.3	24	1	1	3	5	8	11	27	
35-49	267369	5.7	34	1	1	4	7	11	15	30	
50-64	302236	6.6	42	1	2	5	8	13	17	33	
65+	491971	8.0	53	2	2	6	10	15	21	38	
GRAND TOTAL	1888675	5.7	40	1	1	4	7	12	16	33	

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69472	3.5	24	1	1	2	4	6	8	26
20-34	87178	3.4	18	1	1	3	4	6	9	22
35-49	37582	4.7	28	1	1	3	5	9	14	28
50-64	26724	5.1	29	1	1	4	6	10	14	28
65+	24327	5.8	30	1	2	4	7	11	15	29
B. Operated										
0-19 YRS	57922	3.0	10	<1	1	2	3	6	8	15
20-34	101319	3.5	8	1	1	3	4	6	8	14
35-49	51987	4.5	15	1	1	3	6	9	11	18
50-64	41974	5.1	19	1	1	4	7	10	13	20
65+	35189	6.0	28	1	1	5	8	13	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87623	4.8	52	1	1	3	5	8	13	45
20-34	79822	5.1	39	1	1	3	6	10	15	33
35-49	85683	5.7	35	1	2	4	7	11	15	31
50-64	130972	6.2	32	1	2	5	8	12	15	29
65+	277074	7.3	38	2	2	6	9	13	18	32
B. Operated										
0-19 YRS	49281	5.4	63	1	1	3	6	11	18	48
20-34	125880	5.2	30	1	2	4	6	9	12	30
35-49	92117	6.7	44	1	2	5	8	12	17	36
50-64	102566	8.1	64	1	2	6	10	16	22	43
65+	155381	10.1	80	2	2	8	13	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245283	4.1	24	1	1	3	4	8	11	26
B. Operated	288391	4.1	15	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	661174	5.3	40	1	2	5	8	12	16	32
B. Operated	525225	7.5	61	1	2	5	9	15	21	42
1. SINGLE DX	533674	4.1	19	1	1	3	5	8	11	21
2. MULTIPLE DX	1186399	6.8	49	1	2	5	8	14	19	37
A. NOT OPERATED	906457	5.7	36	1	1	4	7	11	15	31
B. OPERATED	813616	6.3	47	1	1	4	8	13	18	36
TOTAL 0-19 YRS	264298	4.2	39	1	1	3	4	8	11	35
20-34	394199	4.3	24	1	1	3	5	8	11	27
35-49	267369	5.7	34	1	1	4	7	11	15	30
50-64	302236	6.6	42	1	2	5	8	13	17	33
65+	491971	8.0	53	2	2	6	10	15	21	38
GRAND TOTAL	1720073	6.0	42	1	1	4	7	12	17	33

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1814	3.0	4	1	1	3	4	5	7	10
20-34	675	2.9	4	1	1	2	4	5	6	10
35-49	320	3.1	4	1	1	3	4	6	7	9
50-64	182	3.3	4	1	1	3	4	6	7	10
65+	116	4.2	13	1	1	3	5	7	10	20
B. Operated										
0-19 YRS	32	6.7	104	1	2	4	6	15	17	58
20-34	38	4.8	11	1	2	4	6	7	9	21
35-49	11	5.4	7	2	2	5	7	9	11	11
50-64	9	7.4	30	2	2	6	11	16	18	18
65+	7	7.4	28	3	3	6	7	17	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3210	3.5	7	1	1	3	4	6	8	13
20-34	1037	3.2	4	1	1	3	4	6	7	11
35-49	676	3.9	7	1	1	3	5	7	9	13
50-64	677	4.1	7	1	2	4	5	8	9	13
65+	1079	5.4	17	2	2	4	7	10	12	23
B. Operated										
0-19 YRS	84	11.2	239	2	3	6	10	27	64	93
20-34	93	6.6	62	2	2	5	7	13	14	49
35-49	75	7.0	22	2	3	6	8	12	16	29
50-64	58	9.1	60	2	3	7	11	21	25	42
65+	119	9.5	41	2	4	8	12	18	26	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3107	3.0	4	1	1	3	4	5	7	10
B. Operated	97	5.9	44	1	2	4	6	11	16	41
2. MULTIPLE DX										
A. Not Operated	6679	3.9	9	1	1	3	5	7	9	14
B. Operated	429	8.7	86	2	3	6	10	16	25	68
1. SINGLE DX	3204	3.1	6	1	1	3	4	5	7	11
2. MULTIPLE DX	7108	4.1	15	1	1	3	5	7	10	17
A. NOT OPERATED	9786	3.6	8	1	1	3	4	6	8	13
B. OPERATED	526	8.2	79	2	2	6	10	16	23	65
TOTAL 0-19 YRS	5140	3.5	12	1	1	3	4	6	8	14
20-34	1843	3.3	8	1	1	3	4	6	7	12
35-49	1082	3.9	8	1	1	3	5	7	9	14
50-64	926	4.3	11	1	2	4	5	8	10	17
65+	1321	5.6	21	2	2	4	7	10	13	26
GRAND TOTAL	10312	3.8	12	1	1	3	5	7	9	16

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.1	13	1	2	3	7	10	13	13
20-34	23	8.9	32	3	4	8	11	14	23	28
35-49	18	5.7	6	1	3	6	7	9	11	11
50-64	15	16.2	199	1	2	11	26	41	45	46
65+	21	10.0	32	3	3	9	13	18	22	25
B. Operated										
0-19 YRS	4	7.8	51	2	2	5	12	18	18	18
20-34	17	8.7	82	3	3	6	9	14	32	41
35-49	14	7.7	18	3	3	7	10	14	16	16
50-64	21	10.5	61	2	3	8	14	18	27	36
65+	18	11.6	38	3	4	11	14	22	26	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	6.0	9	2	3	6	8	10	11	12
20-34	36	11.1	135	3	4	8	12	19	30	69
35-49	63	11.7	56	4	5	9	16	24	28	91
50-64	80	12.2	128	3	4	10	13	24	39	65
65+	146	13.5	123	3	4	10	17	27	31	66
B. Operated										
0-19 YRS	4	5.8	33	1	1	4	9	14	14	14
20-34	26	11.6	66	1	3	11	15	27	29	32
35-49	55	15.5	226	3	4	12	20	37	79	99
50-64	86	15.0	209	2	3	11	18	28	49	76
65+	145	15.0	131	4	5	12	19	25	33	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	9.2	63	2	3	7	11	18	27	44
B. Operated	74	9.7	51	3	3	7	13	16	23	40
2. MULTIPLE DX										
A. Not Operated	340	12.3	110	3	4	10	15	24	31	69
B. Operated	316	14.7	162	3	4	12	19	27	38	87
1. SINGLE DX	163	9.4	57	2	3	7	12	17	26	41
2. MULTIPLE DX	656	13.5	136	3	4	10	17	26	35	75
A. NOT OPERATED	429	11.7	101	3	4	9	14	23	30	67
B. OPERATED	390	13.7	145	3	4	11	17	26	37	81
TOTAL 0-19 YRS	35	5.9	16	1	2	5	8	12	14	18
20-34	102	10.3	85	3	4	8	13	18	28	54
35-49	150	12.0	119	3	4	8	16	25	37	99
50-64	202	13.5	162	2	3	10	16	27	41	72
65+	330	13.9	117	3	5	11	18	25	31	63
GRAND TOTAL	819	12.7	123	3	4	10	16	24	32	70

366 Hospitals, Southern Region, January-December 1985

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	6	5.0	15	1	1	4	9	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. Operated										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	4	9.8	18	4	4	10	12	14	14	14
35-49	2	19.5	85	13	13	19	26	26	26	26
50-64	4	9.8	22	3	3	11	13	14	14	14
65+	5	10.0	27	2	2	10	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	15.8	110	4	4	15	24	28	28	28
20-34	3	21.3	1064	2	2	3	45	59	59	59
35-49	4	10.8	98	<1	<1	9	18	24	24	24
50-64	14	9.3	53	2	3	7	12	16	27	29
65+	9	9.6	32	3	4	7	14	18	21	21
B. Operated										
0-19 YRS	6	22.2	275	2	2	24	36	42	43	43
20-34	7	12.9	162	1	2	8	18	34	38	38
35-49	15	15.9	82	2	4	14	22	30	32	33
50-64	17	15.3	197	2	2	15	23	83	99+	99+
65+	25	21.6	369	4	6	14	25	51	69	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.4	18	1	1	4	10	11	11	11
B. Operated	17	10.9	37	2	2	11	14	17	23	26
2. MULTIPLE DX										
A. Not Operated	34	11.4	126	2	3	8	14	24	29	59
B. Operated	70	18.0	236	2	3	14	25	43	66	99+
1. SINGLE DX	30	8.5	36	1	1	10	11	15	17	26
2. MULTIPLE DX	104	15.8	209	2	3	13	22	36	58	99+
A. NOT OPERATED	47	9.7	102	1	2	7	12	21	28	59
B. OPERATED	87	16.6	205	2	3	14	22	37	58	99+
TOTAL 0-19 YRS	17	13.8	179	1	1	11	23	34	41	43
20-34	20	11.2	200	1	1	7	12	29	48	59
35-49	22	15.0	79	1	3	14	23	27	31	33
50-64	36	12.2	120	2	2	11	17	30	83	99+
65+	39	17.4	276	2	5	13	21	39	60	77
GRAND TOTAL	134	14.2	179	2	2	12	20	31	49	99+

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	2.5	2	1	1	2	3	5	5	6
20-34	76	2.9	1	1	2	3	3	4	5	6
35-49	25	3.1	1	1	2	3	4	4	5	6
50-64	15	3.3	1	2	2	3	4	5	5	5
65+										
B. Operated										
0-19 YRS	22	1.8	3	1	1	1	2	4	6	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	497	3.0	4	1	1	3	4	5	6	8
20-34	179	3.2	2	1	2	3	4	5	6	8
35-49	95	3.7	6	2	2	3	4	5	8	16
50-64	55	4.8	14	2	2	4	6	7	9	26
65+	27	4.5	4	2	3	4	5	8	9	10
B. Operated										
0-19 YRS	21	2.5	7	<1	1	2	3	4	9	13
20-34	7	4.3	4	1	1	4	6	6	6	6
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	309	2.7	2	1	1	3	3	5	5	6
B. Operated	23	1.7	3	1	1	1	2	3	6	8
2. MULTIPLE DX										
A. Not Operated	853	3.3	5	1	1	3	4	5	6	10
B. Operated	31	3.5	9	1	1	2	5	7	10	13
1. SINGLE DX	332	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	884	3.3	5	1	1	3	4	5	7	11
A. NOT OPERATED	1162	3.1	4	1	1	3	4	5	6	9
B. OPERATED	54	2.7	7	1	1	2	3	6	8	13
TOTAL 0-19 YRS	733	2.8	3	1	1	2	3	5	6	8
20-34	263	3.1	2	1	2	3	4	5	6	7
35-49	122	3.7	5	2	2	3	4	5	7	16
50-64	70	4.5	12	2	2	4	5	7	8	25
65+	28	4.7	5	2	3	4	6	8	10	10
GRAND TOTAL	1216	3.1	4	1	1	3	4	5	6	9

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	433	4.8	9	2	2	4	6	10	11	14
20-34	20	6.9	51	1	2	5	7	15	24	32
35-49	13	5.3	9	2	2	5	7	9	11	11
50-64	27	8.9	38	3	3	8	11	14	19	33
65+	69	9.0	43	3	4	8	10	14	21	37
B. Operated										
0-19 YRS	13	7.9	7	3	4	9	10	11	11	11
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	7	15.0	133	6	6	14	17	35	39	39
50-64	4	12.3	82	2	2	11	18	24	24	24
65+	8	16.0	29	8	10	15	17	24	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	751	6.0	20	2	2	5	8	12	15	22
20-34	185	8.3	29	3	3	7	11	14	17	34
35-49	230	9.2	36	3	3	8	12	15	22	38
50-64	609	10.0	46	3	4	8	12	17	21	39
65+	3032	10.8	55	4	5	9	13	18	24	41
B. Operated										
0-19 YRS	78	14.0	112	2	3	12	18	28	39	49
20-34	55	16.2	157	4	5	13	21	30	47	66
35-49	102	17.3	226	5	6	12	20	38	59	99
50-64	217	16.1	137	4	6	13	20	30	42	84
65+	732	18.3	177	6	7	14	22	36	47	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	562	5.6	18	2	2	4	7	10	12	28
B. Operated	34	12.0	54	3	5	10	15	19	26	39
2. MULTIPLE DX										
A. Not Operated	4807	9.8	49	3	4	8	12	17	22	38
B. Operated	1184	17.4	170	5	6	14	21	35	45	87
1. SINGLE DX	596	5.9	22	2	2	5	8	11	14	31
2. MULTIPLE DX	5991	11.3	82	3	4	9	13	20	28	52
A. NOT OPERATED	5369	9.3	47	2	3	8	11	16	21	37
B. OPERATED	1218	17.3	167	5	6	14	21	35	45	86
TOTAL 0-19 YRS	1275	6.1	26	2	2	4	8	12	15	27
20-34	262	9.9	68	3	3	8	12	17	24	47
35-49	352	11.5	106	3	4	9	14	22	35	86
50-64	857	11.5	76	3	4	9	14	21	27	51
65+	3841	12.2	86	4	5	10	14	22	30	53
GRAND TOTAL	6587	10.8	79	3	3	9	13	20	27	49

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	6.6	25	1	2	5	10	12	15	25
20-34	37	5.6	10	2	3	4	7	12	12	13
35-49	23	5.0	8	1	2	4	7	10	11	12
50-64	16	5.0	14	1	2	4	5	9	15	17
65+	16	4.9	12	1	2	4	6	10	13	15
B. Operated										
0-19 YRS	10	10.1	26	1	1	11	13	15	16	16
20-34	4	4.5	10	2	2	3	6	9	9	9
35-49	9	8.4	15	4	4	8	10	14	16	16
50-64	8	6.3	7	3	3	6	8	10	10	10
65+	7	11.3	48	4	4	10	13	23	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	209	7.3	33	2	3	6	10	13	15	38
20-34	60	5.5	12	2	2	4	7	12	13	14
35-49	57	7.4	25	3	3	6	9	15	18	26
50-64	91	8.3	97	2	3	6	9	14	19	63
65+	158	8.7	48	3	3	7	10	15	20	40
B. Operated										
0-19 YRS	32	20.8	436	2	3	13	27	49	68	88
20-34	21	10.8	91	3	3	9	13	23	36	40
35-49	39	23.9	471	3	4	16	31	56	72	86
50-64	54	16.8	117	3	4	14	26	34	38	97
65+	85	18.8	271	5	6	12	21	48	56	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	6.2	21	1	2	5	9	12	14	23
B. Operated	38	8.5	24	2	3	8	12	14	16	25
2. MULTIPLE DX										
A. Not Operated	575	7.7	45	2	3	6	10	14	16	38
B. Operated	231	18.7	282	3	4	13	26	45	55	86
1. SINGLE DX	327	6.5	21	1	2	5	9	12	14	24
2. MULTIPLE DX	806	10.8	137	2	3	7	12	22	35	65
A. NOT OPERATED	864	7.2	37	2	2	6	9	13	15	33
B. OPERATED	269	17.3	258	3	4	12	22	40	53	86
TOTAL 0-19 YRS	448	8.0	70	2	2	6	10	14	21	44
20-34	122	6.4	28	2	2	5	8	12	14	35
35-49	128	12.1	216	3	3	7	13	27	48	84
50-64	169	10.6	109	2	3	7	13	27	33	76
65+	266	11.2	140	3	4	8	13	23	38	64
GRAND TOTAL	1133	9.6	108	2	3	7	11	17	29	58

366 Hospitals, Southern Region, January-December 1985

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	873	3.5	3	1	2	3	4	6	7	11
20-34	366	3.5	4	1	1	3	4	6	7	10
35-49	72	4.1	5	1	2	4	5	8	9	10
50-64	11	3.8	5	1	1	3	6	7	8	8
65+	11	7.3	58	<1	1	5	7	21	26	26
B. Operated										
0-19 YRS	9	4.9	2	3	3	5	5	7	8	8
20-34	6	4.3	7	2	2	3	6	9	9	9
35-49	1	19.0	19	19	19	19	19	19	19	19
50-64	1	7.0	7	7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	491	4.1	7	1	2	3	5	7	9	14
20-34	191	4.8	17	2	2	4	6	9	11	26
35-49	66	5.8	32	2	2	4	7	11	13	38
50-64	34	6.8	20	3	3	5	7	14	17	22
65+	27	7.1	12	2	3	6	10	11	13	16
B. Operated										
0-19 YRS	19	6.2	42	1	2	5	6	10	22	31
20-34	18	8.8	36	2	3	8	12	16	22	26
35-49	5	7.6	29	4	4	4	11	16	16	16
50-64	7	11.3	45	4	4	7	18	20	20	20
65+	1	6.0	6	6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1333	3.6	4	1	2	3	4	6	7	11
B. Operated	17	5.6	16	2	2	5	6	9	15	19
2. MULTIPLE DX										
A. Not Operated	809	4.6	12	2	2	4	5	8	11	18
B. Operated	50	8.0	39	2	3	6	9	17	20	31
1. SINGLE DX	1350	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	859	4.8	15	2	2	4	6	9	11	20
A. NOT OPERATED	2142	4.0	8	1	2	3	5	7	9	14
B. OPERATED	67	7.4	34	2	3	6	9	16	19	30
TOTAL 0-19 YRS	1392	3.7	5	1	2	3	4	6	8	12
20-34	581	4.1	10	1	2	3	5	7	9	16
35-49	144	5.1	20	1	2	4	6	9	11	23
50-64	53	6.8	24	2	3	5	7	15	18	22
65+	39	7.1	23	2	2	6	9	12	17	26
GRAND TOTAL	2209	4.1	9	1	2	3	5	7	9	15

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	217	3.2	4	1	1	3	4	6	8	10
20-34	57	4.9	15	1	2	4	6	7	10	26
35-49	26	4.7	5	1	2	4	6	8	9	10
50-64	65	5.8	9	2	3	5	7	8	11	17
65+	85	6.3	17	2	3	5	7	9	12	26
B. Operated										
0-19 YRS	3	10.0	7	8	8	9	12	13	13	13
20-34	4	5.0	9	2	2	4	7	9	9	9
35-49	1	21.0	21	21	21	21	21	21	21	21
50-64	5	6.8	11	2	2	7	9	11	11	11
65+	9	6.8	14	2	2	7	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	488	3.9	8	1	2	3	5	7	9	15
20-34	100	6.1	23	2	2	5	8	12	14	29
35-49	61	5.8	14	1	2	5	7	10	11	20
50-64	211	6.5	17	2	3	6	8	10	14	27
65+	654	8.0	38	2	3	7	10	14	19	34
B. Operated										
0-19 YRS	15	11.0	93	2	3	9	16	32	80	99+
20-34	12	9.1	79	2	3	7	9	19	34	36
35-49	12	9.3	55	2	2	8	13	20	25	26
50-64	26	9.0	27	2	2	9	12	13	18	26
65+	76	14.2	133	3	3	11	18	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	450	4.5	10	1	2	4	6	8	9	17
B. Operated	22	7.5	20	2	2	7	9	13	16	21
2. MULTIPLE DX										
A. Not Operated	1514	6.3	26	2	2	5	8	11	15	30
B. Operated	141	12.0	101	2	3	10	15	26	35	65
1. SINGLE DX	472	4.6	11	1	2	4	6	8	10	19
2. MULTIPLE DX	1655	6.8	35	2	2	5	8	12	17	33
A. NOT OPERATED	1964	5.9	23	1	2	5	7	11	14	25
B. OPERATED	163	11.4	93	2	3	9	13	25	34	59
TOTAL 0-19 YRS	723	3.9	10	1	1	3	5	7	9	16
20-34	173	5.9	24	2	2	5	7	10	14	34
35-49	100	6.1	20	1	2	5	8	10	17	23
50-64	307	6.5	17	2	3	6	8	11	13	24
65+	824	8.4	48	2	3	7	10	15	21	39
GRAND TOTAL	2127	6.3	31	2	2	5	8	12	15	32

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	4.8	9	2	2	4	6	9	10	15
20-34	221	6.0	15	2	2	5	8	10	13	24
35-49	75	6.3	19	2	3	5	8	11	13	28
50-64	27	6.4	29	2	2	5	8	15	19	23
65+	10	5.0	5	2	2	4	7	8	8	8
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	5.3	24	1	1	4	6	13	16	16
35-49	3	9.7	64	2	2	9	16	18	18	18
50-64	6	12.2	181	2	2	6	18	35	37	37
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	5.8	20	1	2	4	7	11	16	23
20-34	243	6.1	21	2	2	5	7	11	14	30
35-49	85	8.3	63	2	3	7	10	15	17	52
50-64	67	7.8	27	3	3	7	10	14	19	29
65+	72	8.1	27	3	4	7	10	13	20	31
B. Operated										
0-19 YRS	7	5.6	34	1	1	3	8	16	17	17
20-34	34	8.5	25	3	3	8	11	16	19	20
35-49	9	4.7	7	2	2	4	6	9	10	10
50-64	23	10.3	80	1	2	8	12	22	34	35
65+	18	10.7	33	5	5	9	14	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	412	5.8	15	2	2	5	7	10	13	23
B. Operated	19	8.7	77	1	1	6	12	18	29	37
2. MULTIPLE DX										
A. Not Operated	523	6.9	30	2	3	6	9	12	17	30
B. Operated	91	8.8	42	2	3	7	11	17	20	34
1. SINGLE DX	431	5.9	18	2	2	5	8	10	14	24
2. MULTIPLE DX	614	7.2	32	2	3	6	9	13	18	31
A. NOT OPERATED	935	6.4	24	2	2	5	8	11	15	24
B. OPERATED	110	8.8	47	2	2	7	11	18	20	36
TOTAL 0-19 YRS	143	5.2	14	1	2	4	7	10	12	20
20-34	506	6.2	19	2	2	5	8	11	14	24
35-49	172	7.2	41	2	3	6	9	13	16	31
50-64	123	8.2	45	2	3	6	10	17	22	36
65+	101	8.3	28	3	3	7	10	15	20	29
GRAND TOTAL	1045	6.7	27	2	2	5	8	12	16	29

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	3.8	4	1	2	3	5	6	7	11
20-34	78	4.5	5	2	2	4	6	8	9	10
35-49	9	4.7	4	1	2	5	6	7	7	7
50-64	5	3.8	6	2	2	3	4	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	6.7		6	6	7	7	7	7	7
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	492	3.9	5	1	2	3	5	7	8	11
20-34	134	4.3	8	1	1	4	5	8	10	14
35-49	33	4.5	13	1	1	4	6	8	14	15
50-64	15	3.3	8	1	1	2	5	9	9	9
65+	13	4.1	14	1	1	4	5	8	14	15
B. Operated										
0-19 YRS	16	7.0	34	1	2	6	9	18	20	21
20-34	9	10.2	57	3	3	8	12	22	28	28
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	3	9.3	34	5	5	7	14	16	16	16
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	387	4.0	5	1	2	3	5	7	8	10
B. Operated	5	6.4	2	4	4	7	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	687	4.0	6	1	2	4	5	7	8	14
B. Operated	31	8.3	38	2	2	6	11	17	21	28
1. SINGLE DX	392	4.0	5	1	2	4	5	7	8	10
2. MULTIPLE DX	718	4.2	8	1	2	4	5	7	9	15
A. NOT OPERATED	1074	4.0	6	1	2	3	5	7	8	13
B. OPERATED	36	8.0	33	2	3	7	10	16	20	28
TOTAL 0-19 YRS	802	4.0	6	1	2	3	5	7	8	12
20-34	224	4.7	10	1	2	4	6	8	10	15
35-49	44	4.6	11	1	1	4	6	7	11	15
50-64	24	4.2	13	1	1	3	6	9	11	16
65+	16	4.4	17	1	1	3	5	12	14	15
GRAND TOTAL	1110	4.1	7	1	2	4	5	7	9	14

366 Hospitals, Southern Region, January-December 1985

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	4	2.0	4	<1	<1	1	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	87	1.7	2	<1	<1	1	2	3	4	10
20-34	203	2.1	2	<1	<1	1	3	4	5	7
35-49	67	2.4	2	<1	<1	2	3	4	6	7
50-64	17	2.5	1	<1	1	2	4	4	4	4
65+	9	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	3.2	9	<1	<1	1	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	26	3.1	3	<1	1	3	4	5	6	8
20-34	95	3.0	7	<1	1	2	4	6	9	15
35-49	52	3.8	9	<1	1	3	5	8	10	17
50-64	21	3.4	5	1	1	3	4	8	9	9
65+	11	2.5	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.5	1	<1	<1	1	2	3	5	5
B. Operated	383	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	10	3.1	9	<1	<1	2	7	8	8	8
B. Operated	205	3.2	7	<1	1	3	4	6	8	14
1. SINGLE DX	394	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	215	3.2	7	<1	1	3	4	7	8	14
A. NOT OPERATED	21	2.3	5	<1	<1	1	2	7	8	8
B. OPERATED	588	2.5	4	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	121	2.0	3	<1	<1	1	2	4	5	9
20-34	308	2.4	4	<1	<1	2	3	5	6	10
35-49	121	3.0	6	<1	<1	2	4	6	8	13
50-64	39	3.0	4	<1	1	3	4	4	8	9
65+	20	2.2	2	1	1	2	3	4	5	6
GRAND TOTAL	609	2.5	4	<1	<1	2	3	5	6	10

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1484	2.8	2	1	1	3	3	4	5	8
20-34	249	3.1	5	1	1	3	4	5	8	13
35-49	123	3.7	5	1	2	3	5	6	9	11
50-64	74	3.7	4	2	2	3	5	6	8	12
65+	45	3.8	5	1	2	3	4	6	7	14
B. Operated										
0-19 YRS	32	2.7	3	<1	<1	2	4	5	6	7
20-34	16	3.6	5	<1	1	3	5	8	8	8
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1734	3.2	4	1	1	3	4	5	7	12
20-34	544	3.7	8	1	1	3	5	6	9	13
35-49	366	4.1	10	1	2	3	5	7	8	16
50-64	373	4.9	12	2	2	4	6	9	12	19
65+	497	5.2	11	2	2	4	6	9	12	19
B. Operated										
0-19 YRS	52	7.8	57	1	1	5	10	21	27	29
20-34	44	5.9	22	2	2	5	7	12	15	27
35-49	42	9.3	66	3	3	6	12	20	28	39
50-64	39	10.1	43	2	3	9	15	19	23	30
65+	39	10.6	24	4	5	9	14	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1975	2.9	3	1	1	3	4	5	6	10
B. Operated	55	3.1	4	<1	<1	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	3514	3.8	8	1	1	3	5	7	9	15
B. Operated	216	8.6	45	2	2	7	11	17	23	30
1. SINGLE DX	2030	2.9	3	1	1	3	4	5	6	10
2. MULTIPLE DX	3730	4.1	11	1	1	3	5	7	10	18
A. NOT OPERATED	5489	3.5	6	1	1	3	4	6	8	14
B. OPERATED	271	7.5	42	1	2	5	10	16	22	30
TOTAL 0-19 YRS	3302	3.1	5	1	1	3	4	5	6	11
20-34	853	3.6	8	1	1	3	4	6	9	14
35-49	535	4.4	15	1	2	3	5	8	10	20
50-64	488	5.1	16	2	2	4	6	9	14	21
65+	582	5.5	14	2	2	4	7	10	13	20
GRAND TOTAL	5760	3.7	9	1	1	3	4	6	9	16

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	96	3.8	4	1	2	4	5	6	7	11	
20-34	52	4.2	4	1	2	4	6	7	7	12	
35-49	32	4.2	3	1	2	4	5	7	8	9	
50-64	28	4.5	4	2	3	4	5	8	9	9	
65+	7	6.7	2	4	4	7	8	8	8	8	
B. Operated											
0-19 YRS	1	7.0		7	7	7	7	7	7	7	
20-34	1	18.0		18	18	18	18	18	18	18	
35-49											
50-64	1	5.0		5	5	5	5	5	5	5	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	53	4.1	5	1	2	3	5	7	8	12	
20-34	43	3.7	6	1	1	3	4	7	9	13	
35-49	25	4.4	4	1	2	4	6	7	8	9	
50-64	25	6.7	29	1	2	5	9	13	18	24	
65+	18	7.1	14	3	4	6	9	13	15	15	
B. Operated											
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12	
20-34	3	12.3	57	7	7	9	18	21	21	21	
35-49	5	8.6	14	4	4	8	11	14	14	14	
50-64	5	17.4	88	8	8	15	25	30	30	30	
65+	2	9.5	1	9	9	9	10	10	10	10	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	215	4.1	4	1	2	4	5	7	8	11	
B. Operated	3	10.0	49	5	5	7	15	18	18	18	
2. MULTIPLE DX											
A. Not Operated	164	4.8	11	1	2	4	6	9	12	16	
B. Operated	17	12.1	48	5	7	10	14	23	28	30	
1. SINGLE DX	218	4.2	5	1	2	4	5	7	8	12	
2. MULTIPLE DX	181	5.5	19	1	2	4	7	10	14	24	
A. NOT OPERATED	379	4.4	7	1	2	4	5	8	9	14	
B. OPERATED	20	11.8	46	4	6	9	14	22	27	30	
TOTAL											
0-19 YRS	152	4.0	5	1	2	4	5	7	7	12	
20-34	99	4.4	10	1	2	4	6	7	9	20	
35-49	62	4.6	6	1	2	4	6	8	9	14	
50-64	59	6.5	32	1	2	5	8	13	20	29	
65+	27	7.2	10	3	4	7	9	10	15	15	
GRAND TOTAL	399	4.8	12	1	2	4	6	8	11	20	

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	5.0	6	2	2	4	6	8	10	13
20-34	129	4.3	4	2	2	4	5	7	7	11
35-49	17	4.2	4	2	3	4	4	7	9	10
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	5	1.8	3	<1	<1	1	2	5	5	5
B. Operated										
0-19 YRS	11	2.2	5	<1	<1	1	2	6	8	8
20-34	42	3.5	8	<1	1	3	5	6	8	16
35-49	6	4.5	13	<1	<1	4	7	10	10	10
50-64	3	7.3	60	1	1	5	13	16	16	16
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	6.4	21	2	2	5	8	12	16	24
20-34	145	5.3	12	2	2	4	6	9	12	18
35-49	28	7.1	37	2	2	5	8	11	25	27
50-64	21	8.6	89	1	1	6	10	20	33	39
65+	19	6.0	17	1	1	6	9	12	14	15
B. Operated										
0-19 YRS	14	6.2	7	3	3	6	9	10	10	10
20-34	45	5.0	17	<1	1	4	7	10	15	17
35-49	20	7.4	59	<1	1	5	11	13	24	35
50-64	10	7.7	28	1	1	7	11	15	16	16
65+	13	8.4	30	2	2	6	14	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	4.5	5	1	2	4	5	7	9	11
B. Operated	64	3.5	10	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	305	6.0	23	2	2	5	7	11	15	27
B. Operated	102	6.3	27	1	1	5	9	13	15	26
1. SINGLE DX	318	4.3	6	1	1	4	5	7	9	13
2. MULTIPLE DX	407	6.1	24	1	2	5	8	11	15	27
A. NOT OPERATED	559	5.3	15	1	2	4	7	10	11	25
B. OPERATED	166	5.3	22	<1	1	4	7	11	15	17
TOTAL										
0-19 YRS	218	5.5	13	1	2	5	7	10	11	20
20-34	361	4.7	10	1	2	4	6	8	10	16
35-49	71	6.3	34	1	2	4	8	11	13	33
50-64	36	7.9	64	1	1	6	11	16	25	39
65+	39	6.1	23	1	1	5	10	14	15	17
GRAND TOTAL	725	5.3	17	1	2	4	7	10	12	22

366 Hospitals, Southern Region, January-December 1985

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.0	5	1	1	4	6	7	7	7
20-34	4	8.5	30	4	4	8	13	15	15	15
35-49	8	3.9	4	1	1	4	5	6	6	6
50-64	7	6.4	20	2	2	7	9	13	14	14
65+	9	9.2	37	2	3	7	13	19	21	21
B. Operated										
0-19 YRS	3	8.0	49	<1	<1	8	13	15	15	15
20-34	7	9.0	43	3	3	7	12	20	22	22
35-49	9	5.8	12	1	1	7	9	10	10	10
50-64	8	4.1	34	1	1	2	4	14	18	18
65+	7	4.3	18	1	1	2	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	5.5	35	1	1	4	6	15	21	29
20-34	33	9.0	205	2	2	5	9	14	39	77
35-49	37	11.9	205	1	2	6	13	38	46	62
50-64	45	10.7	117	2	3	8	11	15	39	55
65+	120	8.7	30	2	2	8	11	16	20	25
B. Operated										
0-19 YRS	10	15.6	218	1	2	12	22	38	52	52
20-34	28	15.5	151	4	5	12	18	34	46	53
35-49	43	20.8	406	4	5	15	27	50	63	99
50-64	49	25.2	460	2	4	19	40	55	65	94
65+	74	17.4	179	2	5	13	25	35	47	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	6.0	20	1	2	5	7	13	15	21
B. Operated	34	5.9	28	1	1	4	8	13	17	22
2. MULTIPLE DX										
A. Not Operated	281	9.0	90	1	2	6	11	17	21	54
B. Operated	204	19.6	300	2	5	14	26	47	54	85
1. SINGLE DX	74	6.0	23	1	1	5	8	13	15	22
2. MULTIPLE DX	485	13.5	206	2	3	9	16	30	47	68
A. NOT OPERATED	321	8.6	82	1	2	6	11	16	21	52
B. OPERATED	238	17.7	284	1	3	12	24	43	53	79
TOTAL 0-19 YRS	71	6.8	66	1	1	4	7	16	23	47
20-34	72	11.5	165	2	3	8	13	24	42	72
35-49	97	14.6	293	1	2	8	17	37	51	89
50-64	109	16.5	321	1	2	9	20	48	55	80
65+	210	11.7	100	2	3	9	14	24	32	54
GRAND TOTAL	559	12.5	188	1	2	8	15	28	45	65

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.8	5	1	1	3	5	7	8	8
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	3	5.3		5	5	5	6	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.3	6	1	2	3	6	8	8	8
20-34	10	7.4	21	1	2	7	10	14	17	17
35-49	7	5.3	4	2	2	6	7	8	8	8
50-64	4	6.3	22	2	2	5	10	12	12	12
65+	5	10.6	79	4	4	9	13	26	26	26
B. Operated										
0-19 YRS	12	3.2	3	1	1	3	4	5	8	8
20-34	4	8.8	8	6	6	8	11	12	12	12
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	3	5.3	2	4	4	5	6	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.7	4	1	1	3	4	7	8	8
B. Operated	12	5.2	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	43	6.1	21	1	2	6	8	10	14	26
B. Operated	21	5.1	10	1	2	4	7	10	11	12
1. SINGLE DX	30	4.3	5	1	2	4	6	8	8	10
2. MULTIPLE DX	64	5.8	17	1	2	5	8	10	12	25
A. NOT OPERATED	61	5.4	17	1	2	4	7	9	11	25
B. OPERATED	33	5.2	8	2	2	4	7	10	10	12
TOTAL 0-19 YRS	46	3.8	4	1	2	3	5	7	8	8
20-34	19	7.2	16	1	2	7	10	12	15	17
35-49	15	5.4	6	2	3	5	7	9	10	10
50-64	8	6.1	11	2	2	6	8	11	12	12
65+	6	9.5	71	4	4	7	9	24	26	26
GRAND TOTAL	94	5.3	14	1	2	4	7	9	11	22

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.6	10	<1	1	3	5	7	12	13
20-34	23	6.2	27	1	2	4	8	17	18	18
35-49	12	4.8	8	3	3	4	5	8	12	13
50-64	5	4.6	10	2	2	3	7	9	9	9
65+	3	4.7	12	1	1	5	7	8	8	8
B. Operated										
0-19 YRS	14	3.4	21	<1	<1	1	4	8	16	18
20-34	113	3.8	9	1	1	3	5	8	10	14
35-49	44	5.2	31	1	1	3	8	10	14	31
50-64	17	5.6	21	1	1	4	10	12	14	15
65+	5	5.6	14	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	5.1	11	2	2	5	6	10	13	16
20-34	78	6.2	20	2	2	5	8	10	15	24
35-49	63	6.2	19	2	2	5	8	10	14	27
50-64	41	6.9	27	1	2	5	9	15	17	24
65+	33	7.5	15	3	4	7	9	13	16	20
B. Operated										
0-19 YRS	11	9.7	37	3	4	8	10	20	24	24
20-34	146	9.9	85	2	2	7	13	21	29	48
35-49	93	13.0	143	2	3	10	18	26	32	70
50-64	41	11.2	64	2	4	9	15	24	27	37
65+	24	14.0	160	2	3	9	19	33	42	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	5.1	17	1	1	4	6	11	16	18
B. Operated	193	4.3	16	1	1	3	6	10	11	18
2. MULTIPLE DX										
A. Not Operated	246	6.3	19	2	2	5	8	11	16	24
B. Operated	315	11.3	105	2	2	8	15	24	31	49
1. SINGLE DX	249	4.5	16	1	1	3	6	10	13	18
2. MULTIPLE DX	561	9.1	73	2	2	6	11	20	25	41
A. NOT OPERATED	302	6.1	19	2	2	5	8	11	16	23
B. OPERATED	508	8.6	83	1	2	6	11	20	26	44
TOTAL 0-19 YRS	69	5.2	21	<1	1	4	6	12	16	23
20-34	360	6.9	50	1	2	5	9	15	21	40
35-49	212	8.9	88	2	2	6	11	20	26	48
50-64	104	8.3	45	1	2	6	11	16	24	32
65+	65	9.6	78	2	3	7	10	19	30	47
GRAND TOTAL	810	7.7	60	1	2	5	9	17	23	38

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34										
35-49	2	19.0	32	15	15	19	23	23	23	23
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	8.0	8	6	6	8	10	10	10	10
B. Operated										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	14.3	254	5	5	7	23	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	6	9.8	83	1	1	9	15	22	23	23
2. MULTIPLE DX										
A. Not Operated	6	5.5	15	1	1	5	10	10	10	10
B. Operated	8	10.1	132	3	3	6	9	30	38	38
1. SINGLE DX	7	8.9	75	1	1	3	15	21	23	23
2. MULTIPLE DX	14	8.1	82	1	2	6	10	13	32	38
A. NOT OPERATED	7	5.1	13	1	1	3	9	10	10	10
B. OPERATED	14	10.0	103	1	2	6	15	24	35	38
TOTAL 0-19 YRS	6	7.7	24	2	2	8	10	15	15	15
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	14.3	81	5	5	15	21	23	23	23
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	10.9	149	3	3	6	10	32	38	38
GRAND TOTAL	21	8.4	76	1	2	5	10	18	30	38

366 Hospitals, Southern Region, January-December 1985

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	1	1	3	4	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	16	3.5	5	1	1	3	5	8	8	8
65+	16	4.6	10	<1	1	4	6	10	11	11
B. Operated										
0-19 YRS	8	3.4	3	2	2	3	5	6	6	6
20-34	16	4.4	16	1	1	4	5	9	15	17
35-49	61	5.1	17	1	1	4	7	10	13	21
50-64	144	5.1	26	1	1	3	7	13	17	21
65+	161	4.9	26	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	5	5.4	2	4	4	5	7	7	7	7
35-49	26	7.0	30	1	2	6	10	13	18	25
50-64	72	6.1	42	1	1	4	8	12	14	41
65+	67	7.1	95	1	2	4	7	14	19	59
B. Operated										
0-19 YRS	8	11.6	138	2	2	7	20	30	31	31
20-34	12	10.3	97	1	2	7	13	26	34	35
35-49	99	11.2	120	1	2	8	15	30	41	99+
50-64	307	11.1	157	1	2	8	14	23	34	73
65+	414	10.5	177	1	2	6	12	25	41	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.7	7	1	1	3	5	8	9	11
B. Operated	390	5.0	24	1	1	3	6	11	15	21
2. MULTIPLE DX										
A. Not Operated	174	6.5	59	1	2	5	7	12	16	49
B. Operated	840	10.8	161	1	2	7	14	25	38	76
1. SINGLE DX	431	4.8	22	1	1	3	6	11	15	20
2. MULTIPLE DX	1014	10.1	146	1	2	6	12	23	35	70
A. NOT OPERATED	215	6.0	50	1	1	4	7	12	14	46
B. OPERATED	1230	8.9	125	1	1	5	11	20	32	69
TOTAL 0-19 YRS	25	6.0	57	1	2	4	6	11	29	31
20-34	36	6.3	47	1	1	4	7	16	21	35
35-49	187	8.6	81	1	2	6	10	20	32	82
50-64	539	8.6	110	1	1	5	11	18	26	65
65+	658	8.6	134	1	1	5	10	19	33	66
GRAND TOTAL	1445	8.5	115	1	1	5	10	19	29	65

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	11	5.1	13	1	2	4	6	10	14	14
65+										
B. Operated										
0-19 YRS										
20-34	9	6.9	43	2	2	4	11	18	21	21
35-49	36	12.6	91	2	3	10	14	30	34	38
50-64	29	7.8	45	1	1	7	11	13	20	33
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	9.1	42	1	3	8	10	22	23	23
50-64	62	6.3	22	1	2	5	8	11	14	28
65+	62	8.1	42	1	2	6	10	19	22	31
B. Operated										
0-19 YRS										
20-34	2	11.5	41	7	7	11	16	16	16	16
35-49	41	15.0	153	3	4	12	17	29	58	99+
50-64	148	15.1	152	3	4	13	18	30	42	85
65+	190	14.0	151	2	3	11	20	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.3	12	1	2	4	6	10	13	14
B. Operated	74	10.0	72	1	2	9	12	22	31	37
2. MULTIPLE DX										
A. Not Operated	141	7.4	34	1	2	6	9	14	21	29
B. Operated	381	14.5	150	2	3	12	19	29	41	69
1. SINGLE DX	88	9.3	65	1	2	8	12	20	30	37
2. MULTIPLE DX	522	12.6	129	2	3	10	16	25	33	65
A. NOT OPERATED	155	7.2	32	1	2	6	9	14	21	29
B. OPERATED	455	13.8	140	2	3	11	17	28	38	67
TOTAL 0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	3	8.0	57	1	1	7	14	16	16	16
35-49	65	12.4	121	2	3	10	17	23	35	95
50-64	248	12.5	123	2	3	10	16	26	37	61
65+	292	11.8	121	1	2	8	16	24	32	61
GRAND TOTAL	610	12.1	121	2	3	9	16	25	32	63

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34											
35-49	3	2.0	1	1	1	2	3	3	3	3	
50-64	3	7.3	30	1	1	10	11	11	11	11	
65+	13	5.7	42	2	2	3	6	12	23	26	
B. Operated											
0-19 YRS											
20-34	2	12.0	32	8	8	12	16	16	16	16	
35-49	16	9.9	12	4	5	10	11	14	17	18	
50-64	36	13.1	247	3	4	10	14	23	29	97	
65+	53	12.1	48	3	4	11	14	21	25	38	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	4	7.0	25	3	3	5	10	14	14	14	
35-49	17	7.0	51	<1	1	4	9	21	23	24	
50-64	40	7.5	33	1	2	6	11	16	20	21	
65+	93	8.6	41	1	2	7	12	17	20	32	
B. Operated											
0-19 YRS	2	21.5	25	18	18	21	25	25	25	25	
20-34	10	9.5	20	2	2	10	12	15	17	17	
35-49	61	14.0	92	3	5	12	17	25	31	58	
50-64	182	15.4	121	3	5	13	19	28	33	64	
65+	470	16.1	91	4	6	14	20	28	36	47	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	20	5.3	33	1	1	3	7	10	18	26	
B. Operated	107	12.1	108	3	4	10	14	21	25	63	
2. MULTIPLE DX											
A. Not Operated	154	8.1	39	1	2	6	12	17	21	27	
B. Operated	725	15.7	98	4	6	14	20	27	35	52	
1. SINGLE DX	127	11.0	102	2	3	10	13	20	25	52	
2. MULTIPLE DX	879	14.4	96	3	4	13	19	26	33	49	
A. NOT OPERATED	174	7.8	39	1	2	6	11	16	21	27	
B. OPERATED	832	15.2	101	3	6	13	19	27	34	52	
TOTAL 0-19 YRS	3	15.3	126	3	3	18	23	25	25	25	
20-34	16	9.2	22	2	3	9	12	16	17	17	
35-49	97	11.7	79	2	3	10	14	22	26	50	
50-64	261	13.8	131	2	4	11	17	25	31	66	
65+	629	14.5	88	3	4	13	19	26	33	44	
GRAND TOTAL	1006	13.9	98	3	4	12	18	26	32	48	

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	1	2.0		2	2	2	2	2	2	2	
50-64											
65+											
B. Operated											
0-19 YRS											
20-34	1	15.0		15	15	15	15	15	15	15	
35-49	2	8.5	1	8	8	8	9	9	9	9	
50-64	1	13.0		13	13	13	13	13	13	13	
65+	1	9.0		9	9	9	9	9	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49	1	8.0		8	8	8	8	8	8	8	
50-64	1	9.0		9	9	9	9	9	9	9	
65+	11	8.0	34	2	2	6	11	17	20	20	
B. Operated											
0-19 YRS											
20-34											
35-49	20	14.0	37	7	8	14	17	19	26	33	
50-64	39	17.4	176	7	8	13	18	35	64	99+	
65+	58	17.8	80	5	8	17	23	32	34	40	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1	2.0		2	2	2	2	2	2	2	
B. Operated	5	10.8	9	8	8	9	13	15	15	15	
2. MULTIPLE DX											
A. Not Operated	13	8.1	28	2	2	8	10	16	19	20	
B. Operated	117	17.0	105	7	8	15	20	30	37	80	
1. SINGLE DX	6	9.3	20	2	3	9	13	15	15	15	
2. MULTIPLE DX	130	16.1	104	4	7	14	19	29	34	76	
A. NOT OPERATED	14	7.6	29	2	2	7	10	15	19	20	
B. OPERATED	122	16.8	103	7	8	15	19	30	36	79	
TOTAL 0-19 YRS											
20-34	1	15.0		15	15	15	15	15	15	15	
35-49	24	12.8	40	5	8	10	17	18	24	33	
50-64	41	17.1	169	7	8	13	18	32	63	99+	
65+	70	16.1	85	2	5	15	21	30	33	40	
GRAND TOTAL	136	15.8	102	4	7	14	18	29	34	75	

366 Hospitals, Southern Region, January-December 1985

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	7	3.4	3	1	1	4	5	5	5	5
50-64	13	2.7	4	<1	1	2	3	6	8	8
65+	26	5.8	42	1	2	4	6	11	16	34
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	7	8.3	3	6	6	9	10	10	10	10
35-49	71	9.5	14	2	5	9	12	14	15	18
50-64	256	10.4	23	3	6	9	12	16	20	26
65+	367	11.1	37	3	7	10	12	16	19	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	7.0	25	<1	1	6	11	14	15	15
35-49	26	11.0	291	<1	2	5	13	20	65	67
50-64	108	6.6	28	1	2	5	8	13	17	26
65+	284	7.7	49	1	2	5	9	17	24	35
B. Operated										
0-19 YRS	7	8.1	7	4	4	8	10	12	12	12
20-34	25	13.5	26	8	9	13	14	17	25	32
35-49	201	12.7	52	6	7	11	15	21	25	57
50-64	867	13.3	67	5	7	11	15	22	29	49
65+	2832	15.0	73	7	8	13	17	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.6	27	1	1	3	5	9	11	34
B. Operated	702	10.6	29	3	6	10	12	16	19	28
2. MULTIPLE DX										
A. Not Operated	426	7.6	58	1	2	5	9	16	21	36
B. Operated	3932	14.5	71	6	8	12	17	24	30	49
1. SINGLE DX	748	10.3	31	2	4	10	12	15	19	29
2. MULTIPLE DX	4358	13.8	74	3	6	12	16	23	30	47
A. NOT OPERATED	472	7.3	56	1	2	5	9	15	21	35
B. OPERATED	4634	13.9	67	6	7	12	16	23	29	47
TOTAL 0-19 YRS	8	8.8	9	4	5	9	11	13	13	13
20-34	40	11.3	30	2	6	11	14	16	20	32
35-49	305	11.6	65	2	4	11	14	18	24	66
50-64	1244	12.0	59	3	5	10	14	20	25	46
65+	3509	13.9	73	4	6	12	17	23	30	47
GRAND TOTAL	5106	13.3	69	3	6	11	16	22	29	47

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	9	2.9	3	<1	<1	3	4	6	6	6
65+	16	3.4	3	1	2	3	4	5	8	9
B. Operated										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	2	18.0	128	10	10	18	26	26	26	26
35-49	56	9.0	26	1	2	9	12	15	17	21
50-64	187	10.6	33	2	2	10	14	18	20	26
65+	254	10.2	36	2	2	10	13	17	20	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	7.1	10	4	4	6	9	12	12	12
35-49	18	6.1	28	1	1	4	8	13	18	21
50-64	57	6.2	42	1	2	4	7	13	17	36
65+	145	8.7	102	1	2	6	9	20	30	46
B. Operated										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	20	14.1	42	2	6	13	16	25	25	25
35-49	114	13.2	83	3	6	11	16	20	22	59
50-64	461	14.4	109	3	5	12	17	22	29	64
65+	1062	14.8	73	3	6	13	18	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.1	3	1	1	3	4	5	6	9
B. Operated	501	10.2	34	2	2	10	13	17	20	26
2. MULTIPLE DX										
A. Not Operated	228	7.8	79	1	2	5	8	16	25	44
B. Operated	1659	14.5	83	3	6	13	18	23	30	52
1. SINGLE DX	532	9.8	35	1	2	10	13	17	20	26
2. MULTIPLE DX	1887	13.7	87	3	4	12	17	23	30	51
A. NOT OPERATED	259	7.3	72	1	2	5	8	15	24	44
B. OPERATED	2160	13.5	75	3	4	12	17	22	28	50
TOTAL 0-19 YRS	4	8.0	21	2	2	8	11	13	13	13
20-34	32	11.8	51	1	2	12	15	25	25	26
35-49	192	11.1	67	2	3	10	14	19	21	49
50-64	714	12.6	90	2	3	11	15	20	26	62
65+	1477	13.3	75	2	3	12	17	23	29	45
GRAND TOTAL	2419	12.9	79	2	3	12	16	21	28	49

**25: Malignant neoplasm of abdominal cavity, except specified
intestinal tract and pancreas (155-156; 158-159)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.5	33	2	2	5	11	14	14	14
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	7	2.7	5	1	1	2	4	6	7	7
50-64	8	3.9	5	1	1	4	5	7	8	8
65+	8	5.4	14	1	1	4	8	11	12	12
B. Operated										
0-19 YRS	13	9.0	34	1	2	9	11	15	22	24
20-34	12	6.5	24	1	1	4	11	14	15	15
35-49	12	9.9	67	1	2	8	12	24	27	28
50-64	28	9.5	40	1	2	9	13	17	24	26
65+	35	11.1	70	1	2	10	16	19	23	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	7.6	99	1	1	4	5	30	30	30
20-34	13	7.8	170	1	1	4	7	19	44	50
35-49	13	5.2	25	1	1	3	7	11	18	19
50-64	56	7.5	35	1	1	6	11	18	21	22
65+	82	9.3	88	2	3	7	10	17	23	58
B. Operated										
0-19 YRS	13	12.2	101	5	5	7	14	32	35	36
20-34	12	9.3	43	1	2	8	14	20	21	21
35-49	31	16.4	222	4	5	11	21	36	48	71
50-64	144	16.5	147	5	6	14	19	33	47	70
65+	298	15.8	137	4	5	13	20	30	34	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.2	11	1	1	4	5	9	12	14
B. Operated	100	9.7	51	1	2	9	13	18	23	35
2. MULTIPLE DX										
A. Not Operated	178	8.2	73	1	2	6	10	17	21	54
B. Operated	498	15.8	143	4	5	13	19	30	36	70
1. SINGLE DX	131	8.4	47	1	1	7	12	16	23	31
2. MULTIPLE DX	676	13.8	135	2	3	11	17	28	34	61
A. NOT OPERATED	209	7.6	66	1	2	5	9	16	20	52
B. OPERATED	598	14.8	132	3	4	12	19	28	34	65
TOTAL 0-19 YRS	44	9.3	74	1	2	7	11	25	30	36
20-34	41	7.4	73	1	1	5	9	16	20	50
35-49	63	11.3	154	1	1	8	13	26	35	68
50-64	236	13.1	122	2	3	11	16	27	34	62
65+	423	14.0	128	3	4	11	18	27	33	59
GRAND TOTAL	807	12.9	125	2	3	10	17	26	33	60

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	11	5.3	6	2	2	5	7	9	10	10
65+	14	9.4	83	1	2	6	10	26	29	30
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	18.0		18	18	18	18	18	18	18
35-49	6	16.2	51	7	7	17	22	25	25	25
50-64	24	13.8	200	1	4	11	15	27	44	71
65+	48	12.6	72	3	3	12	16	24	30	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	2.0		2	2	2	2	2	2	2
35-49	15	5.1	7	1	2	5	7	8	10	11
50-64	103	7.6	45	2	3	5	9	16	22	37
65+	182	8.1	40	2	2	6	10	16	21	33
B. Operated										
0-19 YRS	2	16.0	8	14	14	16	18	18	18	18
20-34	2	15.5	41	11	11	15	20	20	20	20
35-49	51	12.8	63	2	4	12	16	25	26	38
50-64	231	17.0	156	3	5	14	22	30	47	62
65+	477	16.4	128	2	5	14	21	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	7.6	50	2	2	5	9	17	27	30
B. Operated	80	13.2	106	2	3	11	16	24	30	61
2. MULTIPLE DX										
A. Not Operated	304	7.7	40	2	2	6	9	15	21	33
B. Operated	763	16.4	132	3	5	14	21	29	38	62
1. SINGLE DX	106	11.8	97	2	3	10	15	24	29	53
2. MULTIPLE DX	1067	13.9	121	2	3	11	18	26	35	60
A. NOT OPERATED	330	7.7	41	2	2	6	9	15	21	32
B. OPERATED	843	16.1	131	3	5	14	20	29	37	62
TOTAL 0-19 YRS	5	10.6	30	4	4	9	15	18	18	18
20-34	5	10.6	73	2	2	11	18	20	20	20
35-49	73	11.5	60	2	3	10	15	23	26	38
50-64	369	13.8	142	2	3	10	17	27	36	62
65+	721	13.9	115	2	3	12	18	26	34	53
GRAND TOTAL	1173	13.7	119	2	3	11	18	26	34	60

366 Hospitals, Southern Region, January-December 1985

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	18	3.8	17	1	1	2	5	8	14	17
50-64	88	4.9	27	1	1	3	6	10	13	33
65+	79	6.4	25	<1	1	6	9	13	17	23
B. Operated										
0-19 YRS	4	7.8	61	1	1	5	12	19	19	19
20-34	6	11.0	20	8	8	9	11	19	20	20
35-49	90	8.5	36	1	2	8	11	16	20	33
50-64	441	8.1	38	1	2	7	11	16	18	24
65+	401	8.1	38	1	2	8	11	15	19	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	10	5.0	14	2	2	3	8	11	13	13
35-49	148	6.1	36	1	1	5	8	12	17	28
50-64	796	7.2	47	1	2	5	9	15	19	34
65+	1043	8.1	42	2	2	6	10	16	21	30
B. Operated										
0-19 YRS	2	26.0	50	21	21	26	31	31	31	31
20-34	23	11.7	50	3	4	9	15	25	26	27
35-49	340	10.3	61	2	3	8	14	20	25	43
50-64	1929	10.9	62	2	3	9	14	20	25	38
65+	2786	11.2	66	2	3	9	15	21	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	5.4	26	1	1	4	7	11	14	27
B. Operated	942	8.2	38	1	2	7	11	16	19	26
2. MULTIPLE DX										
A. Not Operated	1998	7.6	44	1	2	6	9	15	20	32
B. Operated	5080	11.1	64	2	3	9	14	21	26	39
1. SINGLE DX	1129	7.7	37	1	2	6	10	15	18	26
2. MULTIPLE DX	7078	10.1	61	2	3	8	13	19	25	37
A. NOT OPERATED	2185	7.4	43	1	2	6	9	15	20	32
B. OPERATED	6022	10.6	61	2	3	9	14	20	25	38
TOTAL										
0-19 YRS	8	15.0	189	<1	<1	12	26	34	36	36
20-34	40	9.7	44	2	2	8	13	18	25	27
35-49	596	8.8	54	1	2	7	11	18	22	35
50-64	3254	9.5	57	2	2	8	13	18	23	36
65+	4309	10.1	59	2	3	8	13	19	25	37
GRAND TOTAL	8207	9.7	58	2	2	8	13	19	24	36

Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	8	1.9	3	<1	<1	1	2	5	6	6
35-49	18	2.7	4	1	1	2	3	5	8	9
50-64	17	3.4	10	<1	1	2	5	8	11	12
B. Operated										
0-19 YRS	7	6.3	5	3	3	6	8	9	9	9
20-34	6	5.3	36	<1	<1	3	6	16	17	17
35-49	43	7.5	38	1	1	8	11	14	16	32
50-64	118	6.3	39	<1	1	4	10	14	18	28
65+	119	6.2	45	1	1	3	10	16	18	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	4	5.3	5	2	2	6	7	7	7	7
35-49	14	5.9	12	1	2	6	8	12	12	12
50-64	33	6.1	33	<1	1	4	7	14	20	26
65+	62	7.0	60	1	2	4	8	14	19	49
B. Operated										
0-19 YRS	13	12.8	148	4	5	8	15	28	45	49
20-34	14	13.8	131	1	2	13	16	37	38	38
35-49	56	15.9	260	1	2	12	19	32	49	94
50-64	239	10.9	89	1	1	10	15	21	24	54
65+	265	11.3	146	1	2	9	16	23	36	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.7	6	<1	1	2	3	7	8	12
B. Operated	293	6.4	40	1	1	4	10	14	18	31
2. MULTIPLE DX										
A. Not Operated	118	6.4	43	1	2	4	8	13	17	35
B. Operated	587	11.7	134	1	2	10	16	23	34	59
1. SINGLE DX	339	5.9	37	1	1	3	9	14	17	29
2. MULTIPLE DX	705	10.8	123	1	2	8	15	21	29	57
A. NOT OPERATED	164	5.3	35	1	1	3	7	12	15	26
B. OPERATED	880	9.9	109	1	1	8	14	21	26	56
TOTAL										
0-19 YRS	28	8.2	88	1	2	6	9	16	26	49
20-34	24	10.3	101	1	1	7	15	20	37	38
35-49	121	10.9	158	1	1	8	14	21	32	64
50-64	408	8.8	73	1	1	7	13	19	22	40
65+	463	9.1	110	1	1	5	13	21	26	58
GRAND TOTAL	1044	9.2	100	1	1	6	13	20	24	56

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	2.5	2	1	1	2	3	4	5	6
20-34	7	3.4	3	1	1	3	5	6	6	6
35-49	5	5.0	53	1	1	2	6	18	18	18
50-64	7	5.6	17	1	1	5	9	11	11	11
65+	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	104	6.4	17	1	2	5	9	11	14	20
20-34	49	8.1	17	2	3	8	11	12	15	25
35-49	43	8.0	76	<1	3	5	12	17	20	50
50-64	56	7.5	25	1	2	7	11	14	15	23
65+	80	8.0	42	1	2	6	11	17	21	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	4.3	16	1	1	3	5	9	10	25
20-34	22	3.6	6	1	1	3	4	6	9	13
35-49	14	5.6	11	1	1	5	8	11	11	11
50-64	23	6.0	45	1	2	4	6	15	25	27
65+	39	6.8	38	1	2	5	9	14	21	30
B. Operated										
0-19 YRS	70	12.2	278	1	2	7	14	27	37	91
20-34	27	11.1	108	2	2	10	14	20	28	53
35-49	42	11.8	142	1	2	8	16	33	44	99+
50-64	64	12.8	168	2	3	8	14	29	43	61
65+	145	10.9	107	1	2	8	14	22	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.9	6	1	1	2	3	5	6	15
B. Operated	332	7.4	32	1	2	6	10	14	17	26
2. MULTIPLE DX										
A. Not Operated	213	4.9	22	1	1	4	6	10	13	27
B. Operated	348	11.7	156	1	2	8	14	24	41	84
1. SINGLE DX	425	6.4	30	1	2	5	9	13	16	24
2. MULTIPLE DX	561	9.1	116	1	2	6	11	21	29	62
A. NOT OPERATED	306	4.3	18	1	1	3	5	9	11	25
B. OPERATED	680	9.6	100	1	2	7	12	19	27	54
TOTAL 0-19 YRS	361	6.1	74	1	1	4	7	11	17	37
20-34	105	7.6	44	2	2	6	11	13	18	38
35-49	104	9.1	97	1	1	6	11	21	33	73
50-64	150	9.4	97	1	2	7	11	21	27	52
65+	266	9.4	79	1	2	7	13	20	25	51
GRAND TOTAL	986	8.0	80	1	2	5	10	17	24	51

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	7	4.7	39	<1	<1	1	6	16	18	18
65+	2	10.0	50	5	5	10	15	15	15	15
B. Operated										
0-19 YRS	6	3.5	5	1	1	3	6	6	6	6
20-34	47	4.0	8	1	1	3	6	8	10	11
35-49	88	3.9	8	1	1	3	5	8	9	12
50-64	100	4.7	15	1	1	4	7	8	10	22
65+	90	4.4	12	1	1	3	6	9	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	6.7	47	2	2	5	8	19	21	21
35-49	9	7.8	73	2	2	4	8	22	29	29
50-64	16	5.4	36	1	1	3	6	15	20	22
65+	14	5.5	15	1	2	5	6	9	15	17
B. Operated										
0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	30	5.2	36	1	2	3	6	9	20	30
35-49	58	5.0	14	1	1	4	7	10	13	16
50-64	73	5.9	29	2	2	4	7	11	19	28
65+	123	8.6	90	1	2	6	10	17	22	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.0	30	<1	1	4	5	16	18	18
B. Operated	331	4.3	11	1	1	3	6	8	10	13
2. MULTIPLE DX										
A. Not Operated	46	6.1	36	1	2	4	7	16	21	29
B. Operated	288	6.8	54	1	2	5	8	14	20	46
1. SINGLE DX	344	4.3	12	1	1	3	6	8	10	15
2. MULTIPLE DX	334	6.7	52	1	2	5	8	14	20	37
A. NOT OPERATED	59	5.8	35	1	1	4	7	16	20	28
B. OPERATED	619	5.4	33	1	1	4	7	10	14	29
TOTAL 0-19 YRS	10	3.8	6	1	1	3	6	8	9	9
20-34	84	4.7	21	1	1	3	6	9	11	27
35-49	159	4.5	14	1	1	3	6	9	11	16
50-64	196	5.2	23	1	2	4	7	10	13	28
65+	229	6.8	58	1	2	5	8	13	18	54
GRAND TOTAL	678	5.5	33	1	1	4	7	10	15	29

366 Hospitals, Southern Region, January-December 1985

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	6	2.7	1	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	7	4.9	14	<1	<1	4	9	10	10	10
20-34	17	3.1	7	<1	<1	2	3	8	9	10
35-49	52	3.2	24	<1	<1	2	3	6	14	29
50-64	141	2.6	6	<1	1	2	3	5	7	17
65+	276	3.0	7	<1	<1	2	3	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	4	8.3	30	1	1	9	12	13	13	13
65+	16	6.9	58	<1	1	3	11	15	25	29
B. Operated										
0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	13	4.9	18	1	1	4	7	12	14	14
35-49	65	4.2	32	<1	1	3	5	9	11	38
50-64	175	3.8	11	1	1	3	5	8	11	16
65+	634	4.9	32	1	1	3	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.6	1	1	1	3	3	4	4	4
B. Operated	493	2.9	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	23	6.7	46	<1	1	3	11	14	20	29
B. Operated	889	4.6	28	1	1	3	5	10	14	27
1. SINGLE DX	501	2.9	8	<1	<1	2	3	6	8	16
2. MULTIPLE DX	912	4.7	28	1	1	3	5	10	14	28
A. NOT OPERATED	31	5.6	37	1	1	3	8	13	15	29
B. OPERATED	1382	4.0	22	<1	1	2	5	9	13	25
TOTAL 0-19 YRS										
20-34	32	3.8	12	<1	1	2	5	10	11	14
35-49	118	3.8	28	<1	<1	2	4	8	11	33
50-64	320	3.3	9	<1	1	2	4	7	10	16
65+	932	4.3	25	<1	1	3	5	9	13	27
GRAND TOTAL	1413	4.1	22	<1	1	2	5	9	13	25

32: Malignant neoplasm of breast (female) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	10	3.2	3	1	1	3	4	6	7	7
50-64	28	3.7	11	<1	1	3	5	7	10	15
65+	14	4.6	12	<1	1	4	6	9	13	14
<i>B. Operated</i>										
0-19 YRS	3	2.7	8	<1	<1	1	5	6	6	6
20-34	114	5.3	5	2	2	5	6	9	10	11
35-49	667	5.3	7	1	2	5	7	8	10	12
50-64	950	5.5	6	2	2	5	7	8	10	13
65+	1026	5.9	8	2	2	6	7	9	10	14
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34	12	8.5	115	1	1	4	11	29	32	33
35-49	64	5.6	18	1	1	4	7	11	15	19
50-64	154	6.5	33	1	1	5	9	15	17	34
65+	148	7.1	70	1	1	5	8	14	17	39
<i>B. Operated</i>										
0-19 YRS	4	9.5	4	8	8	9	11	12	12	12
20-34	100	6.5	30	2	3	6	8	10	11	34
35-49	684	6.4	14	2	3	6	8	10	12	19
50-64	1385	7.4	27	2	3	7	9	12	15	27
65+	2046	7.7	21	3	4	7	9	12	15	28
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	57	3.8	9	1	1	3	5	7	9	15
<i>B. Operated</i>										
	2760	5.6	7	1	2	5	7	9	10	13
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	378	6.7	48	1	1	5	8	14	17	35
<i>B. Operated</i>										
	4219	7.4	22	2	3	7	9	12	15	27
1. SINGLE DX	2817	5.5	7	1	2	5	7	9	10	13
2. MULTIPLE DX	4597	7.3	25	2	3	7	9	12	15	27
A. NOT OPERATED	435	6.3	43	1	1	5	8	13	17	34
B. OPERATED	6979	6.7	17	2	3	6	8	10	13	22
TOTAL 0-19 YRS										
	8	6.1	17	<1	<1	7	9	11	12	12
20-34	230	5.9	22	1	2	5	7	10	10	28
35-49	1425	5.8	11	1	2	5	7	9	11	17
50-64	2517	6.6	20	2	3	6	8	11	13	24
65+	3234	7.1	20	2	3	6	9	11	14	24
GRAND TOTAL	7414	6.7	19	2	3	6	8	11	13	23

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	17	3.5	1	2	2	4	4	4	5	5
35-49	38	3.3	2	1	2	3	3	5	7	9
50-64	65	3.3	3	2	2	3	3	4	5	13
65+	33	3.7	3	2	2	3	4	6	8	10
B. Operated										
0-19 YRS										
20-34	92	5.4	26	1	1	5	7	10	12	30
35-49	112	6.2	83	1	2	4	8	11	13	47
50-64	57	5.1	12	1	2	4	7	10	11	18
65+	60	4.0	8	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	34	4.4	13	1	1	4	5	10	14	16
35-49	84	5.3	24	1	1	4	6	12	16	26
50-64	85	5.5	27	1	1	4	7	12	15	29
65+	78	6.1	29	2	2	4	7	12	18	29
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	128	8.1	68	1	2	6	9	14	18	51
35-49	184	8.0	35	2	3	7	10	15	19	34
50-64	165	8.2	80	2	2	6	9	17	26	72
65+	183	8.7	96	2	2	6	10	17	24	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	153	3.4	3	2	2	3	4	4	6	10
B. Operated										
	321	5.4	40	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
	281	5.5	25	1	1	4	6	12	16	29
B. Operated										
	662	8.3	69	2	2	6	10	16	22	48
1. SINGLE DX										
	474	4.7	29	1	2	3	6	9	11	16
2. MULTIPLE DX										
	943	7.5	58	1	2	5	9	15	20	42
A. NOT OPERATED										
	434	4.8	18	1	2	3	5	9	14	28
B. OPERATED										
	983	7.3	62	1	2	6	9	13	19	43
TOTAL 0-19 YRS										
	2	3.5	13	1	1	3	6	6	6	6
20-34	271	6.5	45	1	1	5	8	12	16	41
35-49	418	6.6	45	1	2	5	8	12	17	29
50-64	372	6.3	47	1	2	4	7	12	18	31
65+	354	6.9	62	2	2	4	8	14	20	43
GRAND TOTAL										
	1417	6.5	50	1	2	5	8	12	17	38

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	4.0	2	3	3	4	5	6	6	6
35-49	22	3.0	1	1	2	3	3	4	5	5
50-64	52	3.1	3	1	2	3	3	4	4	13
65+										
B. Operated										
0-19 YRS										
20-34	10	5.7	9	2	2	5	6	10	13	13
35-49	38	5.5	5	1	2	6	7	8	9	9
50-64	140	6.0	10	1	2	6	7	10	12	16
65+	164	6.3	10	1	2	7	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	5.6	13	1	2	4	7	11	12	12
35-49	11	7.1	43	<1	2	6	8	16	24	25
50-64	47	5.9	31	1	2	4	6	17	19	23
65+	91	6.1	34	1	2	4	7	11	20	30
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	12	6.8	17	1	1	7	9	13	14	14
35-49	93	7.6	17	2	4	7	9	11	13	28
50-64	427	7.9	31	2	2	7	9	12	15	29
65+	695	8.2	27	2	2	7	10	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.1	2	1	2	3	3	4	5	11
B. Operated	352	6.1	9	1	2	6	8	9	12	15
2. MULTIPLE DX										
A. Not Operated	156	6.1	32	1	2	4	7	12	20	30
B. Operated	1228	8.0	28	2	2	7	10	13	16	27
1. SINGLE DX	430	5.5	9	1	2	6	7	9	11	15
2. MULTIPLE DX	1384	7.8	29	2	2	7	9	13	16	27
A. NOT OPERATED	234	5.1	24	1	2	4	5	10	17	27
B. OPERATED	1580	7.6	24	2	2	7	9	12	15	25
TOTAL 0-19 YRS										
20-34	29	6.1	13	1	2	6	8	12	13	14
35-49	146	6.9	16	2	3	7	8	10	12	26
50-64	636	7.1	27	1	2	7	8	12	15	22
65+	1002	7.4	25	2	2	7	9	13	16	26
GRAND TOTAL	1814	7.3	25	2	2	7	9	12	15	25

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34										
35-49	12	2.3	1	<1	<1	2	3	4	4	4
50-64	26	2.1	3	<1	<1	2	2	3	6	9
65+	16	3.2	7	<1	1	2	5	9	68	99+
B. Operated										
0-19 YRS	10	7.8	5	4	5	8	9	11	12	12
20-34	16	6.1	5	1	5	6	7	9	10	11
35-49	34	7.7	10	3	5	7	9	12	13	17
50-64	53	8.1	15	2	4	8	10	13	16	21
65+	40	9.0	9	4	6	9	11	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	31	3.3	8	1	1	2	5	7	9	12
50-64	84	5.3	49	1	1	3	6	12	16	39
65+	95	8.1	63	1	2	6	10	21	27	38
B. Operated										
0-19 YRS	7	7.6	10	4	4	6	10	12	13	13
20-34	35	8.2	14	4	5	8	10	12	15	23
35-49	119	9.5	26	5	6	8	11	14	19	32
50-64	321	12.0	48	5	6	10	14	21	24	39
65+	327	14.4	87	5	6	12	17	23	31	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.5	4	<1	1	2	3	5	8	93
B. Operated	153	8.0	11	3	5	8	10	12	14	17
2. MULTIPLE DX										
A. Not Operated	217	6.1	51	1	1	4	7	14	22	38
B. Operated	809	12.4	62	5	6	10	15	21	25	42
1. SINGLE DX	210	6.5	15	1	1	7	9	12	13	19
2. MULTIPLE DX	1026	11.1	66	2	3	9	14	21	25	41
A. NOT OPERATED	274	5.4	43	1	1	3	7	12	20	39
B. OPERATED	962	11.7	57	4	6	10	14	20	24	40
TOTAL 0-19 YRS	24	6.5	8	3	3	6	8	10	12	13
20-34	54	7.2	14	1	4	6	8	11	14	23
35-49	196	7.8	25	1	2	7	10	13	16	28
50-64	484	9.9	52	1	2	9	12	19	23	38
65+	478	12.3	83	2	3	10	15	22	28	51
GRAND TOTAL	1236	10.3	61	1	2	9	13	19	24	40

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	2	<1	<1	3	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	5	3.4	5	1	1	3	4	7	7	7
65+	9	5.8	18	1	2	4	8	13	15	15
B. Operated										
0-19 YRS										
20-34	4	3.0	5	<1	<1	2	4	6	6	6
35-49	12	7.3	51	1	1	5	11	20	22	22
50-64	14	6.4	61	1	2	4	6	14	27	31
65+	45	6.6	50	1	2	4	7	19	22	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	3	5.0	7	3	3	4	7	8	8	8
50-64	11	3.9	6	1	1	3	6	8	8	8
65+	29	5.0	7	2	2	4	6	8	11	13
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	13.3	382	1	3	7	8	42	67	71
35-49	16	13.3	93	3	4	10	23	29	31	31
50-64	51	14.6	283	2	3	10	17	24	48	99
65+	110	11.6	122	2	3	9	14	23	30	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.4	10	<1	1	3	6	8	11	15
B. Operated	75	6.5	49	1	1	4	7	19	22	35
2. MULTIPLE DX										
A. Not Operated	47	4.7	6	1	2	4	6	8	9	13
B. Operated	190	12.7	177	2	3	9	15	24	31	79
1. SINGLE DX	98	6.0	41	1	1	4	7	14	21	34
2. MULTIPLE DX	237	11.1	153	2	3	7	13	23	30	73
A. NOT OPERATED	70	4.6	7	1	2	4	7	8	9	15
B. OPERATED	265	10.9	148	2	2	7	13	23	30	69
TOTAL 0-19 YRS	7	4.0	8	<1	1	3	4	9	10	10
20-34	21	9.2	237	<1	1	6	8	17	48	71
35-49	33	9.8	74	1	2	6	13	23	29	31
50-64	81	11.1	210	1	2	7	13	23	37	87
65+	193	9.2	91	2	2	6	12	20	24	46
GRAND TOTAL	335	9.6	125	1	2	6	12	22	28	62

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	31	4.9	14	1	1	3	7	11	12	12
		6.5	24	1	1	5	8	14	16	21
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	11	9.1	41	1	2	9	12	19	23	23
50-64	328	6.4	21	1	1	6	9	12	15	21
65+	983	5.7	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	5.5	6	3	3	5	7	8	8	8
50-64	71	7.7	48	1	2	6	9	17	24	35
65+	439	7.0	34	1	2	5	9	14	18	29
B. Operated										
0-19 YRS	5	6.6	9	4	4	6	9	11	11	11
20-34	1	19.0		19	19	19	19	19	19	19
35-49	23	8.9	60	2	3	8	10	14	24	40
50-64	532	7.3	29	2	2	6	9	14	17	30
65+	3384	7.7	34	2	3	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	6.2	22	1	1	5	7	13	16	21
B. Operated	1324	5.9	16	1	2	5	8	11	14	19
2. MULTIPLE DX										
A. Not Operated	516	7.1	35	1	2	5	9	14	18	30
B. Operated	3945	7.7	33	2	3	6	9	14	18	30
1. SINGLE DX	1362	5.9	16	1	2	5	8	11	14	19
2. MULTIPLE DX	4461	7.6	33	2	3	6	9	14	18	30
A. NOT OPERATED	554	7.0	34	1	2	5	9	14	18	29
B. OPERATED	5269	7.2	29	2	2	6	9	13	17	27
TOTAL 0-19 YRS	7	5.7	8	3	3	4	7	10	11	11
20-34	3	10.3	72	2	2	10	17	19	19	19
35-49	38	8.6	48	2	3	8	10	15	20	40
50-64	938	7.0	28	1	2	6	9	13	16	27
65+	4837	7.2	30	2	2	6	9	13	17	27
GRAND TOTAL	5823	7.2	30	2	2	6	9	13	17	27

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	5.0	2	2	3	5	6	6	6	6
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	10.3	72	4	4	7	17	20	20	20
65+										
B. Operated										
0-19 YRS	13	3.8	4	2	2	3	4	7	9	9
20-34	80	4.2	42	1	1	3	4	8	9	43
35-49	38	3.6	7	1	1	3	4	8	10	12
50-64	16	6.4	106	<1	1	3	7	13	34	43
65+	16	4.3	6	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.3	3	2	2	4	5	6	6	6
20-34	8	4.1	4	1	1	4	6	7	7	7
35-49	3	6.0	12	4	4	4	9	10	10	10
50-64	6	7.7	2	6	6	7	8	10	10	10
65+	4	3.8	24	1	1	2	6	11	11	11
B. Operated										
0-19 YRS	5	6.2	25	2	2	3	11	13	13	13
20-34	45	8.3	142	1	1	4	8	21	32	68
35-49	23	7.8	94	1	2	5	8	15	30	47
50-64	17	6.2	29	2	2	4	7	16	19	20
65+	30	6.9	22	2	2	7	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.8	21	1	2	5	6	10	18	20
B. Operated	163	4.3	33	1	1	3	5	8	9	39
2. MULTIPLE DX										
A. Not Operated	25	5.2	8	1	1	5	7	10	10	11
B. Operated	120	7.5	81	1	2	5	8	15	22	53
1. SINGLE DX	176	4.4	32	1	1	3	5	8	10	37
2. MULTIPLE DX	145	7.1	69	1	2	5	8	13	21	48
A. NOT OPERATED	38	5.4	12	1	1	5	7	9	11	20
B. OPERATED	283	5.6	56	1	1	3	7	10	15	46
TOTAL 0-19 YRS	23	4.3	9	1	2	3	5	9	11	13
20-34	140	5.6	73	1	1	3	6	9	18	58
35-49	66	5.2	40	1	1	3	6	10	13	43
50-64	42	6.8	55	1	1	5	8	14	20	43
65+	50	5.8	18	1	2	5	8	10	12	25
GRAND TOTAL	321	5.6	50	1	1	4	7	10	14	44

366 Hospitals, Southern Region, January-December 1985

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	16	6.3	21	1	2	5	9	15	16	16
B. Operated										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	16	3.8	15	1	1	3	4	9	14	16
35-49	64	3.5	11	1	1	2	4	7	10	20
50-64	407	4.2	13	1	1	3	5	9	13	18
65+	772	4.3	14	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	4	8.0	45	2	2	6	13	17	17	17
50-64	24	6.3	52	1	1	3	10	14	22	31
65+	98	5.8	23	1	1	5	7	12	17	24
B. Operated										
0-19 YRS	3	11.7	97	5	5	7	19	23	23	23
20-34	13	3.8	8	1	2	3	4	7	11	12
35-49	53	7.3	65	2	2	4	8	15	25	43
50-64	495	6.6	41	1	2	4	8	15	19	34
65+	1827	6.8	38	2	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.8	19	1	2	4	7	13	16	16
B. Operated	1262	4.2	14	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. Not Operated	126	5.9	29	1	1	4	8	13	18	28
B. Operated	2391	6.8	39	1	2	5	8	14	19	32
1. SINGLE DX	1281	4.2	14	1	1	3	5	9	13	19
2. MULTIPLE DX	2517	6.7	39	1	2	5	8	14	18	32
A. NOT OPERATED	145	5.9	27	1	1	4	8	13	17	27
B. OPERATED	3653	5.9	32	1	2	4	7	13	17	29
TOTAL 0-19 YRS	6	8.2	57	3	3	6	8	21	23	23
20-34	29	3.8	11	1	1	3	4	8	12	16
35-49	121	5.3	39	1	1	3	6	12	16	37
50-64	929	5.5	30	1	1	4	6	13	17	30
65+	2713	6.0	32	1	2	4	7	13	16	28
GRAND TOTAL	3798	5.9	32	1	2	4	7	13	17	28

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	6.3	72	1	1	4	4	18	30	30
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	1	2.0	2	2	2	2	2	2	2	2
50-64	9	3.7	5	1	1	3	4	7	9	9
65+	7	3.7	4	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	25	8.4	8	2	5	9	11	12	12	12
20-34	5	7.0	2	6	6	7	8	9	9	9
35-49	36	9.3	11	4	6	9	11	14	16	17
50-64	86	8.6	12	2	3	9	10	14	15	17
65+	102	9.0	15	2	4	9	11	14	16	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.9	19	1	1	3	4	5	16	19
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	13	6.2	14	2	2	5	9	11	14	15
50-64	70	6.4	37	1	2	4	8	15	23	28
65+	89	8.1	59	1	2	5	11	19	26	76
B. Operated										
0-19 YRS	28	12.3	83	3	4	9	18	26	33	39
20-34	10	10.2	31	2	4	10	10	19	21	21
35-49	66	10.5	41	2	4	9	14	18	23	35
50-64	256	11.4	55	3	4	10	14	20	23	33
65+	415	13.0	71	3	5	11	15	24	31	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.4	26	1	2	3	4	7	9	30
B. Operated	254	8.8	12	2	4	9	11	14	15	17
2. MULTIPLE DX										
A. Not Operated	189	7.0	45	1	2	5	9	16	23	38
B. Operated	775	12.2	64	3	4	10	15	22	27	44
1. SINGLE DX	285	8.3	16	2	3	8	11	13	15	18
2. MULTIPLE DX	964	11.2	64	2	3	10	14	21	26	43
A. NOT OPERATED	220	6.6	43	1	2	4	8	15	22	35
B. OPERATED	1029	11.4	53	3	4	10	14	19	25	41
TOTAL 0-19 YRS	78	8.7	53	2	2	7	10	19	25	37
20-34	21	7.8	23	2	3	7	10	13	19	21
35-49	116	9.5	30	2	4	8	12	16	19	30
50-64	421	9.8	47	2	3	9	12	17	22	30
65+	613	11.5	64	2	3	10	14	21	27	45
GRAND TOTAL	1249	10.5	54	2	3	9	13	19	24	41

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.1		<1	<1	<1	1	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	27	2.5	5	<1	<1	2	3	5	6	11
20-34	5	4.4	10	1	1	3	7	9	9	9
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	11	3.5	8	<1	1	2	4	9	9	9
65+	7	2.4	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.0	3	<1	<1	1	3	4	6	7
20-34										
35-49										
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
0-19 YRS	13	6.6	40	<1	1	5	10	18	19	19
20-34	3	10.0	28	6	6	8	14	16	16	16
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	6	9.2	101	2	2	7	8	27	29	29
65+	21	4.6	9	1	2	4	6	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.2		<1	<1	<1	1	2	2	2
B. Operated	54	2.9	5	<1	<1	2	4	5	9	11
2. MULTIPLE DX										
A. Not Operated	19	2.6	7	<1	<1	1	3	6	9	11
B. Operated	47	5.9	31	1	2	4	7	13	18	29
1. SINGLE DX	74	2.4	4	<1	<1	2	3	4	8	11
2. MULTIPLE DX	66	5.0	26	<1	1	3	7	11	16	27
A. NOT OPERATED	39	1.8	4	<1	<1	1	2	4	6	11
B. OPERATED	101	4.3	19	<1	1	3	5	9	12	24
TOTAL 0-19 YRS	73	2.8	12	<1	<1	1	3	6	11	19
20-34	8	6.5	22	1	2	6	8	14	16	16
35-49	8	2.6	1	2	2	2	3	4	4	4
50-64	21	4.8	38	<1	1	2	7	9	18	29
65+	30	4.3	9	2	2	3	5	9	11	13
GRAND TOTAL	140	3.6	16	<1	<1	2	4	8	11	20

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	4.5	15	1	1	4	5	10	13	18
20-34	10	3.8	9	1	1	3	4	9	11	11
35-49	21	6.5	39	1	1	5	7	17	22	26
50-64	32	5.8	52	2	2	4	6	11	14	41
65+	31	6.2	25	1	1	5	10	14	16	18
B. Operated										
0-19 YRS	57	9.3	37	1	2	10	12	17	20	29
20-34	33	8.3	24	2	2	8	12	15	18	19
35-49	45	11.9	93	2	3	10	14	20	25	62
50-64	62	10.8	37	2	3	10	14	20	23	25
65+	52	12.1	104	2	4	11	15	17	21	74
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	7.2	164	<1	1	3	7	19	57	99+
20-34	27	5.3	21	<1	2	4	6	12	14	22
35-49	51	7.6	134	<1	1	5	9	17	37	99+
50-64	114	7.8	103	1	1	5	9	18	23	58
65+	104	8.6	41	1	2	7	11	16	23	31
B. Operated										
0-19 YRS	108	17.2	285	2	3	12	20	35	69	99
20-34	43	12.8	216	3	4	8	15	33	54	99+
35-49	59	14.2	214	2	2	9	17	31	50	70
50-64	92	16.0	193	2	4	12	19	30	42	84
65+	110	16.7	260	3	5	12	19	31	47	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	5.6	31	1	1	4	7	12	15	30
B. Operated	249	10.6	60	2	2	10	13	18	21	29
2. MULTIPLE DX										
A. Not Operated	338	7.7	89	1	1	5	9	16	24	70
B. Operated	412	15.9	240	2	3	12	19	31	49	96
1. SINGLE DX	371	8.9	56	1	2	8	12	17	20	29
2. MULTIPLE DX	750	12.2	188	1	2	9	15	26	37	91
A. NOT OPERATED	460	7.2	74	1	1	5	9	15	22	65
B. OPERATED	661	13.9	179	2	3	11	16	26	35	89
TOTAL 0-19 YRS	235	12.0	194	1	2	9	15	26	42	98
20-34	113	8.9	105	2	2	7	11	18	22	94
35-49	176	10.8	146	1	2	8	13	22	34	74
50-64	300	10.7	125	1	2	8	13	22	29	59
65+	297	12.0	146	2	3	9	14	22	29	78
GRAND TOTAL	1121	11.1	147	1	2	8	13	22	31	75

366 Hospitals, Southern Region, January-December 1985

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.7	12	1	1	3	6	9	10	10
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	9	13.6	432	2	2	9	11	45	68	68
20-34	3	26.7	526	11	11	16	44	53	53	53
35-49	3	12.3	165	3	3	7	22	27	27	27
50-64	2	13.0	50	8	8	13	18	18	18	18
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.7	3	1	1	3	5	6	6	6
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	3	8.7	21	6	6	6	12	14	14	14
50-64	2	18.0	72	12	12	18	24	24	24	24
65+	7	6.7	28	1	1	7	8	15	17	17
B. Operated										
0-19 YRS	5	19.8	362	7	7	11	29	52	52	52
20-34	6	24.7	401	8	9	19	23	60	64	64
35-49	3	11.7	4	10	10	12	57	99+	99+	99+
50-64	14	17.1	65	6	9	16	25	36	84	99+
65+	13	26.3	229	9	11	19	35	51	55	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.7	12	1	1	3	6	9	10	10
B. Operated	18	14.9	321	2	2	9	16	45	62	68
2. MULTIPLE DX										
A. Not Operated	21	7.4	33	1	2	6	9	15	20	24
B. Operated	41	21.0	200	7	9	17	27	53	76	99+
1. SINGLE DX	25	11.8	257	1	1	7	11	27	57	68
2. MULTIPLE DX	62	16.4	184	2	4	13	22	41	58	99+
A. NOT OPERATED	28	6.5	30	1	1	5	8	14	18	24
B. OPERATED	59	19.2	240	3	6	15	26	52	66	99+
TOTAL 0-19 YRS	28	9.8	227	1	1	6	10	19	54	68
20-34	11	22.5	347	7	8	16	23	57	63	64
35-49	9	10.9	51	3	4	10	14	63	99+	99+
50-64	18	16.7	59	6	8	16	23	32	71	99+
65+	21	18.7	245	2	3	15	28	44	53	56
GRAND TOTAL	87	15.1	207	1	2	11	18	38	56	99+

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.2	2	<1	1	2	3	4	6	7
20-34	16	3.8	49	1	1	2	3	3	22	30
35-49	9	2.0	1	1	1	2	2	3	3	3
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	5	2.8	1	2	2	3	3	4	4	4
B. Operated										
0-19 YRS	31	5.4	20	1	1	4	7	12	15	20
20-34	63	3.7	2	2	2	3	4	5	6	9
35-49	60	3.9	3	2	2	4	4	5	8	10
50-64	37	6.5	17	2	3	5	9	13	15	19
65+	19	5.4	8	2	2	4	7	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	4.1	6	1	2	3	6	8	10	11
20-34	12	3.9	7	<1	1	3	5	8	9	9
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	15	5.1	18	2	2	3	7	14	15	15
65+	18	5.8	15	1	2	4	10	12	12	12
B. Operated										
0-19 YRS	31	13.2	179	4	4	9	16	26	39	70
20-34	54	6.0	14	3	3	5	8	10	15	20
35-49	66	5.2	10	2	3	4	7	9	11	18
50-64	62	6.3	15	2	3	5	8	12	15	19
65+	64	9.2	48	3	4	6	12	20	30	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.8	15	1	1	2	3	4	4	29
B. Operated	210	4.6	9	2	2	4	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	87	4.6	10	1	2	3	6	10	11	15
B. Operated	277	7.4	45	3	3	5	9	14	19	39
1. SINGLE DX	264	4.3	11	1	2	3	5	7	10	18
2. MULTIPLE DX	364	6.7	38	2	3	5	8	13	17	35
A. NOT OPERATED	141	3.9	13	1	1	3	4	8	11	16
B. OPERATED	487	6.2	32	2	3	5	7	12	15	31
TOTAL 0-19 YRS	119	6.5	70	1	1	4	8	13	20	49
20-34	145	4.6	13	1	2	4	5	8	10	20
35-49	139	4.4	7	1	2	4	5	7	10	15
50-64	119	6.1	16	2	2	5	8	12	15	19
65+	106	7.6	37	2	3	6	10	14	21	63
GRAND TOTAL	628	5.7	28	2	2	4	7	11	15	30

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.6	98	<1	<1	3	3	8	16	53
20-34	6	5.7	20	1	1	4	9	13	13	13
35-49	39	6.5	22	2	2	5	8	14	16	21
50-64	83	5.8	37	1	1	3	7	13	17	33
65+	80	7.0	49	1	1	5	9	17	19	37
B. Operated										
0-19 YRS	22	5.6	19	1	2	4	8	11	16	18
20-34	23	5.7	22	<1	2	3	8	15	16	18
35-49	70	6.5	28	1	1	5	8	15	17	25
50-64	156	8.1	49	1	2	6	11	16	19	39
65+	176	7.3	49	1	1	5	10	16	22	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	4.7	39	1	2	3	5	8	10	44
20-34	126	5.9	21	1	2	4	8	12	15	22
35-49	514	6.7	35	1	2	5	9	14	18	28
50-64	1458	7.7	53	1	2	6	10	16	22	39
65+	2496	8.5	52	2	2	7	11	17	22	35
B. Operated										
0-19 YRS	65	11.9	199	2	2	8	11	27	42	83
20-34	178	9.1	65	2	2	7	10	18	25	43
35-49	675	10.1	82	2	2	8	13	21	26	53
50-64	1775	10.9	92	2	2	9	14	22	28	48
65+	2740	11.7	106	2	3	9	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	6.2	45	1	1	4	8	14	18	35
B. Operated	447	7.3	43	1	2	5	9	16	18	31
2. MULTIPLE DX										
A. Not Operated	4658	7.9	50	1	2	6	10	16	21	35
B. Operated	5433	11.1	99	2	3	9	14	22	29	52
1. SINGLE DX	682	6.9	44	1	1	5	9	15	18	33
2. MULTIPLE DX	10091	9.7	79	2	2	7	12	20	26	45
A. NOT OPERATED	4893	7.8	50	1	2	6	10	16	21	35
B. OPERATED	5880	10.8	96	2	2	8	14	22	29	51
TOTAL 0-19 YRS	178	7.4	114	1	1	4	8	14	26	54
20-34	333	7.6	47	1	2	5	10	15	20	36
35-49	1298	8.4	62	1	2	6	11	18	22	39
50-64	3472	9.3	75	1	2	7	12	19	25	45
65+	5492	10.0	82	2	2	7	13	20	27	44
GRAND TOTAL	10773	9.5	77	2	2	7	12	19	26	44

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.0	2	1	1	1	4	4	4	4
20-34	11	4.3	6	<1	1	4	6	8	9	9
35-49	5	1.2	1	1	1	1	2	2	2	2
50-64	9	2.9	4	1	1	2	4	6	7	7
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	60	4.6	7	1	1	5	6	8	9	10
20-34	96	6.3	15	1	1	6	9	11	14	17
35-49	43	5.7	28	1	1	4	7	11	17	27
50-64	19	7.0	33	1	2	5	10	16	20	21
65+	16	5.3	30	1	1	4	6	9	19	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.5	6	<1	1	3	5	8	8	8
20-34	30	4.2	17	<1	1	3	6	8	11	21
35-49	13	6.3	40	1	1	5	8	12	23	25
50-64	21	6.1	12	1	1	6	9	11	12	12
65+	20	7.3	33	1	1	5	11	15	19	22
B. Operated										
0-19 YRS	34	8.3	36	2	2	6	13	17	20	21
20-34	67	8.8	45	1	2	7	12	18	24	30
35-49	34	8.7	53	2	2	7	9	18	24	37
50-64	43	11.5	63	2	3	9	17	23	26	34
65+	45	12.7	106	2	2	10	19	29	34	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.8	4	1	1	2	4	6	7	9
B. Operated	234	5.8	18	1	1	5	8	11	14	21
2. MULTIPLE DX										
A. Not Operated	101	5.4	21	1	1	5	8	11	14	23
B. Operated	223	10.0	63	2	2	8	14	21	25	38
1. SINGLE DX	275	5.3	17	1	1	4	7	10	12	21
2. MULTIPLE DX	324	8.6	54	1	2	6	11	19	24	35
A. NOT OPERATED	142	4.6	18	1	1	3	6	9	12	22
B. OPERATED	457	7.8	44	1	2	6	10	16	22	31
TOTAL 0-19 YRS	125	5.2	18	1	1	5	7	10	15	21
20-34	204	6.7	27	1	1	6	9	13	16	26
35-49	95	6.6	40	1	1	5	9	12	22	32
50-64	92	8.5	48	1	2	7	11	19	23	32
65+	83	9.7	81	1	2	6	14	23	29	43
GRAND TOTAL	599	7.1	40	1	1	5	9	15	21	30

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	4.2	20	<1	1	3	5	9	13	23
20-34	2	6.0		6	6	6	6	6	6	6
35-49	3	8.0	61	3	3	4	14	17	17	17
50-64	7	8.9	78	1	1	7	11	24	27	27
65+	16	5.2	11	1	1	4	8	10	11	11
B. Operated										
0-19 YRS	103	5.8	28	<1	1	4	9	12	15	25
20-34	13	10.5	108	1	1	5	21	25	27	27
35-49	6	4.8	14	1	1	3	9	10	10	10
50-64	8	5.0	23	1	1	3	6	13	16	16
65+	13	5.5	12	1	2	5	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	5.8	47	1	1	4	7	12	16	25
20-34	22	5.6	45	<1	1	5	6	13	21	31
35-49	11	4.1	11	1	1	3	6	9	11	11
50-64	47	6.5	29	1	1	5	8	14	18	28
65+	107	6.4	29	1	2	5	8	13	16	30
B. Operated										
0-19 YRS	131	13.7	202	2	3	10	17	31	45	99+
20-34	37	22.4	198	3	4	23	32	38	43	61
35-49	12	25.7	291	2	3	25	36	50	55	56
50-64	40	12.8	175	2	3	8	16	34	44	60
65+	96	10.8	94	2	2	8	12	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	4.5	22	<1	1	3	6	10	13	26
B. Operated	143	6.1	34	1	1	4	9	13	20	27
2. MULTIPLE DX										
A. Not Operated	380	6.0	38	1	1	5	7	12	16	28
B. Operated	316	14.2	183	2	3	9	19	32	42	83
1. SINGLE DX	326	5.2	28	<1	1	4	7	11	16	27
2. MULTIPLE DX	696	9.7	120	1	2	6	12	23	32	61
A. NOT OPERATED	563	5.5	33	1	1	4	7	12	15	28
B. OPERATED	459	11.6	150	1	2	8	15	28	37	64
TOTAL 0-19 YRS	582	7.2	84	1	1	5	9	15	23	62
20-34	74	14.9	188	1	1	9	26	35	38	57
35-49	32	12.7	218	1	2	6	18	36	47	56
50-64	102	9.0	97	1	2	6	11	18	30	53
65+	232	8.1	59	2	2	6	10	16	22	40
GRAND TOTAL	1022	8.3	95	1	1	5	10	19	28	53

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.4	3	<1	1	4	5	5	6	8
20-34	11	4.8	18	1	2	4	5	10	16	17
35-49	14	5.4	37	<1	1	3	6	15	20	22
50-64	18	5.8	23	1	1	5	8	10	16	20
65+	24	5.0	30	<1	1	3	6	14	17	21
B. Operated										
0-19 YRS	24	9.8	94	1	2	8	11	22	34	39
20-34	20	10.3	137	1	2	6	18	36	69	99+
35-49	15	16.1	183	2	2	10	30	33	38	40
50-64	29	13.7	199	2	2	9	17	38	47	54
65+	22	9.6	104	<1	1	6	11	25	35	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	5.1	32	1	1	4	6	9	18	33
20-34	29	7.8	57	1	1	5	11	18	24	34
35-49	42	5.5	97	1	1	3	6	8	12	65
50-64	56	6.8	36	1	1	5	9	16	21	24
65+	195	6.7	45	1	1	5	9	15	21	31
B. Operated										
0-19 YRS	53	22.1	287	3	5	15	34	48	54	68
20-34	51	28.4	390	2	3	30	39	57	61	77
35-49	51	24.2	260	2	3	27	36	45	53	99
50-64	85	17.9	217	2	3	12	30	35	43	65
65+	180	16.7	219	2	4	11	27	38	46	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	4.5	18	1	1	4	5	9	14	21
B. Operated	110	11.7	144	1	2	8	16	32	40	72
2. MULTIPLE DX										
A. Not Operated	410	6.3	48	1	1	4	8	14	20	32
B. Operated	420	20.0	267	2	3	14	32	42	53	72
1. SINGLE DX	221	8.1	93	1	1	5	9	21	32	49
2. MULTIPLE DX	830	13.2	205	1	2	7	20	34	43	65
A. NOT OPERATED	521	5.9	42	1	1	4	7	13	20	31
B. OPERATED	530	18.3	252	2	3	12	30	40	51	71
TOTAL 0-19 YRS	209	9.6	153	1	1	5	10	28	39	57
20-34	111	17.4	322	1	2	9	32	47	58	86
35-49	122	14.6	243	1	1	7	28	38	46	74
50-64	188	12.8	167	1	2	8	17	33	38	59
65+	421	11.0	146	1	1	6	14	29	37	58
GRAND TOTAL	1051	12.2	186	1	1	6	16	33	41	63

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	15	3.5	4	1	1	3	5	6	7	8	
20-34	13	5.9	21	2	2	4	7	11	17	19	
35-49	27	4.9	38	1	1	3	5	15	22	24	
50-64	54	5.4	30	1	1	3	7	14	18	22	
65+	66	5.8	47	1	1	4	7	12	23	34	
B. Operated											
0-19 YRS	21	6.9	27	1	1	7	9	13	17	22	
20-34	29	5.7	20	1	2	4	8	11	17	18	
35-49	61	6.3	23	1	1	5	9	12	18	21	
50-64	161	6.3	28	1	2	4	9	13	16	27	
65+	176	6.5	37	1	2	5	9	14	16	33	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	38	6.3	72	1	2	3	7	14	26	43	
20-34	19	4.6	7	<1	1	5	6	8	10	11	
35-49	89	6.5	48	1	1	4	8	14	18	40	
50-64	249	7.4	64	1	1	5	9	17	23	32	
65+	494	7.9	46	1	2	6	10	15	20	33	
B. Operated											
0-19 YRS	35	16.0	164	4	5	11	24	40	50	99+	
20-34	37	12.3	76	2	3	11	16	28	34	99+	
35-49	136	10.9	95	2	2	9	14	20	29	56	
50-64	421	11.6	115	2	3	9	14	25	34	64	
65+	756	11.9	87	2	3	9	15	25	29	51	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	175	5.4	35	1	1	3	6	12	19	31	
B. Operated											
	448	6.4	30	1	2	5	9	13	17	26	
2. MULTIPLE DX											
A. Not Operated											
	889	7.5	51	1	2	5	10	15	20	33	
B. Operated											
	1385	11.8	98	2	3	9	15	25	32	55	
1. SINGLE DX											
	623	6.1	31	1	1	4	8	13	17	29	
2. MULTIPLE DX											
	2274	10.1	84	2	2	8	13	21	28	48	
A. NOT OPERATED											
	1064	7.2	49	1	1	5	9	15	20	32	
B. OPERATED											
	1833	10.5	87	2	2	8	13	22	29	49	
TOTAL 0-19 YRS											
	109	9.1	105	1	2	6	11	24	36	72	
20-34	98	8.0	49	1	2	6	10	18	24	69	
35-49	313	8.2	68	1	1	6	10	17	21	48	
50-64	885	9.1	85	1	2	6	12	20	25	47	
65+	1492	9.7	71	2	2	7	13	20	26	41	
GRAND TOTAL											
	2897	9.3	76	1	2	7	12	19	26	44	

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34											
35-49	1	4.0		4	4	4	4	4	4	4	
50-64											
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1	
B. Operated											
0-19 YRS	24	2.5	2	<1	1	2	3	5	5	6	
20-34	68	2.4	1	1	1	2	3	4	4	6	
35-49	103	2.9	3	1	1	3	4	4	5	10	
50-64	122	2.8	2	1	1	3	4	5	5	7	
65+	92	3.0	2	1	1	3	4	5	5	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	1.0		1	1	1	1	1	1	1	
20-34											
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1	
50-64											
65+	1	5.0		5	5	5	5	5	5	5	
B. Operated											
0-19 YRS	6	2.8	5	1	1	2	3	7	7	7	
20-34	18	2.9	3	1	1	3	4	4	7	9	
35-49	38	3.9	7	1	2	3	4	7	10	13	
50-64	74	3.9	15	1	2	3	4	7	10	26	
65+	102	4.4	12	1	2	4	5	7	9	22	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	3	2.7	2	<1	<1	3	4	4	4	4	
B. Operated											
	409	2.8	2	1	1	3	4	5	5	6	
2. MULTIPLE DX											
A. Not Operated											
	5	1.8	3	<1	<1	1	2	5	5	5	
B. Operated											
	238	4.0	12	1	2	3	5	7	9	16	
1. SINGLE DX	412	2.8	2	1	1	3	4	5	5	6	
2. MULTIPLE DX	243	3.9	11	1	1	3	5	7	9	15	
A. NOT OPERATED	8	2.1	3	<1	<1	1	3	5	5	5	
B. OPERATED	647	3.2	6	1	1	3	4	5	6	12	
TOTAL 0-19 YRS	34	2.4	2	<1	1	2	3	5	6	7	
20-34	86	2.5	2	1	1	2	3	4	5	8	
35-49	143	3.2	4	1	1	3	4	5	7	11	
50-64	196	3.2	7	1	1	3	4	5	6	12	
65+	196	3.7	8	1	2	3	5	6	8	14	
GRAND TOTAL	655	3.2	6	1	1	3	4	5	6	12	

366 Hospitals, Southern Region, January-December 1985

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	8	2.1	4	<1	<1	1	2	6	7	7
50-64	28	2.2	3	<1	<1	2	2	5	7	7
65+	21	1.8	1	<1	<1	1	2	3	4	4
B. Operated										
0-19 YRS	49	5.0	105	<1	<1	2	5	10	13	70
20-34	28	4.4	12	1	1	3	7	10	11	12
35-49	98	3.9	12	<1	1	2	6	9	11	15
50-64	214	3.7	14	<1	1	2	5	10	11	17
65+	250	4.3	20	1	1	2	7	11	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.4	2	1	1	2	3	4	5	5
20-34	10	3.4	6	1	1	3	3	8	9	9
35-49	25	4.3	11	2	2	3	5	10	11	15
50-64	65	3.1	5	1	1	3	4	5	8	13
65+	111	4.4	9	1	1	4	6	9	10	13
B. Operated										
0-19 YRS	42	5.1	32	1	1	3	7	11	13	32
20-34	49	6.3	50	1	1	5	7	14	15	45
35-49	168	5.4	21	1	1	4	8	12	15	19
50-64	547	5.8	44	1	1	4	8	12	15	37
65+	1080	6.0	40	1	1	4	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.0	2	<1	<1	2	2	4	6	7
B. Operated	639	4.1	23	<1	1	2	6	10	12	18
2. MULTIPLE DX										
A. Not Operated	220	3.9	8	1	1	3	5	8	10	13
B. Operated	1886	5.9	39	1	1	4	8	12	16	32
1. SINGLE DX	710	3.9	21	<1	1	2	5	10	12	17
2. MULTIPLE DX	2106	5.7	36	1	1	4	8	12	15	31
A. NOT OPERATED	291	3.4	7	1	1	2	4	7	9	13
B. OPERATED	2525	5.4	36	1	1	3	8	12	15	30
TOTAL 0-19 YRS	108	4.6	61	<1	1	2	5	10	12	48
20-34	93	5.2	32	1	1	3	7	11	14	33
35-49	299	4.7	17	1	1	3	7	11	13	18
50-64	854	4.9	34	1	1	3	7	11	13	31
65+	1462	5.5	34	1	1	3	8	12	15	24
GRAND TOTAL	2816	5.2	33	1	1	3	7	11	14	25

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.4		1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	118	1.8	2	<1	1	2	2	2	4	8
20-34	34	2.7	7	<1	<1	2	3	8	9	9
35-49	37	3.9	17	<1	<1	2	6	11	13	14
50-64	40	3.8	8	<1	1	3	6	8	9	10
65+	30	4.7	26	<1	1	2	7	11	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.9	2	1	1	3	4	5	5	5
20-34										
35-49	3	8.0	63	2	2	5	14	17	17	17
50-64										
65+	5	3.8	4	1	1	4	5	6	6	6
B. Operated										
0-19 YRS	62	3.2	15	1	1	2	3	7	14	19
20-34	13	4.8	8	2	2	5	6	9	11	11
35-49	21	5.6	10	1	1	6	8	10	10	11
50-64	39	6.2	30	1	1	5	9	14	19	22
65+	62	7.6	40	1	1	6	11	16	21	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.6	1	1	1	1	2	2	4	5
B. Operated	259	2.9	9	<1	<1	2	3	8	9	14
2. MULTIPLE DX										
A. Not Operated	20	3.9	12	1	1	3	5	6	11	17
B. Operated	197	5.5	28	1	1	3	8	13	17	24
1. SINGLE DX	279	2.8	9	<1	1	2	2	7	9	14
2. MULTIPLE DX	217	5.4	26	1	1	3	8	13	17	24
A. NOT OPERATED	40	2.8	8	1	1	2	4	5	6	17
B. OPERATED	456	4.0	19	<1	1	2	5	10	13	22
TOTAL 0-19 YRS	209	2.2	6	1	1	2	2	3	5	16
20-34	47	3.3	8	<1	<1	2	5	8	9	11
35-49	62	4.6	17	<1	<1	3	8	10	13	17
50-64	80	5.0	20	1	1	3	7	10	13	22
65+	98	6.5	35	1	1	5	9	15	20	25
GRAND TOTAL	496	3.9	18	<1	1	2	5	9	13	21

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
I. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	10	2.3	2	1	1	2	3	4	5	5
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	8	2.3	2	<1	<1	2	3	4	4	4
50-64	8	4.8	51	<1	<1	2	4	17	22	22
65+	2	1.5	1	<1	<1	1	2	2	2	2
<i>B. Operated</i>										
0-19 YRS	354	2.7	8	<1	1	2	3	5	7	12
20-34	312	2.7	3	<1	<1	2	4	5	6	9
35-49	357	2.7	6	<1	<1	2	3	5	8	15
50-64	313	2.7	8	<1	<1	2	3	5	7	13
65+	142	3.0	7	<1	<1	2	3	7	9	13
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	14	2.5	6	<1	<1	2	3	5	9	10
20-34	6	1.8	1	1	1	2	2	3	3	3
35-49	11	3.7	8	<1	<1	3	4	9	10	10
50-64	10	4.7	80	<1	<1	2	3	17	30	30
65+	16	3.6	7	<1	<1	3	5	7	9	10
<i>B. Operated</i>										
0-19 YRS	77	4.5	17	<1	1	3	5	10	14	21
20-34	98	4.2	17	<1	1	3	5	9	13	22
35-49	201	3.8	11	1	1	3	5	8	10	18
50-64	254	4.1	14	1	1	3	5	9	13	18
65+	196	4.6	35	1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	32	3.1	14	<1	<1	2	4	5	5	22
<i>B. Operated</i>	1478	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
<i>A. Not Operated</i>	57	3.4	18	<1	<1	2	3	7	10	29
<i>B. Operated</i>	826	4.2	19	1	1	3	5	9	12	20
1. SINGLE DX	1510	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	883	4.1	19	1	1	3	5	9	12	20
A. NOT OPERATED	89	3.2	16	<1	<1	2	3	5	10	27
B. OPERATED	2304	3.2	11	<1	1	2	4	6	9	16
TOTAL 0-19 YRS	455	3.0	9	<1	1	2	3	6	8	14
20-34	420	3.0	7	<1	1	2	4	6	8	13
35-49	577	3.1	8	<1	<1	2	4	6	9	16
50-64	585	3.4	12	<1	1	2	4	7	10	19
65+	356	3.9	23	<1	1	3	4	8	11	16
GRAND TOTAL	2393	3.2	12	<1	1	2	4	6	9	16

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.2	25	<1	1	3	4	14	17	18
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	8	2.3	2	<1	<1	2	3	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	3.2	8	<1	<1	3	4	8	8	8
B. Operated										
0-19 YRS	398	2.4	4	<1	<1	2	3	5	6	10
20-34	83	2.8	5	<1	1	2	3	6	8	10
35-49	79	3.6	13	<1	<1	2	4	8	11	22
50-64	64	3.1	9	<1	<1	2	4	6	8	16
65+	27	3.9	11	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	4.9	55	<1	<1	3	5	11	14	41
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	8	4.4	14	<1	<1	3	7	10	11	11
50-64	5	3.8	5	1	1	5	5	6	6	6
65+	11	8.7	33	1	2	8	11	16	22	23
B. Operated										
0-19 YRS	107	6.0	89	<1	1	3	7	13	22	55
20-34	42	4.2	21	<1	<1	2	6	14	16	17
35-49	95	4.4	19	<1	1	3	5	9	11	24
50-64	80	4.3	16	<1	<1	3	5	11	12	18
65+	70	6.4	60	<1	1	4	8	14	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.4	15	<1	<1	2	4	8	14	18
B. Operated	651	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	59	5.5	41	<1	<1	4	7	11	13	39
B. Operated	394	5.2	45	<1	1	3	6	11	17	38
1. SINGLE DX	686	2.7	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX	453	5.2	45	<1	1	3	6	11	16	40
A. NOT OPERATED	94	4.7	32	<1	<1	3	6	11	14	33
B. OPERATED	1045	3.6	22	<1	<1	2	4	8	11	22
TOTAL										
0-19 YRS	555	3.3	26	<1	<1	2	3	6	10	22
20-34	130	3.4	10	<1	1	2	4	8	10	16
35-49	190	4.0	16	<1	1	3	5	9	11	24
50-64	151	3.8	13	<1	<1	3	4	9	12	16
65+	113	5.9	45	<1	1	3	8	12	19	41
GRAND TOTAL	1139	3.7	23	<1	<1	2	4	8	11	22

366 Hospitals, Southern Region, January-December 1985

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	96	1.5	1	<1	<1	1	2	2	3	4
20-34	162	1.7	1	<1	<1	2	2	3	3	6
35-49	189	1.7	1	<1	<1	2	2	3	3	4
50-64	88	2.0	1	<1	<1	2	2	3	3	8
65+	46	2.1	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-19 YRS	14	2.1	2	<1	<1	2	2	3	5	6
20-34	70	2.7	8	<1	1	2	3	5	6	20
35-49	138	2.4	2	<1	1	2	3	5	5	7
50-64	136	2.8	12	1	1	2	3	4	6	14
65+	110	3.2	7	1	1	2	3	7	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	581	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	7	2.7	5	<1	<1	2	4	6	7	7
B. Operated	468	2.7	7	<1	1	2	3	5	6	13
1. SINGLE DX	581	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	475	2.7	7	<1	1	2	3	5	6	13
A. NOT OPERATED	7	2.7	5	<1	<1	2	4	6	7	7
B. OPERATED	1049	2.2	4	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	110	1.6	1	<1	<1	1	2	2	3	5
20-34	234	2.0	3	<1	<1	2	2	3	4	9
35-49	327	2.0	1	<1	<1	2	2	3	4	6
50-64	226	2.5	8	<1	1	2	3	3	5	10
65+	159	2.9	6	1	1	2	3	5	7	15
GRAND TOTAL	1056	2.2	4	<1	<1	2	2	3	5	9

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	10	2.3	2	1	1	2	2	5	6	6
35-49	14	3.1	4	1	1	2	4	6	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	8.7	65	4	4	4	15	18	18	18
B. Operated										
0-19 YRS	9	6.2	1	5	5	6	7	8	8	8
20-34	394	5.5	3	2	4	5	6	7	8	11
35-49	907	5.8	3	3	4	6	7	7	8	11
50-64	117	5.8	3	2	3	6	7	8	8	9
65+	20	6.0	16	<1	<1	6	8	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	59	2.9	5	<1	1	2	4	5	7	13
35-49	121	3.3	6	<1	<1	2	5	7	8	10
50-64	13	2.8	4	<1	<1	2	4	6	6	6
65+	13	6.8	126	2	2	4	5	14	38	44
B. Operated										
0-19 YRS	20	6.5	6	2	3	6	7	9	12	14
20-34	1524	5.9	4	2	4	6	7	8	10	13
35-49	6346	6.4	5	4	5	6	7	8	10	14
50-64	1094	6.6	7	3	5	6	7	9	10	16
65+	203	8.6	29	2	5	7	9	14	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.5	12	1	1	2	4	6	9	18
B. Operated	1447	5.7	3	2	4	6	7	7	8	11
2. MULTIPLE DX										
A. Not Operated	207	3.4	13	<1	1	2	4	6	8	12
B. Operated	9187	6.4	6	4	4	6	7	9	10	14
1. SINGLE DX	1475	5.7	3	2	4	6	7	7	8	11
2. MULTIPLE DX	9394	6.3	6	3	4	6	7	8	10	14
A. NOT OPERATED	235	3.4	13	<1	1	2	4	6	8	14
B. OPERATED	10634	6.3	5	3	4	6	7	8	10	14
TOTAL 0-19 YRS	30	6.3	4	3	4	6	7	8	10	14
20-34	1987	5.7	4	2	4	6	7	8	9	13
35-49	7388	6.2	5	3	4	6	7	8	10	14
50-64	1225	6.5	7	3	5	6	7	9	10	16
65+	239	8.3	34	2	3	7	9	14	18	39
GRAND TOTAL	10869	6.2	6	3	4	6	7	8	10	14

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	3.9		1	1	4	5	7	8	8
35-49	16	4.1	5	<1	<1	5	6	7	7	7
50-64	5	3.8	7	<1	<1	3	6	7	7	7
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	4	2.5	2	<1	<1	2	3	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS										
20-34	43	4.7	4	1	2	5	6	7	9	10
35-49	78	5.5	3	1	3	6	6	7	8	11
50-64	21	5.9	7	1	2	6	7	9	10	11
65+	8	5.1	6	2	2	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1	4.0		4	4	4	4	4	4	4
B. Operated										
	43	4.1	5	<1	1	4	6	7	7	8
2. MULTIPLE DX										
A. Not Operated										
	6	4.3	9	<1	<1	3	7	9	9	9
B. Operated										
	150	5.3	4	1	2	5	6	7	8	11
1. SINGLE DX										
	44	4.1	5	<1	1	4	6	7	7	8
2. MULTIPLE DX										
	156	5.3	4	1	2	5	6	7	9	11
A. NOT OPERATED										
	7	4.3	8	<1	<1	4	6	9	9	9
B. OPERATED										
	193	5.0	5	1	2	5	6	7	8	11
TOTAL 0-19 YRS										
	1	7.0		7	7	7	7	7	7	7
20-34	62	4.5	4	1	2	5	6	7	8	10
35-49	99	5.1	4	<1	1	5	6	7	7	11
50-64	27	5.5	7	<1	2	6	7	9	10	11
65+	11	5.4	7	2	2	6	7	8	9	9
GRAND TOTAL										
	200	5.0	5	1	2	5	6	7	8	11

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	81	4.9	2	3	3	5	5	6	7	9
20-34	257	4.8	2	3	4	5	5	6	7	8
35-49	107	5.6	3	3	4	5	6	8	9	11
50-64	75	6.7	8	4	5	6	7	8	15	18
65+	49	7.4	6	5	5	7	8	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.5	3	1	1	4	5	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	53	6.2	7	4	4	6	7	9	11	20
20-34	375	5.6	3	3	4	5	6	8	9	11
35-49	299	6.7	7	4	5	6	8	9	11	15
50-64	207	7.9	12	5	5	7	9	13	15	22
65+	202	9.0	18	5	5	8	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	3	1.3		1	1	1	2	2	2	2
B. Operated										
	569	5.5	4	3	4	5	6	7	8	14
2. MULTIPLE DX										
A. Not Operated										
	9	3.8	2	1	1	4	5	6	6	6
B. Operated										
	1136	6.9	10	4	4	6	8	10	13	20
1. SINGLE DX	572	5.4	4	3	4	5	6	7	8	14
2. MULTIPLE DX	1145	6.9	10	4	4	6	8	10	13	20
A. NOT OPERATED	12	3.2	3	1	1	3	5	5	6	6
B. OPERATED	1705	6.5	8	4	4	6	7	9	11	18
TOTAL 0-19 YRS										
	135	5.4	4	3	4	5	6	7	9	13
20-34	639	5.3	3	3	4	5	6	7	8	11
35-49	407	6.4	6	4	5	6	7	9	10	14
50-64	283	7.6	11	4	5	7	8	11	15	21
65+	253	8.6	16	5	5	8	9	13	16	25
GRAND TOTAL	1717	6.4	8	4	4	6	7	9	11	18

366 Hospitals, Southern Region, January-December 1985

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	1	2.0		2	2	2	2	2	2	2	
20-34	11	4.4	5	1	1	5	6	7	7	7	
35-49	12	3.3	7	1	1	2	5	7	8	8	
50-64	5	5.2	4	2	2	6	6	7	7	7	
65+	1	2.0		2	2	2	2	2	2	2	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	1	1.0		1	1	1	1	1	1	1	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6	
20-34	16	6.1	8	2	2	6	7	10	12	13	
35-49	18	4.8	3	2	3	5	6	7	8	8	
50-64	9	4.4	10	<1	<1	4	7	9	10	10	
65+	8	6.0	8	2	2	6	8	9	10	10	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	1	3.0		3	3	3	3	3	3	3	
B. Operated											
	30	3.9	6	1	1	4	6	7	7	8	
2. MULTIPLE DX											
A. Not Operated											
	1	1.0		1	1	1	1	1	1	1	
B. Operated											
	54	5.3	6	1	2	5	7	8	10	13	
1. SINGLE DX											
	31	3.9	5	1	1	3	6	7	7	8	
2. MULTIPLE DX											
	55	5.2	7	1	2	5	7	8	10	13	
A. NOT OPERATED											
	2	2.0	2	1	1	2	3	3	3	3	
B. OPERATED											
	84	4.8	6	1	2	5	7	8	9	12	
TOTAL 0-19 YRS											
	5	3.4	2	2	2	3	4	6	6	6	
20-34	28	5.2	8	1	1	5	7	8	10	13	
35-49	30	4.2	5	1	1	4	6	7	8	8	
50-64	14	4.7	7	<1	1	5	7	8	9	10	
65+	9	5.6	9	2	2	6	8	9	10	10	
GRAND TOTAL											
	86	4.7	6	1	1	5	7	8	9	12	

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	7	1.9	1	<1	<1	1	3	4	4	4
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	11	2.6	3	1	1	2	3	5	7	7
50-64	7	2.6	1	1	1	2	4	4	4	4
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	3.2	2	<1	<1	3	4	5	5	5
35-49	3	5.7	41	1	1	3	10	13	13	13
50-64	9	3.4	4	2	2	3	4	7	8	8
65+	8	7.3	68	1	1	3	9	21	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	37	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
B. Operated	28	4.5	26	1	1	3	4	10	14	26
1. SINGLE DX	37	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	28	4.5	26	1	1	3	4	10	14	26
A. NOT OPERATED										
B. OPERATED										
	65	3.2	13	<1	1	2	3	5	9	24
TOTAL 0-19 YRS										
20-34	10	1.7	1	<1	<1	1	2	3	4	4
35-49	13	2.6	2	<1	1	2	4	4	5	5
50-64	14	3.3	10	1	1	2	3	8	12	13
65+	16	3.1	3	1	2	3	4	5	7	8
	12	5.2	53	<1	<1	3	6	15	24	26
GRAND TOTAL	65	3.2	13	<1	1	2	3	5	9	24

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49	4	4.5	8	1	1	4	6	8	8	8
50-64	16	3.6	9	1	1	2	5	8	11	12
65+	20	4.1	25	<1	1	2	4	11	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	12.5	116	2	2	11	12	31	33	33
35-49	14	10.3	44	1	2	9	15	18	23	25
50-64	25	3.4	5	1	1	3	4	7	8	11
65+	48	5.6	14	2	2	5	8	11	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	45	4.0	16	<1	1	2	4	9	12	21
2. MULTIPLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	94	6.2	28	1	2	4	9	12	15	29
1. SINGLE DX	47	3.9	16	1	1	2	4	9	12	21
2. MULTIPLE DX	97	6.0	28	1	2	4	9	12	15	29
A. NOT OPERATED	5	1.4		1	1	1	2	2	2	2
B. OPERATED	139	5.5	25	1	1	4	8	12	15	26
TOTAL 0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	10	8.5	92	<1	1	5	12	23	33	33
35-49	20	8.3	42	<1	1	8	13	16	21	25
50-64	42	3.5	6	1	1	3	4	7	9	12
65+	70	5.0	17	1	1	3	7	11	12	20
GRAND TOTAL	144	5.3	25	1	1	3	8	12	15	25

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	22	1.5	1	<1	<1	<1	2	3	4	5
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	30	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX	30	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	30	1.7	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	22	1.5	1	<1	<1	<1	2	3	4	5
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	30	1.7	1	<1	<1	1	2	3	4	5

366 Hospitals, Southern Region, January-December 1985

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	8.0	75	3	3	3	14	18	18	18
50-64	4	3.8	6	<1	<1	3	5	7	7	7
65+	4	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	11	10.4	27	3	5	10	14	17	21	21
20-34	24	8.7	13	3	4	8	11	15	15	16
35-49	50	11.3	31	2	5	10	15	19	21	27
50-64	79	10.5	66	2	3	10	12	17	20	54
65+	42	10.2	37	1	3	9	12	17	25	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	7	5.3	35	1	1	3	6	16	18	18
50-64	14	4.6	25	1	1	3	5	10	18	20
65+	51	7.9	64	3	3	6	9	11	15	52
B. Operated										
0-19 YRS	11	20.8	158	7	8	18	26	42	46	46
20-34	24	18.0	170	5	8	13	24	34	49	53
35-49	55	15.3	119	4	6	12	17	31	40	52
50-64	75	14.9	132	3	5	12	19	26	36	68
65+	113	17.7	199	3	5	15	21	39	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.7	21	<1	<1	3	4	9	16	18
B. Operated	206	10.4	43	2	3	10	13	17	21	29
2. MULTIPLE DX										
A. Not Operated	74	6.9	54	1	2	5	8	11	17	48
B. Operated	278	16.6	161	3	5	13	20	34	44	99
1. SINGLE DX	219	10.0	44	1	2	9	12	17	21	29
2. MULTIPLE DX	352	14.6	154	3	3	11	19	31	42	97
A. NOT OPERATED	87	6.4	50	1	1	4	8	11	18	46
B. OPERATED	484	14.0	120	3	4	11	17	27	37	69
TOTAL 0-19 YRS	25	14.0	123	2	3	12	18	27	41	46
20-34	49	13.1	113	2	4	9	15	29	33	53
35-49	115	12.7	81	2	3	11	16	26	31	47
50-64	172	11.8	100	2	3	10	14	21	27	62
65+	210	13.5	152	2	3	10	17	29	41	99+
GRAND TOTAL	571	12.8	117	2	3	10	16	26	36	64

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	13	2.6	1	1	1	3	3	4	4	4
20-34	161	3.1	2	1	2	3	4	4	5	9
35-49	200	3.2	2	1	2	3	4	4	5	7
50-64	140	3.5	1	1	2	3	4	5	5	6
65+	63	4.2	6	2	2	4	5	6	8	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	8.8	16	2	2	10	11	12	12	12
B. Operated										
0-19 YRS	7	3.7	6	2	2	3	3	8	9	9
20-34	48	3.7	2	2	2	4	4	5	5	11
35-49	106	4.1	5	2	2	4	4	6	7	14
50-64	97	4.0	2	2	3	4	5	6	7	10
65+	112	5.3	12	2	3	4	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	577	3.3	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	8	6.5	20	1	1	7	10	12	12	12
B. Operated	370	4.4	6	2	2	4	5	7	9	16
1. SINGLE DX	579	3.3	2	1	2	3	4	5	5	8
2. MULTIPLE DX	378	4.4	7	2	2	4	5	7	10	16
A. NOT OPERATED	10	5.8	18	1	1	4	10	11	12	12
B. OPERATED	947	3.7	4	2	2	3	4	5	7	13
TOTAL 0-19 YRS	21	3.1	3	1	1	3	4	5	7	9
20-34	209	3.2	2	1	2	3	4	4	5	10
35-49	307	3.5	3	1	2	3	4	5	6	12
50-64	239	3.7	2	2	2	4	4	5	6	8
65+	181	5.0	10	2	2	4	6	8	11	19
GRAND TOTAL	957	3.8	4	2	2	3	4	5	7	13

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	7	2.0		1	1	2	3	4	4	4
35-49	7	5.9	32	1	1	3	11	15	15	15
50-64	2	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	8	6.6	2	5	5	6	8	9	9	9
20-34	24	7.6	9	3	3	8	9	10	12	16
35-49	31	6.3	9	2	2	7	8	9	10	14
50-64	47	6.3	14	2	2	5	9	11	13	18
65+	22	7.5	36	3	3	5	10	13	21	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	8	4.1	14	1	1	3	4	11	13	13
35-49	9	5.2	8	2	2	4	7	10	10	10
50-64	11	5.6	12	2	2	5	6	12	14	14
65+	20	9.5	57	2	3	7	13	22	25	28
B. Operated										
0-19 YRS	9	12.3	129	4	4	8	14	32	40	40
20-34	33	10.1	24	3	5	9	12	18	20	21
35-49	72	8.7	48	2	3	7	11	17	22	36
50-64	100	8.8	49	3	3	7	11	17	27	34
65+	107	9.6	55	3	3	7	13	20	26	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.6	14	1	1	3	3	9	14	15
B. Operated	132	6.7	15	2	3	6	9	10	12	20
2. MULTIPLE DX										
A. Not Operated	52	6.7	32	2	2	5	8	14	21	28
B. Operated	321	9.3	50	3	3	7	12	18	25	36
1. SINGLE DX	151	6.3	16	2	2	6	9	11	13	18
2. MULTIPLE DX	373	8.9	48	2	3	7	11	18	23	36
A. NOT OPERATED	71	5.9	29	1	2	4	7	13	17	27
B. OPERATED	453	8.5	41	3	3	7	10	16	21	34
TOTAL 0-19 YRS	24	7.8	61	2	2	6	8	14	25	40
20-34	72	7.8	23	1	2	8	10	15	18	21
35-49	119	7.6	35	2	3	6	9	15	19	34
50-64	160	7.7	37	2	3	6	10	14	19	33
65+	149	9.3	53	3	3	6	12	20	26	34
GRAND TOTAL	524	8.2	40	2	3	6	10	16	21	33

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	415	3.8	4	1	1	4	5	6	7	9
35-49	162	4.6	5	1	1	5	6	7	8	10
50-64	30	3.9	6	<1	1	3	6	7	8	8
65+	21	4.7	10	1	1	4	7	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	1.8	2	<1	<1	1	2	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	9	3.7	6	1	1	3	5	7	8	8
20-34	429	5.2	6	1	2	5	6	8	9	12
35-49	298	5.8	8	1	2	6	7	8	10	15
50-64	96	6.3	16	1	2	6	7	9	15	24
65+	66	5.6	9	2	2	6	7	9	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	3	1	1	3	4	5	5	5
B. Operated	632	4.0	5	1	1	4	5	7	7	9
2. MULTIPLE DX										
A. Not Operated	10	2.6	4	<1	<1	2	4	6	7	7
B. Operated	898	5.5	8	1	2	5	7	8	10	17
1. SINGLE DX	638	4.0	5	1	1	4	5	7	7	9
2. MULTIPLE DX	908	5.5	8	1	2	5	7	8	9	16
A. NOT OPERATED	16	2.7	4	<1	<1	2	4	5	6	7
B. OPERATED	1530	4.9	7	1	1	5	6	8	9	13
TOTAL 0-19 YRS	13	3.4	5	1	1	3	5	7	8	8
20-34	852	4.5	6	1	1	5	6	7	8	12
35-49	463	5.3	7	1	2	5	7	8	9	13
50-64	130	5.6	15	1	1	5	7	8	10	23
65+	88	5.4	9	2	2	5	7	9	10	16
GRAND TOTAL	1546	4.9	7	1	1	5	6	8	9	12

366 Hospitals, Southern Region, January-December 1985

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	5.0	13	2	2	4	8	9	9	9
B. Operated										
0-19 YRS										
20-34	24	3.6	6	<1	1	3	5	6	8	11
35-49	46	4.0	9	<1	1	3	7	8	11	11
50-64	104	4.2	12	<1	1	3	6	8	10	18
65+	94	4.3	15	<1	1	3	5	10	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	7	4.0	10	1	1	4	6	9	9	9
65+	9	4.6	12	<1	1	4	6	10	12	12
B. Operated										
0-19 YRS										
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	24	5.5	17	1	1	5	7	9	15	20
50-64	78	5.3	16	1	2	5	6	10	11	24
65+	168	6.3	27	1	2	5	8	13	17	28
	265	7.1	38	1	2	5	9	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	8	<1	<1	2	4	8	9	9
B. Operated	268	4.2	12	<1	1	3	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	17	4.1	11	<1	1	4	6	9	11	12
B. Operated	537	6.5	31	1	2	5	8	14	18	27
1. SINGLE DX	275	4.1	12	<1	1	3	6	9	11	17
2. MULTIPLE DX	554	6.4	30	1	2	5	8	14	18	27
A. NOT OPERATED	24	3.8	10	<1	1	2	6	9	10	12
B. OPERATED	805	5.7	26	1	1	4	7	12	16	24
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	50	4.4	12	<1	1	4	6	8	11	20
35-49	125	4.8	13	1	1	4	6	9	11	22
50-64	281	5.4	22	1	1	4	7	11	15	21
65+	371	6.3	33	1	1	4	9	14	18	26
GRAND TOTAL	829	5.7	25	1	1	4	7	12	16	24

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.0	5	<1	1	2	4	5	9	10
20-34	13	3.1	6	<1	1	2	3	8	8	8
35-49	30	2.4	2	<1	<1	2	3	5	5	6
50-64	32	3.6	11	<1	1	3	5	8	13	13
65+	38	3.8	8	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	105	5.2	18	1	1	4	7	10	14	22
20-34	140	4.6	11	<1	1	4	6	9	10	16
35-49	159	4.5	26	1	1	3	6	9	11	32
50-64	183	5.3	23	1	1	4	7	11	13	27
65+	187	5.2	19	1	1	4	8	11	13	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	4.8	35	1	1	3	4	11	23	25
20-34	27	7.0	83	<1	1	3	8	16	21	46
35-49	50	3.9	9	<1	1	3	5	8	10	99
50-64	110	4.7	10	1	1	4	6	9	12	14
65+	278	5.6	31	1	1	4	8	11	15	33
B. Operated										
0-19 YRS	78	9.4	105	1	2	6	11	24	30	56
20-34	120	8.2	129	1	1	5	9	17	35	99+
35-49	156	8.0	74	2	2	6	9	15	19	54
50-64	244	7.5	56	1	2	6	10	15	19	36
65+	564	8.8	52	2	2	8	12	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	3.2	6	<1	1	3	4	6	9	13
B. Operated	774	5.0	20	1	1	4	7	10	12	26
2. MULTIPLE DX										
A. Not Operated	518	5.2	27	1	1	4	7	10	14	32
B. Operated	1162	8.4	67	1	2	6	10	17	22	44
1. SINGLE DX	919	4.7	18	1	1	3	6	10	12	24
2. MULTIPLE DX	1680	7.4	57	1	2	5	9	15	19	38
A. NOT OPERATED	663	4.8	23	1	1	3	6	10	13	25
B. OPERATED	1936	7.0	51	1	2	5	9	14	19	36
TOTAL 0-19 YRS	268	6.1	50	1	1	4	7	13	21	33
20-34	300	6.2	67	<1	1	5	7	11	17	71
35-49	395	5.6	45	1	1	4	7	10	17	36
50-64	569	6.1	35	1	1	5	8	12	16	28
65+	1067	7.1	42	1	1	5	10	14	18	33
GRAND TOTAL	2599	6.5	45	1	1	5	8	13	18	34

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	2.8	2	<1	<1	2	3	5	6	6
35-49	6	2.0	1	1	1	2	2	4	4	4
50-64	5	3.2	3	2	2	3	4	6	6	6
65+	5	1.8	1	<1	<1	1	3	3	3	3
B. Operated										
0-19 YRS	26	3.2	1	1	2	3	4	5	5	5
20-34	166	3.3	1	1	2	3	4	5	5	6
35-49	257	3.5	2	2	2	3	4	5	6	10
50-64	207	3.8	2	2	2	4	4	5	6	9
65+	99	3.8	2	2	2	4	5	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	23	3.5	4	1	1	3	4	6	8	8
50-64	25	4.4	5	1	2	4	5	7	9	12
65+	33	4.3	5	1	1	4	6	8	8	9
B. Operated										
0-19 YRS	6	4.2	2	2	2	4	5	6	6	6
20-34	58	4.3	6	1	2	4	5	7	10	15
35-49	140	4.4	7	2	2	4	5	8	10	15
50-64	170	4.5	7	2	3	4	5	7	8	16
65+	146	5.2	7	2	3	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.3	2	<1	1	2	3	4	6	6
B. Operated	755	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	86	4.0	5	1	1	4	5	8	8	11
B. Operated	520	4.6	7	2	2	4	5	8	10	15
1. SINGLE DX	781	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	606	4.6	7	2	2	4	5	8	9	15
A. NOT OPERATED	112	3.6	5	1	1	3	5	7	8	10
B. OPERATED	1275	4.0	4	2	2	4	4	6	8	11
TOTAL 0-19 YRS	37	3.1	2	1	1	3	4	5	5	6
20-34	234	3.5	3	1	2	3	4	5	6	11
35-49	426	3.8	4	2	2	3	4	6	7	11
50-64	407	4.1	5	2	2	4	5	6	8	11
65+	283	4.6	5	2	2	4	5	7	9	13
GRAND TOTAL	1387	4.0	4	2	2	4	5	6	8	11

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.7	12	1	1	2	5	11	12	12
20-34	47	4.0	8	1	2	3	5	8	9	16
35-49	43	4.9	23	1	2	4	5	7	11	30
50-64	39	4.4	6	1	2	4	6	9	10	10
65+	11	5.0	12	2	2	4	6	10	14	14
B. Operated										
0-19 YRS	40	4.1	4	2	2	4	5	6	8	12
20-34	145	4.8	12	2	2	4	5	8	11	20
35-49	118	3.8	2	2	2	4	4	5	6	11
50-64	67	3.7	3	2	2	4	4	5	6	11
65+	17	4.0	1	3	3	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	4.9	30	1	1	3	6	10	19	25
20-34	96	4.8	17	1	2	4	6	9	11	25
35-49	160	5.7	15	2	2	5	7	11	14	23
50-64	170	5.9	16	2	2	5	7	11	14	21
65+	272	7.8	30	2	3	7	10	13	16	26
B. Operated										
0-19 YRS	12	8.7	89	3	3	5	8	23	34	36
20-34	61	6.0	20	2	3	4	7	11	14	28
35-49	70	5.6	12	2	2	4	8	10	14	15
50-64	80	6.5	47	2	2	5	7	12	18	42
65+	75	8.3	45	2	3	6	11	18	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	4.3	12	1	2	3	5	8	10	18
B. Operated	387	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	730	6.4	23	2	2	5	8	12	15	24
B. Operated	298	6.7	35	2	3	5	8	14	18	39
1. SINGLE DX	550	4.3	8	2	2	4	5	7	9	15
2. MULTIPLE DX	1028	6.5	27	2	2	5	8	12	15	26
A. NOT OPERATED	893	6.0	22	1	2	5	7	11	14	24
B. OPERATED	685	5.3	20	2	2	4	5	9	14	23
TOTAL 0-19 YRS	107	4.8	24	1	1	4	5	9	12	30
20-34	349	4.9	14	2	2	4	5	9	11	21
35-49	391	5.0	12	2	2	4	6	9	12	17
50-64	356	5.5	21	2	2	4	6	9	13	22
65+	375	7.6	32	2	3	6	10	14	18	26
GRAND TOTAL	1578	5.7	21	2	2	4	7	11	14	24

366 Hospitals, Southern Region, January-December 1985

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	233	5.8	7	1	3	6	7	9	10	16
20-34	66	4.8	7	1	2	4	6	9	10	14
35-49	63	5.5	15	2	3	5	7	8	9	26
50-64	94	4.9	6	2	2	4	6	9	10	12
65+	28	5.9	18	2	3	5	7	9	13	24
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	5	6.2	8	2	2	7	8	9	9	9
65+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	5.1	16	1	1	5	7	10	12	71
20-34	122	4.5	7	1	2	4	6	7	9	16
35-49	313	5.5	16	2	2	5	7	9	11	22
50-64	451	6.1	14	2	2	5	7	11	12	21
65+	290	6.9	19	2	3	6	8	12	16	24
B. Operated										
0-19 YRS	7	9.7	86	2	2	3	19	22	22	22
20-34	16	6.4	16	2	2	6	8	12	15	17
35-49	42	6.7	18	2	3	6	8	12	15	22
50-64	62	9.5	33	3	3	8	13	16	23	29
65+	32	11.3	81	2	2	9	15	22	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	484	5.4	9	2	3	5	7	9	10	16
B. Operated	13	3.9	8	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	1372	5.8	16	2	2	5	7	10	12	22
B. Operated	159	8.8	41	2	3	7	12	16	22	29
1. SINGLE DX	497	5.4	9	2	2	5	7	9	10	16
2. MULTIPLE DX	1531	6.2	19	2	2	5	8	11	14	23
A. NOT OPERATED	1856	5.7	14	2	2	5	7	10	12	21
B. OPERATED	172	8.5	40	2	2	7	11	16	22	29
TOTAL 0-19 YRS										
20-34	437	5.5	13	1	1	5	7	9	11	21
35-49	205	4.7	8	1	2	4	6	8	10	16
50-64	421	5.6	16	2	2	5	7	9	11	22
65+	612	6.3	16	2	2	5	8	11	13	23
	353	7.2	26	2	3	6	8	13	17	26
GRAND TOTAL	2028	6.0	17	2	2	5	7	10	13	22

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	635	4.2	20	1	1	3	5	7	9	19
20-34	369	3.8	5	1	2	3	5	7	8	14
35-49	162	4.9	9	2	2	4	6	9	11	14
50-64	95	5.1	8	2	2	5	7	8	10	15
65+	57	6.5	11	2	3	6	8	11	13	16
B. Operated										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	4	6.3	2	4	4	7	7	7	7	7
50-64	4	6.5	12	3	3	6	9	10	10	10
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	636	4.5	23	1	2	4	6	8	9	16
20-34	809	4.8	11	1	2	4	6	8	10	16
35-49	587	6.1	15	2	3	5	8	10	13	22
50-64	520	7.4	26	3	3	6	9	12	16	24
65+	674	8.3	30	2	3	7	10	15	19	26
B. Operated										
0-19 YRS	33	9.6	28	3	3	9	12	16	21	24
20-34	85	9.8	51	3	4	7	11	19	24	38
35-49	78	10.1	54	3	4	8	12	19	22	87
50-64	84	13.1	123	3	5	10	15	27	32	91
65+	96	18.3	245	6	7	14	21	33	47	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1318	4.3	14	1	2	4	6	8	10	15
B. Operated	15	6.1	4	3	4	7	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	3226	6.1	23	2	2	5	8	11	14	23
B. Operated	376	12.7	127	3	5	10	15	24	33	84
1. SINGLE DX	1333	4.4	14	1	2	4	6	8	10	15
2. MULTIPLE DX	3602	6.8	38	2	2	5	8	12	17	30
A. NOT OPERATED	4544	5.6	21	1	2	5	7	10	13	22
B. OPERATED	391	12.5	124	3	4	9	15	23	32	82
TOTAL 0-19 YRS	1308	4.5	22	1	1	4	6	8	10	19
20-34	1266	4.8	14	1	2	4	6	9	11	19
35-49	831	6.2	19	2	2	5	8	11	14	23
50-64	703	7.8	40	2	3	6	9	14	18	32
65+	827	9.4	64	3	3	7	11	17	22	40
GRAND TOTAL	4935	6.2	32	1	2	5	7	11	15	27

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	257	5.0	8	1	2	4	6	8	10	17
20-34	236	4.9	6	1	2	4	6	8	10	13
35-49	356	5.2	7	2	2	5	6	9	10	14
50-64	446	5.5	9	2	2	5	7	9	11	17
65+	368	5.9	11	2	3	5	8	10	12	17
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	6.3	47	1	1	3	9	19	21	21
35-49	21	7.5	30	2	2	6	10	17	19	21
50-64	37	6.6	35	<1	1	4	9	16	18	24
65+	38	7.7	67	1	2	4	11	18	23	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	5.3	24	1	2	4	7	9	13	28
20-34	707	5.1	11	2	2	4	6	9	11	17
35-49	1612	6.0	16	2	3	5	7	10	13	19
50-64	3074	6.4	16	2	3	6	8	11	14	21
65+	4164	7.0	22	2	3	6	8	12	14	24
B. Operated										
0-19 YRS	18	13.3	236	2	3	6	22	32	49	59
20-34	186	9.3	76	2	3	6	11	20	28	49
35-49	454	11.3	109	2	3	8	14	24	31	71
50-64	1023	12.7	132	2	3	10	15	27	38	71
65+	1362	13.5	117	3	4	11	17	26	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1663	5.4	8	2	2	5	7	9	11	16
B. Operated	109	7.1	45	1	2	4	10	17	21	31
2. MULTIPLE DX										
A. Not Operated	9822	6.5	18	2	3	6	8	11	14	22
B. Operated	3043	12.6	120	3	4	10	16	26	35	65
1. SINGLE DX	1772	5.5	11	2	2	5	7	9	11	18
2. MULTIPLE DX	12865	7.9	49	2	3	6	9	14	20	41
A. NOT OPERATED	11485	6.3	17	2	3	5	8	11	13	21
B. OPERATED	3152	12.5	119	2	3	9	15	25	34	65
TOTAL 0-19 YRS	541	5.4	25	1	2	5	7	9	12	28
20-34	1141	5.8	23	2	2	5	7	10	13	27
35-49	2443	6.9	36	2	3	5	8	12	16	33
50-64	4580	7.7	48	2	3	6	9	14	19	40
65+	5932	8.5	51	2	3	7	10	15	21	41
GRAND TOTAL	14637	7.6	45	2	3	6	9	14	19	38

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	5	1.4		1	1	1	2	2	2	2	
20-34	5	4.2	6	2	2	3	6	8	8	8	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	8	3.6	4	<1	<1	4	5	6	6	6	
20-34	50	4.2	4	<1	1	5	5	7	7	8	
35-49	8	4.5	6	2	2	4	6	8	9	9	
50-64	1	10.0		10	10	10	10	10	10	10	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11	
20-34	9	3.2	1	1	2	3	4	4	4	4	
35-49	3	5.7	25	<1	<1	5	9	11	11	11	
50-64	2	2.5	1	2	2	2	3	3	3	3	
65+											
B. Operated											
0-19 YRS	17	3.8	5	<1	1	4	5	6	9	10	
20-34	132	5.1	6	1	1	5	6	7	8	13	
35-49	37	5.7	5	2	2	6	6	8	9	13	
50-64	2	8.5	5	7	7	8	10	10	10	10	
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	10	2.8	5	1	1	2	3	6	8	8	
B. Operated	67	4.3	4	<1	1	4	6	7	7	10	
2. MULTIPLE DX											
A. Not Operated	16	4.1	8	<1	1	3	4	10	11	11	
B. Operated	188	5.1	6	1	2	5	6	8	9	13	
1. SINGLE DX	77	4.1	5	<1	1	4	5	7	8	10	
2. MULTIPLE DX	204	5.0	6	1	2	5	6	8	9	13	
A. NOT OPERATED	26	3.6	7	<1	1	3	4	8	11	11	
B. OPERATED	255	4.9	5	1	1	5	6	7	9	13	
TOTAL 0-19 YRS	32	3.6	6	<1	1	3	5	6	10	11	
20-34	196	4.7	5	1	1	5	6	7	8	13	
35-49	48	5.5	6	2	2	6	6	9	10	13	
50-64	5	6.4	14	2	2	7	10	10	10	10	
65+											
GRAND TOTAL	281	4.8	6	1	1	5	6	7	9	13	

366 Hospitals, Southern Region, January-December 1985

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	128	2.9	10	1	1	2	3	6	7	17	
20-34	65	3.4	3	1	1	3	5	5	7	7	
35-49	72	3.9	8	1	1	3	5	7	8	17	
50-64	60	3.4	3	1	1	3	4	6	7	8	
65+	69	4.2	18	1	1	3	5	8	9	25	
B. Operated											
0-19 YRS	23	5.1	11	1	2	4	7	9	12	14	
20-34	8	6.9	7	4	4	7	9	10	10	10	
35-49	18	8.9	176	3	3	5	7	18	44	59	
50-64	29	5.0	8	2	2	4	6	9	10	14	
65+	21	6.3	18	1	2	6	8	10	15	20	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	248	3.6	9	1	1	3	4	7	10	17	
20-34	220	4.3	9	1	1	4	6	8	9	17	
35-49	378	4.7	14	1	1	4	6	8	13	23	
50-64	599	5.3	18	1	1	4	6	10	13	21	
65+	1515	5.8	23	1	2	5	7	10	14	27	
B. Operated											
0-19 YRS	28	9.5	172	1	2	5	7	27	34	63	
20-34	38	6.4	38	1	1	5	8	14	18	33	
35-49	80	8.6	127	2	3	7	10	14	19	99+	
50-64	124	8.3	43	2	3	6	11	16	22	34	
65+	184	11.4	86	3	4	9	15	22	28	45	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	394	3.4	9	1	1	3	4	6	8	17	
B. Operated	99	6.1	42	1	2	5	8	10	13	41	
2. MULTIPLE DX											
A. Not Operated	2960	5.3	19	1	2	4	7	10	13	23	
B. Operated	454	9.5	85	2	3	7	12	19	26	47	
1. SINGLE DX	493	4.0	17	1	1	3	5	8	9	21	
2. MULTIPLE DX	3414	5.8	30	1	2	4	7	11	15	29	
A. NOT OPERATED	3354	5.0	18	1	1	4	6	9	13	23	
B. OPERATED	553	8.9	79	2	3	6	11	17	23	47	
TOTAL 0-19 YRS	427	3.8	22	1	1	3	4	7	10	22	
20-34	331	4.5	12	1	1	4	6	8	9	19	
35-49	548	5.3	37	1	2	4	6	10	14	26	
50-64	812	5.6	22	1	2	4	7	11	14	22	
65+	1789	6.3	32	1	2	5	8	12	16	30	
GRAND TOTAL	3907	5.6	29	1	2	4	7	11	14	27	

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	5	5.8	9	3	3	6	8	10	10	10	
20-34	1	3.0		3	3	3	3	3	3	3	
35-49	1	4.0		4	4	4	4	4	4	4	
50-64	2	13.5	13	11	11	13	16	16	16	16	
65+	7	6.9	17	1	1	8	10	12	13	13	
B. Operated											
0-19 YRS											
20-34	1	2.0		2	2	2	2	2	2	2	
35-49	2	8.0	2	7	7	8	9	9	9	9	
50-64	2	11.0	50	6	6	11	16	16	16	16	
65+	3	12.7	74	5	5	11	19	22	22	22	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	50	9.8	163	1	1	5	10	23	41	65	
20-34	16	6.8	24	1	2	5	10	14	17	18	
35-49	35	7.7	35	2	3	6	9	18	20	27	
50-64	69	8.9	49	3	3	7	11	20	27	32	
65+	307	10.4	76	2	3	8	12	19	30	45	
B. Operated											
0-19 YRS	16	10.7	276	1	1	6	12	60	89	99+	
20-34	5	12.8	200	5	5	7	15	38	38	38	
35-49	14	16.3	92	6	6	13	24	31	35	36	
50-64	37	17.2	260	3	4	13	19	34	57	80	
65+	98	14.8	170	2	4	10	17	32	47	64	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	16	6.9	18	1	3	6	10	13	15	16	
B. Operated	8	9.8	42	2	3	8	13	20	22	22	
2. MULTIPLE DX											
A. Not Operated	477	9.8	77	2	3	7	12	19	27	47	
B. Operated	170	15.0	193	3	4	10	17	32	48	78	
1. SINGLE DX	24	7.9	26	2	3	7	10	16	18	22	
2. MULTIPLE DX	647	11.1	112	2	3	8	14	22	31	64	
A. NOT OPERATED	493	9.7	75	2	3	7	12	19	27	46	
B. OPERATED	178	14.7	187	3	4	10	17	32	48	77	
TOTAL 0-19 YRS	71	9.7	175	1	1	5	10	23	48	93	
20-34	23	7.7	61	1	2	5	8	15	25	38	
35-49	52	9.9	62	3	3	7	13	21	28	36	
50-64	110	11.8	132	3	3	9	15	22	30	67	
65+	415	11.3	101	2	3	9	14	22	31	57	
GRAND TOTAL	671	11.0	110	2	3	8	14	22	31	64	

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	184	9.5	25	2	3	9	13	15	17	26	
20-34	38	9.9	23	1	2	10	14	15	16	22	
35-49	3	7.3	22	2	2	9	10	11	11	11	
50-64											
65+											
B. Operated											
0-19 YRS	17	12.3	46	1	2	13	15	19	25	29	
20-34											
35-49	1	2.0		2	2	2	2	2	2	2	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	240	10.0	37	2	3	9	14	18	21	27	
20-34	60	9.8	29	2	3	9	13	16	19	25	
35-49	3	10.0	13	6	6	11	12	13	13	13	
50-64											
65+											
B. Operated											
0-19 YRS	39	16.2	175	2	3	14	21	30	36	73	
20-34	12	16.3	154	3	4	12	20	38	43	44	
35-49	5	5.6	7	3	3	4	8	9	9	9	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	225	9.5	25	2	3	10	13	15	17	25	
B. Operated	18	11.7	49	1	2	12	15	19	25	29	
2. MULTIPLE DX											
A. Not Operated	303	10.0	35	2	3	9	14	18	20	26	
B. Operated	56	15.3	162	2	3	13	21	31	39	71	
1. SINGLE DX	243	9.7	27	2	3	10	13	15	18	27	
2. MULTIPLE DX	359	10.8	58	2	3	10	14	20	23	39	
A. NOT OPERATED	528	9.8	30	2	3	9	13	16	20	26	
B. OPERATED	74	14.4	136	2	3	13	19	28	35	66	
TOTAL 0-19 YRS	480	10.4	47	2	3	10	14	18	22	31	
20-34	110	10.6	43	2	3	10	14	17	22	39	
35-49	12	6.8	15	2	2	7	10	12	13	13	
50-64											
65+											
GRAND TOTAL	602	10.4	46	2	3	10	14	18	22	32	

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	1	1	1	2	3	4	4	4
20-34	7	35.6	1505	1	2	6	77	77	77	77
35-49	6	15.3	919	1	1	2	8	70	77	77
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
B. Operated										
0-19 YRS	14	6.0	2	4	4	6	7	8	8	8
20-34	188	6.5	3	4	5	6	7	9	10	12
35-49	141	7.1	7	4	5	7	8	10	11	16
50-64	18	6.9	4	3	4	7	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	7.4	117	1	1	4	6	14	36	52
20-34	20	4.6	13	1	1	4	6	9	12	14
35-49	39	7.0	184	<1	<1	4	6	10	31	77
50-64	19	6.9	43	1	1	6	9	18	21	23
65+	4	5.8	6	4	4	5	7	9	9	9
B. Operated										
0-19 YRS	23	6.1	4	3	4	6	7	9	10	11
20-34	330	7.5	34	4	5	6	8	10	13	35
35-49	453	7.7	40	4	5	7	9	10	12	22
50-64	116	9.5	48	5	5	8	10	13	28	43
65+	8	14.0	57	5	6	12	20	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	12.9	657	1	1	3	6	77	77	77
B. Operated	362	6.7	5	4	5	6	8	9	10	14
2. MULTIPLE DX										
A. Not Operated	112	6.6	104	1	1	4	7	13	18	61
B. Operated	930	7.9	39	4	5	7	8	11	14	31
1. SINGLE DX	392	7.2	56	3	4	6	8	9	10	56
2. MULTIPLE DX	1042	7.7	46	3	4	6	8	11	14	40
A. NOT OPERATED	142	8.0	223	1	1	4	6	13	40	77
B. OPERATED	1292	7.6	29	4	5	7	8	10	12	28
TOTAL										
0-19 YRS	82	5.9	47	1	2	5	6	9	12	47
20-34	545	7.4	49	4	5	6	8	10	12	46
35-49	639	7.6	49	3	4	7	8	10	12	28
50-64	155	8.8	43	2	4	7	10	13	22	39
65+	13	10.8	53	4	4	9	14	23	25	26
GRAND TOTAL	1434	7.6	48	3	4	6	8	10	13	40

366 Hospitals, Southern Region, January-December 1985

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	4.9	65	1	1	3	5	8	14	55
20-34	37	5.3	10	1	2	5	7	9	12	14
35-49	21	3.9	16	1	1	3	4	7	13	19
50-64	15	5.0	23	1	1	4	5	14	17	18
65+	10	4.2	9	1	1	3	8	9	9	9
B. Operated										
0-19 YRS	38	4.9	28	<1	1	3	5	10	18	27
20-34	50	3.8	35	<1	<1	2	5	7	8	41
35-49	55	3.2	12	<1	<1	2	4	8	9	18
50-64	34	2.9	7	1	1	2	4	5	10	12
65+	11	6.2	32	1	1	5	9	15	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	5.7	52	1	1	4	7	12	18	42
20-34	118	6.8	34	1	2	5	9	14	19	29
35-49	157	6.3	25	1	2	5	8	14	17	21
50-64	180	7.3	35	1	2	6	9	16	20	28
65+	272	7.5	38	1	2	6	10	15	19	35
B. Operated										
0-19 YRS	72	14.4	367	1	2	7	18	50	79	99+
20-34	108	8.2	50	1	2	7	10	18	22	66
35-49	136	9.6	80	1	2	6	13	24	30	99+
50-64	109	8.9	69	1	1	7	11	19	24	43
65+	109	10.3	85	2	3	7	13	22	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	4.8	40	1	1	3	6	8	14	39
B. Operated	188	3.8	22	<1	1	2	5	8	12	24
2. MULTIPLE DX										
A. Not Operated	929	6.8	38	1	2	5	9	14	19	31
B. Operated	534	10.0	114	1	2	7	12	23	32	85
1. SINGLE DX	360	4.3	31	1	1	3	5	8	13	26
2. MULTIPLE DX	1463	8.0	68	1	2	6	10	18	23	48
A. NOT OPERATED	1101	6.5	39	1	1	5	8	14	18	32
B. OPERATED	722	8.4	97	1	1	5	10	19	28	70
TOTAL 0-19 YRS	401	7.0	120	1	1	4	7	15	28	74
20-34	313	6.6	39	1	1	5	8	14	19	35
35-49	369	6.9	48	1	1	5	9	17	22	41
50-64	338	7.3	45	1	1	5	9	16	21	32
65+	402	8.2	52	1	2	6	10	17	21	37
GRAND TOTAL	1823	7.2	63	1	1	5	9	16	22	45

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	11	2.7	1	1	1	3	3	4	4	4
35-49	18	2.7	2	1	1	3	3	5	6	7
50-64	20	6.8	62	1	2	4	9	14	26	36
65+	30	4.4	7	1	1	4	6	8	9	13
B. Operated										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	5.0	3	3	3	5	6	7	7	7
50-64	5	1.4	<1	<1	1	2	2	2	2	2
65+	8	3.3	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	4.5	14	1	1	4	5	9	14	15
35-49	55	4.6	8	2	2	4	6	9	10	16
50-64	109	5.3	14	2	2	4	7	9	11	23
65+	261	6.1	21	2	2	5	7	11	13	24
B. Operated										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	12	6.8	11	2	2	7	9	11	12	12
50-64	20	7.3	39	1	2	5	10	16	21	24
65+	56	8.4	39	1	2	7	11	18	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	4.4	21	1	1	3	5	8	10	30
B. Operated	19	3.2	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	439	5.7	18	2	2	5	7	10	12	21
B. Operated	91	7.8	34	1	2	7	10	16	20	28
1. SINGLE DX	98	4.2	18	1	1	3	5	7	10	27
2. MULTIPLE DX	530	6.0	21	2	2	5	8	11	15	24
A. NOT OPERATED	518	5.5	18	2	2	4	7	10	12	22
B. OPERATED	110	7.0	32	1	2	5	9	15	19	26
TOTAL 0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	28	3.7	7	1	1	3	4	6	8	15
35-49	89	4.6	8	1	2	4	6	8	11	14
50-64	154	5.6	24	1	2	4	7	10	14	25
65+	355	6.3	24	2	2	5	8	11	15	24
GRAND TOTAL	628	5.7	21	1	2	5	7	11	14	24

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	2.9	7	1	1	2	4	5	6	9
20-34	41	2.8	6	<1	1	2	3	5	9	12
35-49	57	3.4	4	1	1	3	5	6	8	10
50-64	52	3.8	4	1	2	4	5	6	7	8
65+	143	5.0	18	1	2	4	6	9	13	26
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	10	8.6	58	2	2	6	13	20	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2015	3.4	8	1	1	3	4	6	8	16
20-34	785	3.5	8	1	1	3	4	6	8	13
35-49	980	4.6	15	1	2	4	5	8	11	20
50-64	1885	5.5	20	1	2	4	7	10	13	23
65+	8779	7.3	38	2	3	6	9	13	17	33
B. Operated										
0-19 YRS	54	9.1	104	1	2	5	13	19	27	55
20-34	64	8.4	122	1	2	5	10	16	30	71
35-49	103	8.8	91	1	2	6	11	21	29	49
50-64	228	10.3	112	2	2	8	12	19	28	94
65+	767	13.8	147	3	5	10	17	26	37	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	3.7	10	1	1	3	4	7	8	18
B. Operated	15	8.5	44	2	3	6	13	14	24	27
2. MULTIPLE DX										
A. Not Operated	14444	6.1	30	2	2	5	7	11	15	28
B. Operated	1216	12.2	137	2	3	9	15	24	35	76
1. SINGLE DX	460	3.9	12	1	1	3	5	7	9	18
2. MULTIPLE DX	15660	6.6	41	2	2	5	8	13	17	34
A. NOT OPERATED	14889	6.1	30	1	2	5	7	11	15	28
B. OPERATED	1231	12.2	136	2	3	9	14	24	35	76
TOTAL 0-19 YRS	2222	3.5	11	1	1	3	4	6	8	18
20-34	890	3.8	17	1	1	3	4	7	9	21
35-49	1142	4.9	23	1	2	4	6	9	13	25
50-64	2167	6.0	31	1	2	5	7	11	15	29
65+	9699	7.8	49	2	3	6	9	14	19	39
GRAND TOTAL	16120	6.5	41	1	2	5	8	12	17	33

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.5	6	1	1	3	4	6	9	10
20-34	19	2.7	4	1	1	2	3	6	7	8
35-49	32	3.2	2	1	1	3	4	5	6	6
50-64	8	4.0	4	1	2	4	5	7	8	8
65+	63	3.8	7	1	1	3	5	7	9	15
B. Operated										
0-19 YRS	7	5.0	16	1	1	4	8	11	12	12
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	10	4.0	6	2	2	3	5	8	10	10
50-64	5	5.0	9	3	3	4	6	10	10	10
65+	15	5.5	7	2	3	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.9	5	<1	1	4	5	7	8	10
20-34	91	3.9	4	1	1	4	5	6	8	11
35-49	177	3.9	5	1	1	4	5	7	8	11
50-64	258	4.9	11	1	2	4	6	9	11	14
65+	1148	5.3	15	1	2	5	8	9	12	19
B. Operated										
0-19 YRS	20	5.8	32	1	2	5	6	11	19	27
20-34	33	5.5	78	1	2	4	5	7	12	53
35-49	97	6.5	26	1	2	5	8	13	18	26
50-64	123	7.8	42	2	3	6	10	14	17	34
65+	445	8.0	32	3	3	7	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	3.5	5	1	1	3	4	6	8	11
B. Operated	41	4.9	8	2	2	4	6	10	11	12
2. MULTIPLE DX										
A. Not Operated	1729	5.0	13	1	2	4	6	9	11	17
B. Operated	718	7.6	35	2	3	6	9	13	18	30
1. SINGLE DX	177	3.8	6	1	1	3	5	7	9	12
2. MULTIPLE DX	2447	5.8	21	1	2	5	7	10	13	24
A. NOT OPERATED	1865	4.9	12	1	2	4	6	8	11	17
B. OPERATED	759	7.4	34	2	3	6	9	13	18	29
TOTAL 0-19 YRS	96	4.3	12	1	1	4	5	8	10	20
20-34	147	4.1	21	1	1	3	5	6	8	14
35-49	316	4.7	13	1	2	4	6	8	11	20
50-64	394	5.8	22	2	2	5	7	11	13	21
65+	1671	6.0	21	1	2	5	7	11	13	25
GRAND TOTAL	2624	5.6	20	1	2	5	7	10	13	23

366 Hospitals, Southern Region, January-December 1985

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	600	3.8	6	1	1	3	5	7	8	12
20-34	581	5.1	10	1	2	4	6	9	11	16
35-49	109	5.6	10	2	2	5	7	10	12	16
50-64	14	4.3	9	1	1	4	7	9	9	9
65+	10	4.6	5	2	2	4	7	8	9	9
B. Operated										
0-19 YRS	5	6.8	17	4	4	5	8	14	14	14
20-34	7	9.9	66	5	5	7	9	24	28	28
35-49	5	6.2	2	4	4	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	648	4.8	13	1	2	4	6	9	12	19
20-34	767	6.2	18	2	2	5	8	11	13	18
35-49	234	6.1	11	2	2	6	7	10	13	18
50-64	57	5.4	16	1	1	4	8	10	12	21
65+	21	6.6	37	2	2	5	7	10	20	31
B. Operated										
0-19 YRS	34	13.0	313	2	2	8	15	24	39	99
20-34	56	10.0	68	2	2	8	13	20	24	49
35-49	22	9.8	90	2	2	7	13	16	29	47
50-64	2	11.5	5	10	10	11	13	13	13	13
65+	2	20.0	242	9	9	20	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1314	4.5	8	1	1	4	6	8	10	15
B. Operated	17	7.9	32	4	4	6	8	13	23	28
2. MULTIPLE DX										
A. Not Operated	1727	5.6	16	1	2	5	7	10	12	18
B. Operated	116	11.0	145	2	2	8	14	22	27	67
1. SINGLE DX	1331	4.6	9	1	1	4	6	8	10	15
2. MULTIPLE DX	1843	6.0	26	1	2	5	7	11	14	23
A. NOT OPERATED	3041	5.2	13	1	2	4	7	10	11	17
B. OPERATED	133	10.6	131	2	2	8	13	21	27	59
TOTAL 0-19 YRS	1287	4.6	20	1	1	4	6	9	11	19
20-34	1411	5.9	18	2	2	5	7	10	13	20
35-49	370	6.2	16	2	2	6	7	10	13	18
50-64	73	5.4	15	1	1	4	8	10	12	20
65+	33	6.8	45	2	3	5	7	10	28	31
GRAND TOTAL	3174	5.4	19	1	2	4	7	10	12	19

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	200	2.5	6	<1	<1	1	3	6	8	12
20-34	29	3.1	5	1	1	2	4	7	8	8
35-49	37	3.1	7	1	1	2	4	7	9	10
50-64	51	3.2	9	<1	1	3	4	6	9	17
65+	211	2.6	5	<1	1	2	3	6	7	11
B. Operated										
0-19 YRS	49	4.1	13	1	1	3	5	7	9	19
20-34	18	5.1	5	1	2	6	7	7	9	10
35-49	15	5.7	8	2	3	5	9	9	9	9
50-64	25	5.2	17	1	2	3	7	12	14	15
65+	50	5.2	13	1	2	4	6	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	4.2	34	<1	1	2	5	9	14	30
20-34	146	4.2	10	1	1	3	6	9	11	15
35-49	270	4.5	21	1	1	3	6	9	11	17
50-64	619	4.3	18	1	1	3	6	9	11	22
65+	2189	4.9	18	1	1	4	7	9	13	21
B. Operated										
0-19 YRS	96	9.7	151	1	1	6	10	19	37	65
20-34	77	6.8	59	<1	1	5	7	12	22	43
35-49	117	7.1	29	<1	1	6	9	14	18	27
50-64	231	9.0	74	1	2	7	11	18	25	45
65+	650	8.9	53	2	3	7	11	17	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	528	2.7	6	<1	<1	2	3	6	8	12
B. Operated	157	4.9	12	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. Not Operated	3534	4.7	20	1	1	3	6	9	12	21
B. Operated	1171	8.7	64	1	2	7	10	17	22	43
1. SINGLE DX	685	3.2	8	<1	1	2	4	7	9	15
2. MULTIPLE DX	4705	5.7	34	1	1	4	7	11	15	28
A. NOT OPERATED	4062	4.4	18	1	1	3	6	9	12	21
B. OPERATED	1328	8.2	59	1	2	6	10	16	21	40
TOTAL 0-19 YRS	655	4.5	46	<1	1	2	5	9	14	36
20-34	270	4.9	25	1	1	4	6	9	11	28
35-49	439	5.1	23	1	1	4	7	10	13	23
50-64	926	5.4	36	1	1	4	7	11	15	27
65+	3100	5.6	28	1	1	4	7	11	15	25
GRAND TOTAL	5390	5.3	31	1	1	4	7	11	14	27

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.4	4	<1	1	3	4	5	8	10
20-34	13	3.9	7	1	1	3	4	9	10	10
35-49	8	3.3	1	1	1	3	4	5	5	5
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
B. Operated										
0-19 YRS	5	9.8	79	3	3	5	17	23	23	23
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	4.0	18	1	1	2	4	9	12	21
20-34	34	4.0	10	1	1	3	5	7	11	16
35-49	11	6.1	18	1	2	6	8	13	14	14
50-64	8	8.5	50	3	3	6	9	21	25	25
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	11	14.1	282	2	2	10	15	40	57	59
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	2	14.5	5	13	13	14	16	16	16	16
50-64	2	21.5	145	13	13	21	30	30	30	30
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.6	5	1	1	3	4	6	9	10
B. Operated	8	10.0	48	3	3	9	14	21	23	23
2. MULTIPLE DX										
A. Not Operated	124	4.4	18	1	1	3	6	10	13	23
B. Operated	18	13.6	197	2	2	12	15	29	47	59
1. SINGLE DX	53	4.6	16	1	1	3	5	10	12	23
2. MULTIPLE DX	142	5.6	49	1	1	3	7	13	16	32
A. NOT OPERATED	169	4.2	15	1	1	3	5	9	11	21
B. OPERATED	26	12.5	150	2	2	11	15	27	36	59
TOTAL 0-19 YRS	107	5.2	53	1	1	3	5	11	16	41
20-34	51	4.3	11	1	1	3	5	10	12	16
35-49	23	6.1	20	1	2	4	8	13	15	16
50-64	12	10.2	76	3	3	7	12	26	29	30
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	195	5.3	40	1	1	3	6	12	16	29

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	171	3.0	4	1	1	2	4	6	7	10
20-34	22	3.4	6	<1	1	3	5	7	8	10
35-49	21	4.1	9	<1	1	3	5	8	11	13
50-64	31	5.2	24	1	1	4	7	12	15	22
65+	13	6.3	29	1	2	5	7	16	19	20
B. Operated										
0-19 YRS	119	4.7	11	1	2	4	6	9	10	18
20-34	29	6.8	31	2	3	6	7	10	20	30
35-49	32	7.1	16	3	3	6	10	13	14	16
50-64	39	6.9	17	2	2	6	9	12	15	21
65+	27	7.9	36	1	2	7	11	15	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	320	4.6	12	1	1	4	6	9	11	19
20-34	119	4.9	12	1	1	4	6	10	11	17
35-49	154	5.3	11	1	2	5	7	9	12	16
50-64	360	5.8	19	1	1	5	8	11	14	20
65+	618	6.6	30	1	1	5	8	12	17	29
B. Operated										
0-19 YRS	118	9.6	145	1	2	6	11	17	35	66
20-34	84	7.1	28	2	3	6	9	13	15	32
35-49	100	11.0	180	1	2	7	11	22	32	82
50-64	162	10.2	81	3	3	7	13	19	26	52
65+	352	11.0	69	3	4	9	13	22	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	3.5	9	1	1	3	5	7	9	15
B. Operated	246	6.0	19	1	2	5	8	11	14	23
2. MULTIPLE DX										
A. Not Operated	1571	5.7	21	1	1	5	7	11	14	23
B. Operated	816	10.2	93	2	3	8	12	21	28	54
1. SINGLE DX	504	4.7	15	1	1	4	6	9	13	20
2. MULTIPLE DX	2387	7.3	50	1	2	5	9	14	19	36
A. NOT OPERATED	1829	5.4	20	1	1	4	7	10	14	22
B. OPERATED	1062	9.2	79	2	3	7	11	18	26	47
TOTAL 0-19 YRS	728	5.1	36	1	1	4	6	9	13	32
20-34	254	5.7	20	1	2	5	7	10	14	27
35-49	307	7.2	73	1	2	5	9	13	18	42
50-64	592	7.1	39	1	2	6	9	14	18	30
65+	1010	8.1	48	1	2	6	10	16	22	35
GRAND TOTAL	2891	6.8	45	1	2	5	8	13	18	34

366 Hospitals, Southern Region, January-December 1985

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	390	1.8	1	1	1	2	2	3	4	6
20-34	90	2.3	1	1	1	2	3	4	4	7
35-49	21	2.4	1	1	1	2	3	4	5	5
50-64	5	2.8	1	2	2	2	4	4	4	4
65+	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	294	3.4	2	2	2	3	4	5	6	8
20-34	107	3.4	2	2	2	3	4	5	6	9
35-49	22	4.0	4	1	2	4	5	7	8	9
50-64	3	5.7	1	5	5	5	7	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	2.2	1	1	1	2	3	4	5	6
20-34	64	2.5	3	1	1	2	3	5	7	9
35-49	13	3.2	1	2	2	3	4	4	4	4
50-64	15	4.0	2	2	2	4	5	6	6	6
65+	8	3.3	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	120	4.2	5	2	2	4	5	7	9	13
20-34	73	4.9	7	2	3	4	6	8	10	14
35-49	11	5.5	16	2	2	4	7	12	15	15
50-64	7	7.7	26	2	2	6	11	15	16	16
65+	3	14.0	31	9	9	13	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	508	2.0	1	1	1	2	2	3	4	6
B. Operated	426	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	297	2.4	2	1	1	2	3	4	5	7
B. Operated	214	4.8	9	2	2	4	6	8	11	16
1. SINGLE DX	934	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	511	3.4	6	1	1	3	4	6	8	14
A. NOT OPERATED	805	2.1	2	1	1	2	3	4	5	6
B. OPERATED	640	3.9	5	2	2	3	4	6	8	13
TOTAL 0-19 YRS	1001	2.6	3	1	1	2	3	5	6	8
20-34	334	3.2	4	1	1	3	4	6	7	11
35-49	67	3.6	5	1	2	3	4	6	8	14
50-64	30	4.8	10	2	2	4	6	9	11	16
65+	13	5.8	29	2	2	4	7	14	19	20
GRAND TOTAL	1445	2.9	4	1	1	3	4	5	6	10

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	3.5	3	1	2	3	4	6	7	9
20-34	8	3.5	4	1	1	4	5	6	6	6
35-49	7	3.1	1	2	2	3	4	4	4	4
50-64	2	5.0	8	3	3	5	7	7	7	7
65+										
B. Operated										
0-19 YRS	71	3.2	5	<1	1	2	4	7	8	11
20-34	29	1.9	1	<1	<1	2	3	3	4	5
35-49	25	2.1	1	<1	<1	2	3	3	4	6
50-64	13	3.3	19	1	1	2	3	10	15	16
65+	8	3.6	6	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	4.3	5	1	2	4	5	8	9	11
20-34	15	3.4	3	<1	1	3	5	6	7	7
35-49	9	5.4	31	1	1	4	6	15	19	19
50-64	1	6.0	6	6	6	6	6	6	6	6
65+	6	6.2	9	3	3	6	8	10	10	10
B. Operated										
0-19 YRS	50	5.3	15	1	1	4	7	10	13	19
20-34	22	3.4	7	1	1	3	4	8	9	10
35-49	17	4.4	14	1	1	4	5	8	14	17
50-64	15	5.5	50	1	1	4	4	11	24	29
65+	12	3.7	6	1	1	3	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	3.5	3	1	1	3	4	6	7	8
B. Operated	146	2.8	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
A. Not Operated	123	4.3	7	1	2	4	5	8	9	13
B. Operated	116	4.7	17	1	1	3	6	9	11	22
1. SINGLE DX	275	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	239	4.5	12	1	1	4	6	9	10	19
A. NOT OPERATED	252	3.9	5	1	2	4	5	7	8	10
B. OPERATED	262	3.6	11	<1	1	3	4	8	9	17
TOTAL 0-19 YRS	325	3.9	6	1	1	3	5	7	9	12
20-34	74	2.8	4	<1	1	2	3	5	7	10
35-49	58	3.4	11	<1	1	3	4	6	8	19
50-64	31	4.6	32	1	1	3	4	10	16	29
65+	26	4.2	7	1	2	3	6	9	9	10
GRAND TOTAL	514	3.8	8	1	1	3	5	7	9	15

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.5	65	<1	<1	2	6	16	27	29
20-34	17	8.2	98	<1	<1	4	10	25	31	34
35-49	10	11.7	112	2	2	9	16	29	36	36
50-64	18	11.6	184	<1	1	7	16	37	40	42
65+	38	8.3	117	1	1	5	8	23	37	47
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	10.6	120	<1	1	4	21	27	29	29
20-34	41	9.0	100	<1	1	5	10	25	32	42
35-49	47	8.9	54	1	2	7	12	16	23	34
50-64	83	8.6	65	2	2	6	10	20	26	43
65+	391	9.0	65	2	2	7	11	18	26	44
B. Operated										
0-19 YRS										
20-34	5	8.6	109	3	3	3	12	27	27	27
35-49	1	6.0		6	6	6	6	6	6	6
50-64	13	10.5	64	2	2	8	16	23	25	25
65+	40	10.2	78	1	2	7	12	20	31	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	8.9	118	1	1	5	10	26	36	46
B. Operated	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	576	9.0	67	2	2	6	11	20	27	42
B. Operated	59	10.1	74	1	2	7	13	22	28	39
1. SINGLE DX	97	8.9	116	1	1	5	10	25	36	46
2. MULTIPLE DX	635	9.1	68	2	2	7	11	20	27	41
A. NOT OPERATED	671	9.0	74	1	2	6	11	21	28	44
B. OPERATED	61	10.1	71	1	2	7	13	21	28	39
TOTAL 0-19 YRS	26	8.2	97	<1	1	3	11	27	29	29
20-34	63	8.8	97	<1	1	4	10	26	31	41
35-49	58	9.3	62	1	2	7	12	20	28	36
50-64	114	9.3	83	1	2	7	11	23	29	43
65+	471	9.1	70	2	2	7	11	18	27	46
GRAND TOTAL	732	9.1	74	1	2	6	11	21	28	43

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.5	16	<1	1	1	2	5	7	24
20-34	60	4.9	30	1	1	3	5	12	18	27
35-49	34	4.4	21	<1	1	3	5	11	13	22
50-64	42	8.5	127	1	1	4	10	21	29	61
65+	290	10.1	85	2	2	7	13	21	33	42
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.3	34	<1	<1	3	10	12	12	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	7.5	5	6	6	7	9	9	9	9
65+	11	4.5	7	2	2	4	6	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	5.9	93	1	1	2	5	16	29	49
20-34	153	7.8	102	1	1	3	9	22	32	46
35-49	129	7.8	64	1	2	6	10	16	31	56
50-64	259	11.3	128	2	2	8	14	26	35	56
65+	2059	10.4	102	2	3	7	12	21	30	59
B. Operated										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	15	6.8	67	<1	1	2	10	18	27	30
35-49	13	19.3	448	2	2	13	26	51	67	71
50-64	35	19.4	335	2	3	15	25	46	56	80
65+	195	14.9	157	3	5	11	19	30	39	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	510	7.7	75	1	1	5	9	17	28	40
B. Operated	19	4.7	10	1	2	4	6	10	12	12
2. MULTIPLE DX										
A. Not Operated	2711	10.0	104	2	2	7	12	22	30	57
B. Operated	262	15.1	195	2	3	11	20	31	46	79
1. SINGLE DX	529	7.6	73	1	1	5	9	17	27	40
2. MULTIPLE DX	2973	10.5	114	2	2	7	13	22	31	60
A. NOT OPERATED	3221	9.6	100	1	2	7	12	21	30	55
B. OPERATED	281	14.4	189	2	3	10	18	30	45	77
TOTAL 0-19 YRS	200	4.4	61	<1	1	2	3	11	24	35
20-34	231	7.0	81	1	1	3	8	17	27	44
35-49	178	8.0	93	1	1	5	9	16	32	64
50-64	338	11.7	155	2	2	8	15	28	39	63
65+	2555	10.7	106	2	3	8	13	22	31	59
GRAND TOTAL	3502	10.0	109	1	2	7	12	22	31	58

366 Hospitals, Southern Region, January-December 1985

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+	13	7.8	19	3	3	7	10	15	16	16
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	12.5	5	11	11	12	14	14	14	14
50-64	18	8.8	40	2	3	8	12	16	22	26
65+	182	10.4	74	3	3	8	13	22	30	83
B. Operated										
0-19 YRS										
20-34										
35-49	1	30.0		30	30	30	30	30	30	30
50-64	1	22.0		22	22	22	22	22	22	22
65+	18	14.1	222	3	4	10	17	53	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	7.9	17	3	3	7	10	15	16	16
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	202	10.2	70	3	3	8	13	22	29	73
B. Operated	20	15.3	213	3	4	12	22	51	76	99+
1. SINGLE DX	15	7.7	16	3	3	7	10	15	16	16
2. MULTIPLE DX	222	10.7	84	3	3	8	14	23	33	99+
A. NOT OPERATED	216	10.1	67	3	3	8	13	21	29	67
B. OPERATED	21	14.8	207	3	4	11	22	50	74	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	18.3	104	11	11	14	26	30	30	30
50-64	20	9.5	44	2	3	9	13	19	24	26
65+	214	10.5	83	3	3	8	13	22	36	99+
GRAND TOTAL	237	10.5	81	3	3	8	13	22	31	99+

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	52	4.0	9	1	1	3	5	7	12	14
35-49	97	3.9	8	1	2	3	5	7	9	16
50-64	52	4.6	14	1	1	4	6	9	14	20
65+	23	5.0	11	2	2	5	6	9	13	15
B. Operated										
0-19 YRS										
20-34										
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.3	138	1	1	4	7	29	32	32
20-34	281	5.2	19	1	1	4	6	10	13	23
35-49	735	5.5	29	1	2	4	7	10	13	26
50-64	519	6.7	51	1	2	5	8	12	19	36
65+	273	8.2	55	2	2	6	10	18	24	41
B. Operated										
0-19 YRS										
20-34	11	13.3	173	2	3	6	20	35	42	43
35-49	22	9.2	48	2	2	7	13	21	23	26
50-64	23	16.0	340	2	3	9	19	45	58	79
65+	22	16.3	78	4	5	15	23	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	4.2	10	1	1	3	5	8	12	15
B. Operated	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	1814	6.2	39	1	2	4	7	11	18	31
B. Operated	78	13.8	163	2	3	10	19	29	38	70
1. SINGLE DX	228	4.3	10	1	1	3	5	8	12	15
2. MULTIPLE DX	1892	6.5	46	1	2	5	8	12	19	32
A. NOT OPERATED	2040	6.0	36	1	2	4	7	11	17	31
B. OPERATED	80	13.6	160	2	3	10	19	29	37	69
TOTAL 0-19 YRS	8	8.1	99	1	2	5	8	25	32	32
20-34	344	5.3	24	1	1	4	6	11	14	24
35-49	856	5.4	28	1	2	4	7	10	13	26
50-64	594	6.9	62	1	2	5	8	13	20	44
65+	318	8.6	58	2	2	6	11	19	25	40
GRAND TOTAL	2120	6.3	43	1	2	4	7	12	18	32

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	5.3	30	1	1	3	7	15	17	18
20-34	38	5.4	36	1	1	3	6	12	18	30
35-49	12	4.0	11	<1	1	3	5	9	12	13
50-64	8	6.8	19	2	2	5	10	13	14	14
65+	8	7.0	30	2	2	5	9	16	19	19
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	5.3	66	1	1	3	6	10	13	53
20-34	114	5.8	27	1	1	4	7	12	14	30
35-49	81	6.0	23	1	2	4	8	12	15	24
50-64	81	8.1	71	1	2	5	8	21	26	44
65+	242	7.2	31	2	2	6	9	14	17	27
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	7.5	4	5	5	7	9	10	10	10
35-49	5	12.6	71	4	4	9	18	26	26	26
50-64	9	12.7	38	5	6	11	17	22	23	23
65+	13	8.8	28	1	2	8	11	17	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	5.5	28	1	1	4	7	13	17	27
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	561	6.7	38	1	2	5	8	13	17	30
B. Operated	32	10.3	35	2	4	9	12	20	23	26
1. SINGLE DX	81	5.5	28	1	1	4	7	13	17	27
2. MULTIPLE DX	593	6.9	38	1	2	5	9	14	19	30
A. NOT OPERATED	641	6.6	37	1	2	5	8	13	17	30
B. OPERATED	33	10.3	34	2	5	9	12	20	23	26
TOTAL 0-19 YRS	58	5.3	56	1	1	3	6	11	16	50
20-34	156	5.7	29	1	1	4	7	12	15	30
35-49	98	6.1	26	1	2	4	9	13	16	26
50-64	99	8.5	64	2	2	6	11	21	25	41
65+	263	7.3	31	2	2	6	9	15	18	26
GRAND TOTAL	674	6.7	37	1	2	5	9	14	18	30

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	16.8	179	1	3	13	25	38	49	97
20-34	685	11.8	119	1	2	9	15	26	31	47
35-49	430	12.3	126	1	2	9	15	27	35	53
50-64	191	12.2	89	1	2	10	17	24	31	40
65+	36	13.8	140	1	2	10	20	29	34	57
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	25.9	754	1	3	11	54	61	77	97
20-34	277	13.6	168	1	3	10	17	28	41	64
35-49	263	13.8	143	2	3	10	19	29	36	74
50-64	160	14.6	130	2	4	11	19	31	34	62
65+	82	17.5	205	3	4	14	25	37	44	73
B. Operated										
0-19 YRS										
20-34	16	21.2	279	1	4	16	28	40	59	67
35-49	7	32.3	498	4	5	40	45	63	67	67
50-64	13	17.2	70	5	7	15	24	30	32	32
65+	7	33.7	238	13	16	31	39	58	63	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1397	12.2	121	1	2	9	16	27	33	54
B. Operated										
2. MULTIPLE DX										
A. Not Operated	807	14.6	178	2	3	11	19	31	40	71
B. Operated	43	23.8	269	4	7	19	33	48	67	99+
1. SINGLE DX	1397	12.2	121	1	2	9	16	27	33	54
2. MULTIPLE DX	850	15.1	186	2	3	11	19	32	42	71
A. NOT OPERATED	2204	13.1	143	1	2	10	17	28	36	62
B. OPERATED	43	23.8	269	4	7	19	33	48	67	99+
TOTAL 0-19 YRS	80	19.7	370	1	3	13	27	56	65	99+
20-34	978	12.4	137	1	2	9	16	27	34	61
35-49	700	13.1	140	1	2	10	17	29	36	69
50-64	364	13.5	108	2	3	11	18	28	33	51
65+	125	17.3	204	2	3	14	25	36	43	68
GRAND TOTAL	2247	13.3	147	1	2	10	17	29	37	64

366 Hospitals, Southern Region, January-December 1985

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	20.5	364	1	2	15	33	52	55	56
20-34	47	10.7	85	1	2	8	14	21	26	48
35-49	12	7.0	18	<1	1	7	10	13	15	15
50-64	8	7.9	35	1	1	7	10	17	20	20
65+	1	26.0		26	26	26	26	26	26	26
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	23.2	205	10	10	22	43	89	99+	99+
20-34	28	18.1	436	1	2	12	22	48	77	84
35-49	9	13.4	66	1	3	11	20	24	25	25
50-64	4	12.3	51	4	4	12	17	21	21	21
65+	4	8.8	23	3	3	9	12	14	14	14
B. Operated										
0-19 YRS										
20-34	5	16.6	185	4	4	12	28	36	36	36
35-49	1	45.0		45	45	45	45	45	45	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	11.5	126	1	2	8	15	24	37	54
B. Operated										
2. MULTIPLE DX										
A. Not Operated	51	16.7	285	1	3	12	22	39	74	99+
B. Operated	6	21.3	282	4	4	18	36	44	45	45
1. SINGLE DX	80	11.5	126	1	2	8	15	24	37	54
2. MULTIPLE DX	57	17.2	282	2	3	12	23	42	68	99
A. NOT OPERATED	131	13.5	193	1	2	10	19	26	48	87
B. OPERATED	6	21.3	282	4	4	18	36	44	45	45
TOTAL 0-19 YRS	18	21.4	297	2	3	19	39	54	80	99+
20-34	80	13.6	221	1	2	9	18	25	42	82
35-49	22	11.4	101	<1	1	8	15	24	33	45
50-64	12	9.3	41	1	2	8	12	20	21	21
65+	5	12.2	77	3	3	11	17	26	26	26
GRAND TOTAL	137	13.9	197	1	2	10	19	31	47	86

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	16.8	231	2	3	11	24	42	55	99+
20-34	1084	12.2	128	1	2	9	16	26	33	57
35-49	698	12.2	101	2	2	10	16	25	32	50
50-64	313	13.0	110	2	2	11	16	26	32	50
65+	77	12.3	88	2	3	9	17	29	32	39
B. Operated										
0-19 YRS										
20-34	2	18.0	8	16	16	18	20	20	20	20
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	21.8	405	3	4	15	36	70	99+	99+
20-34	635	14.3	176	2	3	10	19	30	41	70
35-49	557	13.5	151	2	3	10	17	29	38	78
50-64	379	14.8	134	2	4	11	19	32	41	54
65+	215	16.1	196	2	4	13	22	35	41	86
B. Operated										
0-19 YRS	1	53.0		53	53	76	99+	99+	99+	99+
20-34	22	21.0	314	6	6	13	30	52	58	65
35-49	31	16.8	137	3	5	15	21	27	44	57
50-64	23	23.4	250	9	10	19	30	55	75	99+
65+	19	21.1	146	6	7	20	29	38	45	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2297	12.6	123	1	2	10	16	27	34	56
B. Operated	5	14.6	14	11	11	15	17	20	20	20
2. MULTIPLE DX										
A. Not Operated	1862	14.7	174	2	3	11	19	31	43	80
B. Operated	96	20.6	216	5	7	16	26	50	56	99+
1. SINGLE DX	2302	12.6	122	1	2	10	16	27	34	56
2. MULTIPLE DX	1958	15.0	178	2	3	11	20	32	44	82
A. NOT OPERATED	4159	13.5	147	2	3	10	18	29	37	64
B. OPERATED	101	20.3	208	6	7	16	26	49	55	99+
TOTAL 0-19 YRS	202	18.9	305	2	4	13	28	51	89	99+
20-34	1743	13.1	149	2	2	10	17	28	36	61
35-49	1287	12.8	124	2	2	10	16	27	35	56
50-64	716	14.3	130	2	3	11	18	30	40	54
65+	312	15.4	170	2	4	12	21	33	38	72
GRAND TOTAL	4260	13.7	149	2	3	10	18	29	38	65

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	25.9	860	1	1	16	52	82	97	99+
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	28.1	833	2	3	29	99	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	2	31.0	968	9	9	53	88	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	25.9	860	1	1	16	52	82	97	99+
B. Operated										
2. MULTIPLE DX										
A. Not Operated	41	28.1	833	2	3	29	99	99+	99+	99+
B. Operated	2	31.0	968	9	9	53	88	99+	99+	99+
1. SINGLE DX	20	25.9	860	1	1	16	52	82	97	99+
2. MULTIPLE DX	43	28.2	817	2	3	29	99	99+	99+	99+
A. NOT OPERATED	61	27.3	829	2	2	25	78	99+	99+	99+
B. OPERATED	2	31.0	968	9	9	53	88	99+	99+	99+
TOTAL 0-19 YRS	63	27.5	818	2	2	26	79	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	63	27.5	818	2	2	26	79	99+	99+	99+

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	23.6	427	2	3	18	36	56	76	99+
20-34	780	12.7	161	1	2	9	16	28	37	70
35-49	854	12.8	107	1	2	10	17	27	32	49
50-64	643	15.3	161	2	3	12	21	29	38	63
65+	474	19.1	179	4	5	16	25	36	44	72
B. Operated										
0-19 YRS										
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	3	14.3	30	9	9	14	18	20	20	20
50-64										
65+	3	32.7	190	17	17	38	42	43	43	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	266	24.5	531	2	3	19	42	78	99+	99+
20-34	1313	14.0	176	2	3	10	19	30	41	75
35-49	1616	14.8	162	2	3	11	20	31	41	67
50-64	1324	16.5	170	3	4	13	22	33	43	63
65+	1433	18.2	227	3	4	13	25	39	49	74
B. Operated										
0-19 YRS	14	39.7	728	3	7	47	70	99	99+	99+
20-34	99	22.1	297	2	6	17	31	50	57	96
35-49	116	20.5	190	3	6	18	30	42	51	99+
50-64	109	23.2	250	5	8	21	31	44	52	80
65+	138	22.9	209	6	8	19	31	44	50	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2963	15.1	178	2	3	12	21	31	41	71
B. Operated	8	19.6	188	6	7	15	29	41	43	43
2. MULTIPLE DX										
A. Not Operated	5952	16.3	204	2	3	12	22	35	46	84
B. Operated	476	22.7	254	4	7	19	31	46	55	99+
1. SINGLE DX	2971	15.1	178	2	3	12	21	31	41	71
2. MULTIPLE DX	6428	16.7	211	2	3	12	23	36	47	86
A. NOT OPERATED	8915	15.9	196	2	3	12	21	34	44	77
B. OPERATED	484	22.7	253	5	7	19	31	46	54	99+
TOTAL 0-19 YRS	492	24.6	496	2	3	19	40	70	99	99+
20-34	2194	13.9	179	1	2	10	18	30	42	75
35-49	2589	14.4	147	2	3	11	20	30	39	62
50-64	2076	16.5	174	3	4	13	22	33	42	64
65+	2048	18.8	216	3	5	15	25	39	49	73
GRAND TOTAL	9399	16.2	201	2	3	12	22	35	45	79

366 Hospitals, Southern Region, January-December 1985

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	22.0	470	2	3	16	27	59	75	98
20-34	562	12.8	124	1	2	10	17	26	34	60
35-49	549	13.3	130	2	2	10	18	26	34	54
50-64	314	14.0	121	2	3	12	19	26	37	56
65+	115	16.2	112	2	4	14	21	30	39	48
B. Operated										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	31.0		31	31	31	31	31	31	31
50-64	2	14.5	181	5	5	14	24	24	24	24
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	23.1	422	2	3	15	39	61	76	99+
20-34	500	15.6	218	2	3	11	20	34	45	82
35-49	570	15.3	178	2	3	12	19	31	41	72
50-64	468	16.9	173	3	4	13	23	34	42	76
65+	366	19.4	213	3	5	15	26	40	48	75
B. Operated										
0-19 YRS	1	26.0		26	26	63	99+	99+	99+	99+
20-34	22	24.6	405	5	6	19	30	67	80	99+
35-49	38	23.2	343	6	8	17	32	55	82	99+
50-64	46	27.5	337	9	10	23	33	47	75	85
65+	35	24.4	238	3	8	22	33	46	54	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1628	14.0	147	2	2	11	18	27	37	63
B. Operated	4	17.5	146	5	5	17	27	31	31	31
2. MULTIPLE DX										
A. Not Operated	2009	16.9	210	2	4	13	22	36	47	78
B. Operated	142	25.1	318	6	9	20	33	56	75	99+
1. SINGLE DX	1632	14.0	147	2	2	11	18	27	37	63
2. MULTIPLE DX	2151	17.4	221	2	4	13	23	37	48	86
A. NOT OPERATED	3637	15.6	184	2	3	12	20	32	43	75
B. OPERATED	146	24.9	314	5	8	20	32	54	74	99+
TOTAL 0-19 YRS	194	22.6	440	2	3	16	35	59	78	99+
20-34	1085	14.3	177	2	2	11	18	30	42	75
35-49	1158	14.6	164	2	3	11	19	30	39	73
50-64	830	16.4	171	2	4	13	22	33	41	68
65+	516	19.0	195	3	5	15	26	39	46	69
GRAND TOTAL	3783	15.9	192	2	3	12	21	33	45	77

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	16.3	435	<1	1	9	21	44	70	99
20-34	234	8.3	75	<1	1	6	11	18	23	41
35-49	162	8.3	108	1	1	6	11	15	21	64
50-64	108	10.4	68	1	2	8	14	23	28	36
65+	139	10.6	111	1	1	7	14	25	36	47
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	12.9	221	1	2	9	15	29	52	94
20-34	293	10.3	120	1	2	8	13	21	28	57
35-49	255	10.5	99	1	2	8	13	23	33	44
50-64	348	9.8	91	1	2	7	12	20	27	52
65+	851	9.5	83	2	2	7	12	20	26	50
B. Operated										
0-19 YRS	6	16.8	158	4	4	15	24	36	37	37
20-34	11	12.5	49	1	2	13	17	21	24	24
35-49	15	14.9	105	4	5	13	20	32	35	36
50-64	29	14.3	193	3	4	9	16	30	43	69
65+	91	15.5	201	4	5	11	18	31	48	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	721	9.9	132	1	1	7	13	21	31	68
B. Operated	6	4.7	2	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1838	10.0	100	2	2	7	12	21	28	53
B. Operated	152	15.1	175	4	4	11	19	30	37	69
1. SINGLE DX	727	9.9	131	1	1	7	13	21	31	67
2. MULTIPLE DX	1990	10.4	107	2	2	7	13	22	30	55
A. NOT OPERATED	2559	10.0	109	1	2	7	12	21	29	55
B. OPERATED	158	14.7	172	3	4	11	19	30	37	69
TOTAL 0-19 YRS	176	14.4	313	1	1	9	19	40	62	99
20-34	539	9.5	100	1	2	7	12	19	26	49
35-49	433	9.8	104	1	1	7	12	21	30	45
50-64	485	10.2	93	1	2	8	13	20	28	50
65+	1084	10.1	99	2	2	7	13	22	29	54
GRAND TOTAL	2717	10.2	114	1	2	7	13	21	30	56

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	5.7	53	1	1	3	5	14	27	31
20-34	161	5.0	32	1	1	3	6	10	18	27
35-49	143	5.0	39	<1	1	3	6	12	16	26
50-64	84	5.8	48	1	1	3	6	15	25	30
65+	45	5.8	46	<1	1	3	6	11	25	32
B. Operated										
0-19 YRS										
20-34										
35-49	6	5.8	14	1	1	6	8	11	11	11
50-64	4	3.3	7	1	1	2	5	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	9.5	285	1	1	3	11	56	99+	99+
20-34	357	6.5	51	1	1	4	8	14	21	35
35-49	389	6.8	58	1	2	4	8	13	22	38
50-64	322	6.9	48	1	2	5	8	14	21	36
65+	313	5.6	33	1	2	4	7	11	15	33
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	9.3	55	2	2	9	11	21	26	28
35-49	33	13.3	121	2	3	11	19	27	38	47
50-64	17	8.0	44	1	2	5	12	17	22	25
65+	14	13.3	383	2	2	6	14	27	67	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	478	5.3	40	1	1	3	6	12	20	30
B. Operated	10	4.8	12	1	1	4	7	9	11	11
2. MULTIPLE DX										
A. Not Operated	1439	6.6	58	1	2	4	8	14	21	41
B. Operated	83	11.2	134	2	2	8	15	24	29	68
1. SINGLE DX	488	5.3	39	1	1	3	6	12	20	30
2. MULTIPLE DX	1522	6.8	63	1	2	4	8	14	22	43
A. NOT OPERATED	1917	6.3	54	1	1	4	7	14	21	40
B. OPERATED	93	10.5	125	2	2	7	14	22	28	65
TOTAL 0-19 YRS	104	7.8	184	1	1	3	8	29	62	99+
20-34	536	6.1	46	1	1	4	8	13	21	34
35-49	571	6.7	60	1	1	4	8	14	22	39
50-64	427	6.7	48	1	2	4	8	15	22	35
65+	372	5.9	49	1	2	4	7	12	16	34
GRAND TOTAL	2010	6.5	58	1	1	4	8	14	21	41

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	130	14.1	273	1	1	7	17	39	48	84
20-34	421	7.5	70	1	1	5	9	16	24	39
35-49	368	8.2	65	1	1	6	11	17	22	40
50-64	191	9.4	72	<1	1	7	13	22	27	36
65+	101	10.9	58	2	3	9	14	21	27	36
B. Operated										
0-19 YRS										
20-34	4	5.8	18	3	3	4	8	12	12	12
35-49	3	16.0	36	10	10	16	20	22	22	22
50-64	4	20.5	182	6	6	19	31	37	37	37
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	25.9	646	2	3	19	45	89	99+	99+
20-34	751	10.1	94	1	2	7	13	24	30	46
35-49	762	9.9	86	2	2	7	12	22	28	46
50-64	521	9.8	77	2	3	7	12	20	26	40
65+	498	9.7	82	2	3	7	12	19	26	46
B. Operated										
0-19 YRS	6	52.2	1005	11	16	70	95	99+	99+	99+
20-34	44	15.6	86	5	6	12	22	32	33	39
35-49	68	18.0	199	2	4	15	22	37	48	65
50-64	42	14.5	95	4	5	11	18	30	33	43
65+	39	13.7	194	3	3	10	17	29	45	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1211	9.0	93	1	1	6	12	20	28	48
B. Operated	12	13.3	106	3	4	11	19	29	36	37
2. MULTIPLE DX										
A. Not Operated	2801	11.4	162	2	2	7	14	26	37	91
B. Operated	199	16.9	210	3	4	12	21	33	50	95
1. SINGLE DX	1223	9.1	94	1	1	6	12	21	28	48
2. MULTIPLE DX	3000	11.8	167	2	2	8	14	27	38	91
A. NOT OPERATED	4012	10.7	142	1	2	7	13	24	34	80
B. OPERATED	211	16.7	204	3	4	12	21	33	47	94
TOTAL 0-19 YRS	405	22.5	571	1	2	14	38	81	99+	99+
20-34	1220	9.4	88	1	2	6	12	22	29	44
35-49	1201	9.8	91	1	2	7	12	21	28	50
50-64	758	10.0	78	2	2	7	13	21	28	38
65+	639	10.1	86	2	3	8	12	20	27	48
GRAND TOTAL	4223	11.0	147	1	2	7	14	25	35	83

366 Hospitals, Southern Region, January-December 1985

103: Miscellaneous neuroses and personality disorders
(300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	9.4	216	1	1	3	10	28	56	99+
20-34	281	7.1	100	<1	1	4	9	16	24	64
35-49	141	6.8	77	<1	1	4	8	15	26	47
50-64	46	4.3	22	<1	1	2	5	11	13	25
65+	23	5.4	36	<1	1	3	6	15	19	24
B. Operated										
0-19 YRS	6	7.8	55	1	1	5	12	20	21	21
20-34	7	6.1	35	1	1	4	6	16	19	19
35-49	13	3.6	3	2	2	3	4	6	7	7
50-64	24	3.5	3	1	2	3	4	5	7	9
65+	5	3.4	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	13.9	360	1	1	5	21	47	72	99+
20-34	571	8.6	108	1	1	5	11	21	28	49
35-49	350	9.3	102	1	1	6	12	24	33	48
50-64	181	9.1	82	1	2	5	12	24	29	39
65+	147	7.1	65	2	2	5	8	12	17	37
B. Operated										
0-19 YRS	10	6.3	37	1	1	5	12	52	96	99+
20-34	38	11.1	223	<1	1	7	14	37	90	99+
35-49	18	6.6	27	1	2	6	9	13	19	22
50-64	33	5.0	21	<1	2	3	5	10	15	23
65+	24	10.5	176	1	2	5	12	28	47	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	628	7.3	113	<1	1	4	8	17	26	71
B. Operated	55	4.3	14	1	2	4	5	7	11	21
2. MULTIPLE DX										
A. Not Operated	1479	9.5	142	1	1	5	12	24	35	74
B. Operated	123	8.3	120	1	1	5	10	22	41	99+
1. SINGLE DX	683	7.0	106	<1	1	4	8	16	25	70
2. MULTIPLE DX	1602	9.4	140	1	1	5	12	24	35	79
A. NOT OPERATED	2107	8.8	134	1	1	5	11	23	33	72
B. OPERATED	178	7.1	90	1	1	4	8	16	29	99+
TOTAL 0-19 YRS	383	12.0	300	1	1	4	16	38	61	99+
20-34	897	8.2	110	1	1	4	10	20	27	54
35-49	522	8.4	92	1	1	5	10	20	30	47
50-64	284	7.4	64	1	1	4	10	19	26	38
65+	199	7.3	74	1	2	5	8	13	23	49
GRAND TOTAL	2285	8.7	131	1	1	5	10	22	33	74

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	14.0	291	<1	1	3	27	42	47	56
20-34	351	11.9	150	1	1	6	21	29	38	42
35-49	538	10.7	127	1	1	5	18	28	31	42
50-64	302	11.1	138	1	1	5	20	28	35	42
65+	71	9.4	91	1	2	5	12	28	28	42
B. Operated										
0-19 YRS										
20-34				15	15	15	15	15	15	15
35-49	1	15.0		8	8	8	8	8	8	8
50-64	1	8.0		27	27	27	27	27	27	27
65+	1	27.0								
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	176	24.0	368	1	1	23	42	48	53	71
20-34	1273	15.7	159	1	2	11	28	30	37	43
35-49	1889	12.6	129	1	2	7	23	29	31	42
50-64	1396	11.5	115	2	2	6	20	28	30	37
65+	671	11.9	108	2	3	7	19	28	32	41
B. Operated										
0-19 YRS	4	23.0	270	5	5	23	36	41	41	41
20-34	50	18.7	128	3	4	20	28	35	37	40
35-49	69	19.6	94	3	4	20	28	29	30	42
50-64	77	19.0	148	3	4	18	27	36	42	52
65+	46	17.8	253	3	4	12	27	37	45	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1303	11.2	139	1	1	5	20	28	35	42
B. Operated	3	16.7	92	8	8	15	24	27	27	27
2. MULTIPLE DX										
A. Not Operated	5405	13.3	144	1	2	7	25	30	35	44
B. Operated	246	19.0	148	3	4	18	28	32	39	55
1. SINGLE DX	1306	11.2	139	1	1	5	20	28	35	42
2. MULTIPLE DX	5651	13.6	145	1	2	8	26	30	35	44
A. NOT OPERATED	6708	12.9	144	1	2	7	24	29	35	44
B. OPERATED	249	18.9	147	3	4	18	28	32	39	55
TOTAL 0-19 YRS	221	22.2	364	1	1	18	41	47	52	67
20-34	1674	15.0	159	1	2	10	28	30	37	43
35-49	2497	12.4	129	1	2	7	22	28	31	42
50-64	1776	11.8	123	1	2	6	21	28	31	42
65+	789	12.0	117	2	3	7	19	28	33	42
GRAND TOTAL	6957	13.1	145	1	2	7	25	30	35	44

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	46	7.9	82	1	1	5	9	17	30	42
35-49	13	19.6	288	2	2	17	42	42	42	42
50-64	2	22.0	800	2	2	22	42	42	42	42
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	13.8	65	3	3	16	19	24	24	24
20-34	232	12.4	127	2	3	7	17	30	36	45
35-49	88	12.4	86	2	3	9	19	25	31	43
50-64	10	8.7	109	1	1	4	11	27	31	31
65+	12	13.8	132	1	3	9	21	29	40	42
B. Operated										
0-19 YRS										
20-34	3	32.3	416	10	10	37	47	50	50	50
35-49	3	24.7	134	14	14	23	33	37	37	37
50-64	1	31.0		31	31	31	31	31	31	31
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	10.4	153	1	2	5	12	40	42	42
B. Operated										
2. MULTIPLE DX										
A. Not Operated	347	12.4	115	2	3	8	17	29	35	44
B. Operated	8	26.6	211	10	10	27	37	46	50	50
1. SINGLE DX	66	10.4	153	1	2	5	12	40	42	42
2. MULTIPLE DX	355	12.7	121	2	3	8	19	30	36	44
A. NOT OPERATED	413	12.1	121	2	2	7	17	29	37	43
B. OPERATED	8	26.6	211	10	10	27	37	46	50	50
TOTAL 0-19 YRS	7	10.4	77	1	1	9	17	23	24	24
20-34	283	11.9	128	2	2	7	15	30	37	47
35-49	104	13.7	118	2	3	10	20	29	41	43
50-64	13	12.5	204	1	1	4	26	33	40	42
65+	14	13.0	117	2	4	9	21	25	38	42
GRAND TOTAL	421	12.4	126	2	2	7	17	30	39	44

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	32.7	330	2	3	41	44	56	57	58
20-34	97	18.3	270	1	2	11	39	42	42	50
35-49	29	22.7	292	1	2	24	42	42	42	42
50-64	9	22.9	400	<1	2	13	42	50	56	56
65+	3	21.3	369	4	4	18	36	42	42	42
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	29.9	309	4	6	29	44	54	57	63
20-34	316	19.8	182	2	4	19	29	41	42	47
35-49	96	17.3	151	2	4	17	27	30	37	58
50-64	31	15.7	154	1	3	11	27	35	41	42
65+	33	16.2	184	2	3	11	22	41	42	43
B. Operated										
0-19 YRS	3	40.3	352	29	29	30	54	62	62	62
20-34	9	23.6	81	10	11	25	30	35	37	37
35-49	5	27.2	173	8	8	26	39	40	40	40
50-64	1	30.0		30	30	30	30	30	30	30
65+	2	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	22.7	322	1	2	19	42	42	50	57
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	614	21.3	227	2	4	20	30	42	48	59
B. Operated	20	25.9	174	8	9	27	31	39	51	62
1. SINGLE DX	181	22.6	322	1	2	18	42	42	50	57
2. MULTIPLE DX	634	21.4	225	3	4	20	30	42	48	59
A. NOT OPERATED	794	21.6	248	2	3	20	33	42	48	58
B. OPERATED	21	24.9	186	7	8	26	31	39	50	62
TOTAL 0-19 YRS	183	30.7	314	3	5	30	44	55	57	62
20-34	422	19.5	200	2	3	18	29	42	42	47
35-49	130	18.9	188	2	4	18	28	40	42	50
50-64	42	17.3	207	1	4	12	30	41	42	56
65+	38	16.3	184	2	3	11	21	41	42	43
GRAND TOTAL	815	21.7	247	2	4	20	32	42	48	58

366 Hospitals, Southern Region, January-December 1985

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	1.6	10	<1	<1	1	1	2	3	21
20-34	78	4.4	44	<1	<1	2	4	10	26	30
35-49	85	4.4	36	1	1	2	4	7	23	29
50-64	39	4.6	43	<1	<1	3	4	8	25	29
65+	10	11.9	454	1	1	2	9	48	67	67
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	6.4	150	<1	<1	1	4	27	40	55
20-34	213	8.3	106	<1	<1	3	11	28	31	36
35-49	245	7.4	86	1	1	3	8	26	30	36
50-64	147	7.0	80	1	1	3	7	27	30	35
65+	65	8.3	97	1	1	5	9	29	33	38
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.6	44	<1	<1	3	4	12	23	25
35-49	11	12.4	145	<1	1	5	19	32	36	36
50-64	5	9.8	78	4	4	5	14	25	25	25
65+	6	8.2	43	3	3	6	8	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	3.9	47	<1	<1	2	3	7	22	30
B. Operated										
2. MULTIPLE DX										
A. Not Operated	790	7.5	99	<1	1	3	8	27	30	39
B. Operated	35	8.3	85	<1	1	4	9	25	29	36
1. SINGLE DX	299	3.9	47	<1	<1	2	3	7	22	30
2. MULTIPLE DX	825	7.6	98	<1	1	3	8	27	30	38
A. NOT OPERATED	1089	6.5	88	<1	1	3	6	24	29	38
B. OPERATED	35	8.3	85	<1	1	4	9	25	29	36
TOTAL 0-19 YRS	188	4.2	90	<1	<1	1	2	8	28	51
20-34	303	7.1	91	<1	<1	3	7	27	30	34
35-49	361	6.9	78	1	1	3	7	24	29	36
50-64	191	6.6	73	<1	1	3	6	24	30	34
65+	81	8.7	132	1	1	4	9	29	33	58
GRAND TOTAL	1124	6.6	87	<1	1	3	6	24	29	37

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	22.8	521	1	2	15	39	59	63	89
20-34	137	9.0	104	1	1	5	12	27	28	42
35-49	30	9.6	89	<1	1	6	11	27	28	30
50-64	10	11.3	118	3	3	7	16	30	31	31
65+	4	11.5	130	3	3	7	19	28	28	28
B. Operated										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	223	25.4	287	1	3	24	41	47	53	64
20-34	393	16.1	189	1	2	11	28	36	42	48
35-49	111	14.5	140	1	2	11	27	30	35	45
50-64	44	13.2	121	1	2	9	20	30	32	45
65+	44	14.7	139	3	3	9	24	33	36	43
B. Operated										
0-19 YRS	5	29.4	505	2	2	24	46	61	61	61
20-34	19	28.4	167	3	9	28	39	44	45	45
35-49	9	17.9	50	8	9	18	21	28	32	32
50-64	3	27.0	919	9	9	10	49	62	62	62
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	12.0	212	1	1	5	18	29	41	63
B. Operated	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	815	18.2	222	1	2	14	29	41	44	57
B. Operated	36	25.8	229	3	8	23	37	44	56	62
1. SINGLE DX	229	11.8	211	1	1	5	18	29	41	62
2. MULTIPLE DX	851	18.5	225	1	2	15	29	41	44	60
A. NOT OPERATED	1041	16.9	226	1	2	11	28	40	44	60
B. OPERATED	39	24.0	253	1	3	22	35	44	54	62
TOTAL 0-19 YRS	273	25.1	327	1	2	23	41	48	57	67
20-34	552	14.7	182	1	1	9	27	33	42	47
35-49	150	13.7	128	1	2	10	23	29	33	42
50-64	57	13.6	155	1	3	9	20	30	33	61
65+	48	14.4	136	3	3	9	24	33	35	43
GRAND TOTAL	1080	17.1	229	1	2	12	28	40	44	61

109: Psychophysiological disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.4	1	1	1	2	3	4	5	6
20-34	43	3.8	6	1	1	3	5	7	9	11
35-49	32	3.6	9	1	1	3	4	7	8	16
50-64	15	3.5	8	1	1	2	5	6	11	12
65+	12	2.9	4	1	1	3	4	6	7	7
B. Operated										
0-19 YRS	4	3.3	5	<1	<1	3	5	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	4.1	30	1	1	3	4	7	11	38
20-34	86	5.3	34	1	1	4	6	11	14	36
35-49	91	5.3	18	1	1	4	7	11	16	21
50-64	87	5.0	16	1	2	4	6	8	14	23
65+	109	4.6	13	1	2	3	5	9	12	18
B. Operated										
0-19 YRS	6	24.0	1106	2	2	5	45	79	83	83
20-34	7	6.7	15	2	2	6	9	12	13	13
35-49	12	8.5	50	1	2	7	10	17	26	28
50-64	11	6.6	22	2	2	4	11	14	14	14
65+	11	9.0	160	2	2	4	9	25	44	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	3.3	6	1	1	3	4	7	8	13
B. Operated	11	3.2	2	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	421	4.9	21	1	1	4	6	9	13	23
B. Operated	47	9.9	204	2	2	6	10	14	45	83
1. SINGLE DX	144	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX	468	5.4	41	1	2	4	6	11	14	37
A. NOT OPERATED	554	4.5	18	1	1	3	5	8	12	19
B. OPERATED	58	8.6	172	2	2	5	9	14	38	80
TOTAL 0-19 YRS	89	4.8	107	1	1	3	4	6	11	68
20-34	138	4.9	24	1	1	4	6	10	13	31
35-49	138	5.1	20	1	1	4	7	10	15	23
50-64	113	4.9	16	1	2	4	6	9	14	20
65+	134	4.8	25	1	2	3	5	9	12	22
GRAND TOTAL	612	4.9	34	1	1	3	6	9	13	29

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	550	13.6	262	1	1	7	18	39	61	99+
20-34	553	5.5	36	1	1	4	7	12	16	32
35-49	370	6.0	45	<1	1	4	7	13	17	33
50-64	85	5.5	29	<1	1	3	7	14	16	25
65+	35	8.8	59	1	1	7	12	18	27	30
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	835	18.4	376	1	2	11	29	49	69	99+
20-34	1113	7.0	65	1	1	4	8	15	23	44
35-49	689	7.4	66	1	2	5	9	15	22	41
50-64	319	7.4	48	1	1	5	9	16	21	36
65+	246	7.8	50	1	2	6	10	17	21	45
B. Operated										
0-19 YRS	25	29.6	607	2	3	29	49	92	99+	99+
20-34	23	10.0	87	1	1	6	14	24	30	31
35-49	32	9.3	51	1	2	7	12	18	26	31
50-64	9	11.6	121	2	2	9	14	30	38	38
65+	17	11.1	75	3	3	8	15	27	29	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1593	8.5	131	1	1	5	10	21	33	70
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	3202	10.2	167	1	1	6	12	27	40	81
B. Operated	106	14.7	263	1	2	9	22	35	59	99+
1. SINGLE DX	1594	8.5	130	1	1	4	10	21	33	70
2. MULTIPLE DX	3308	10.3	171	1	1	6	12	27	40	84
A. NOT OPERATED	4795	9.6	156	1	1	5	11	25	37	77
B. OPERATED	107	14.6	262	1	2	9	22	35	59	99+
TOTAL 0-19 YRS	1411	16.7	344	1	2	10	27	47	66	99+
20-34	1689	6.6	56	1	1	4	8	15	22	38
35-49	1091	7.0	59	1	1	5	9	15	21	35
50-64	413	7.1	47	1	1	5	9	15	20	35
65+	298	8.1	53	1	2	6	10	18	22	38
GRAND TOTAL	4902	9.7	159	1	1	5	11	26	38	79

366 Hospitals, Southern Region, January-December 1985

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	614	16.1	366	1	1	9	24	48	70	99+
20-34	412	8.0	132	1	1	4	8	20	32	61
35-49	302	7.2	73	1	2	4	8	15	20	49
50-64	135	10.8	172	1	2	7	13	22	41	71
65+	92	9.2	84	1	2	7	12	24	28	44
B. Operated										
0-19 YRS	8	15.9	183	<1	1	13	29	33	34	34
20-34	8	3.3	2	2	2	3	4	5	5	5
35-49	8	3.4	4	1	1	3	4	6	7	7
50-64	4	9.0	54	3	3	7	14	19	19	19
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1173	23.5	613	1	2	14	44	88	99+	99+
20-34	893	9.2	120	1	2	5	11	24	32	60
35-49	773	8.2	79	1	2	5	10	18	28	42
50-64	542	9.1	93	2	2	5	11	20	29	50
65+	487	9.2	77	2	2	6	11	20	27	43
B. Operated										
0-19 YRS	38	26.4	736	3	4	23	71	99+	99+	99+
20-34	47	10.0	75	2	2	7	12	25	28	38
35-49	62	13.8	164	3	3	8	20	35	45	52
50-64	53	13.1	120	3	4	10	20	30	33	49
65+	46	17.0	306	3	4	10	19	35	68	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1555	11.3	230	1	1	5	13	33	48	90
B. Operated	29	8.5	100	1	2	4	8	29	30	34
2. MULTIPLE DX										
A. Not Operated	3868	13.3	297	1	2	7	16	41	69	99+
B. Operated	246	15.5	274	3	3	9	22	42	71	99+
1. SINGLE DX	1584	11.3	227	1	1	5	13	32	48	90
2. MULTIPLE DX	4114	13.5	296	1	2	7	17	41	69	99+
A. NOT OPERATED	5423	12.8	279	1	2	6	15	38	63	99+
B. OPERATED	275	14.7	260	2	3	9	20	40	70	99+
TOTAL										
0-19 YRS	1833	21.1	543	1	2	12	38	78	99+	99+
20-34	1360	8.8	122	1	1	5	10	22	32	60
35-49	1145	8.2	84	1	2	5	9	18	28	46
50-64	734	9.7	110	1	2	6	12	22	31	53
65+	626	9.8	99	2	2	7	12	23	30	51
GRAND TOTAL	5698	12.9	278	1	2	7	15	39	63	99+

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	9.0	52	1	1	7	14	20	22	22
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	2	13.0	128	5	5	13	21	21	21	21
50-64										
65+										
B. Operated										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	11.8	257	1	2	8	15	35	85	99+
20-34	43	13.8	269	2	3	9	16	31	41	93
35-49	23	10.4	83	2	3	7	13	20	32	42
50-64	7	15.3	85	3	4	15	24	25	25	25
65+	3	11.0	12	9	9	9	14	15	15	15
B. Operated										
0-19 YRS	9	5.1	8	2	2	5	5	10	12	12
20-34	4	4.8	7	2	2	5	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	8.1	48	1	2	6	14	21	22	22
B. Operated	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	137	12.3	215	2	2	9	15	29	55	99+
B. Operated	15	4.9	7	2	2	5	6	7	11	12
1. SINGLE DX	17	7.6	41	1	2	5	9	20	22	22
2. MULTIPLE DX	152	11.6	200	2	2	7	14	28	43	99+
A. NOT OPERATED	151	11.9	201	2	2	8	15	28	43	99+
B. OPERATED	18	4.9	6	2	2	5	7	7	10	12
TOTAL										
0-19 YRS	81	10.5	204	1	2	7	13	24	78	99+
20-34	51	12.3	238	2	2	7	14	29	40	92
35-49	26	10.3	82	2	3	7	14	21	29	42
50-64	8	14.3	81	3	4	12	24	25	25	25
65+	3	11.0	12	9	9	9	14	15	15	15
GRAND TOTAL	169	11.2	185	2	2	7	14	26	42	99+

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	388	10.3	18	2	4	10	12	15	17	22
20-34	50	6.5	24	1	1	6	9	13	15	24
35-49	38	7.8	38	1	2	6	11	15	21	29
50-64	21	7.7	38	1	1	7	12	15	20	24
65+	9	7.1	13	3	3	7	10	12	13	13
B. Operated										
0-19 YRS	31	13.6	91	2	3	12	14	30	34	43
20-34	24	6.8	21	1	2	6	9	14	15	16
35-49	28	6.5	51	1	1	4	8	15	23	32
50-64	28	8.1	116	1	1	4	8	25	38	42
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	501	10.9	49	2	3	11	13	16	21	32
20-34	64	8.4	40	2	2	7	11	15	20	91
35-49	59	6.9	23	1	2	5	9	14	15	26
50-64	65	12.2	98	1	2	11	15	27	31	56
65+	57	14.2	137	2	4	12	17	27	31	75
B. Operated										
0-19 YRS	129	21.3	200	7	10	16	28	44	63	99+
20-34	34	19.0	339	1	2	13	26	47	58	62
35-49	53	19.0	300	2	3	14	27	44	58	80
50-64	63	19.5	262	2	3	15	29	47	55	95
65+	35	20.1	290	2	3	15	31	44	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	506	9.5	23	1	3	10	12	15	17	24
B. Operated	114	8.8	78	1	2	6	12	16	31	42
2. MULTIPLE DX										
A. Not Operated	746	10.7	59	2	3	10	13	17	22	40
B. Operated	314	20.2	252	2	3	16	29	45	58	99+
1. SINGLE DX	620	9.4	33	1	2	10	12	15	18	32
2. MULTIPLE DX	1060	13.5	135	2	3	11	15	27	40	72
A. NOT OPERATED	1252	10.2	45	2	3	10	12	16	20	32
B. OPERATED	428	17.1	231	2	2	12	24	42	53	99+
TOTAL 0-19 YRS	1049	12.0	70	2	4	11	14	19	27	55
20-34	172	9.7	112	1	2	7	12	17	41	61
35-49	178	10.6	142	1	2	6	12	26	33	60
50-64	177	13.6	172	1	2	10	16	33	45	63
65+	104	15.2	190	2	3	12	20	32	43	88
GRAND TOTAL	1680	12.0	101	2	3	10	14	22	32	62

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	4	9.5	34	2	2	10	14	15	15	15
50-64	18	7.2	22	3	3	6	10	10	18	23
65+	57	8.5	59	2	3	7	11	15	18	47
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	4	5.0	17	2	2	3	7	11	11	11
65+	3	11.7	1	11	11	11	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	7.1	21	3	3	4	10	14	15	15
50-64	76	8.1	22	3	3	7	11	15	18	22
65+	551	9.5	65	2	3	7	11	18	22	48
B. Operated										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	12	13.1	131	3	4	11	14	26	44	47
65+	85	13.7	124	3	4	11	17	27	31	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	8.2	48	2	3	7	10	14	17	44
B. Operated	7	7.9	21	2	2	11	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	638	9.3	59	2	3	7	11	17	21	43
B. Operated	98	13.6	123	3	4	11	16	27	32	66
1. SINGLE DX	89	8.2	46	2	3	7	11	14	16	43
2. MULTIPLE DX	736	9.8	70	3	3	8	12	18	23	47
A. NOT OPERATED	720	9.1	58	2	3	7	11	17	21	44
B. OPERATED	105	13.2	118	3	4	11	16	27	31	63
TOTAL 0-19 YRS	4	6.0	13	3	3	5	8	11	11	11
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	12	8.2	22	2	3	9	12	15	15	15
50-64	110	8.4	35	3	3	7	11	15	18	33
65+	696	9.9	73	2	3	8	12	18	24	48
GRAND TOTAL	825	9.7	67	2	3	8	12	18	23	47

366 Hospitals, Southern Region, January-December 1985

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	7.7	56	2	2	4	8	21	25	25
20-34	83	6.7	37	1	2	5	9	12	17	36
35-49	98	6.9	31	1	2	5	10	14	17	26
50-64	31	10.2	75	1	2	7	15	21	31	35
65+	4	6.8	18	1	1	7	9	11	11	11
B. Operated										
0-19 YRS										
20-34	10	5.7	18	2	2	5	8	12	15	15
35-49	10	3.4	2	2	2	3	5	6	6	6
50-64	5	4.4	11	2	2	4	6	10	10	10
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.8	48	4	4	5	7	19	26	26
20-34	90	10.9	138	2	3	8	11	22	28	73
35-49	133	10.6	112	2	3	8	12	17	27	62
50-64	74	9.4	61	1	3	8	12	14	19	52
65+	20	9.4	58	1	2	8	14	20	24	28
B. Operated										
0-19 YRS	3	10.7	81	2	2	10	17	20	20	20
20-34	12	14.7	517	4	4	7	9	47	78	83
35-49	28	12.7	78	3	3	11	17	24	34	35
50-64	16	10.6	52	2	3	8	17	22	24	25
65+	3	9.3	25	4	4	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	227	7.3	41	1	2	5	10	15	20	33
B. Operated										
	25	4.5	11	2	2	4	6	9	11	15
2. MULTIPLE DX										
A. Not Operated										
	327	10.2	102	2	3	8	12	18	26	58
B. Operated										
	62	12.3	146	2	4	9	15	24	32	77
1. SINGLE DX	252	7.0	38	1	2	5	10	14	19	32
2. MULTIPLE DX	389	10.5	109	2	3	8	12	20	26	59
A. NOT OPERATED	554	9.0	79	1	2	7	11	17	23	43
B. OPERATED	87	10.0	119	2	2	7	12	21	26	65
TOTAL 0-19 YRS										
	24	8.1	51	2	3	5	9	20	25	26
20-34	195	9.1	115	1	2	7	10	17	25	65
35-49	269	9.2	80	2	2	7	12	16	24	44
50-64	126	9.5	61	1	3	8	12	18	22	41
65+	27	9.0	47	1	2	8	13	19	22	28
GRAND TOTAL	641	9.2	84	1	2	7	11	17	24	43

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	579	3.4	12	1	1	2	4	7	9	20
20-34	257	2.8	4	1	1	2	3	5	6	12
35-49	136	3.1	6	1	1	2	4	7	8	14
50-64	74	2.9	4	1	1	2	3	5	6	11
65+	74	3.8	5	1	1	3	5	7	8	10
B. Operated										
0-19 YRS	11	8.8	61	1	2	8	13	20	27	28
20-34	12	4.4	12	<1	1	4	5	9	13	14
35-49	7	6.1	42	1	1	3	7	18	20	20
50-64	3	6.7	6	4	4	7	8	9	9	9
65+	1	6.0	6	6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	858	4.7	41	1	1	3	5	9	14	31
20-34	407	5.2	34	1	1	3	6	10	13	36
35-49	399	4.8	37	1	1	3	6	9	12	26
50-64	560	5.8	40	1	2	4	7	11	15	29
65+	903	6.3	31	1	2	5	7	12	16	30
B. Operated										
0-19 YRS	52	13.1	236	2	3	8	15	32	38	99+
20-34	31	8.2	37	2	2	6	11	16	22	27
35-49	51	7.6	39	2	2	6	10	13	24	30
50-64	56	12.9	189	3	3	7	15	28	42	69
65+	86	14.2	197	3	3	10	17	34	42	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1120	3.2	8	1	1	2	4	6	8	16
B. Operated										
	34	6.4	34	1	2	5	8	14	19	28
2. MULTIPLE DX										
A. Not Operated										
	3127	5.4	37	1	1	4	6	10	15	30
B. Operated										
	276	11.8	161	2	3	8	14	26	38	85
1. SINGLE DX	1154	3.3	9	1	1	2	4	6	8	16
2. MULTIPLE DX	3403	6.0	50	1	2	4	7	12	17	36
A. NOT OPERATED	4247	4.8	30	1	1	3	6	9	14	25
B. OPERATED	310	11.2	149	2	3	8	13	25	35	78
TOTAL										
0-19 YRS	1500	4.5	40	1	1	3	5	9	14	31
20-34	707	4.4	25	1	1	3	5	9	13	26
35-49	593	4.7	31	1	1	3	6	9	12	25
50-64	693	6.1	53	1	2	4	7	12	17	43
65+	1064	6.8	48	1	2	5	8	13	17	37
GRAND TOTAL	4557	5.3	41	1	1	3	6	10	15	32

**117: Miscellaneous diseases of central nervous system
(330-331; 333-336; 341-344; 347-349; 358-359)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	249	3.3	15	<1	1	2	4	5	9	20	
20-34	185	3.6	9	1	1	3	4	7	9	15	
35-49	152	3.8	14	1	1	3	5	7	8	24	
50-64	92	4.7	17	1	1	4	6	9	12	24	
65+	142	6.2	37	1	1	5	8	13	16	53	
<i>B. Operated</i>											
0-19 YRS	273	4.7	13	1	1	4	6	9	13	18	
20-34	161	5.3	28	1	1	4	6	12	16	45	
35-49	111	4.8	12	1	1	3	7	10	12	14	
50-64	99	6.2	24	1	1	5	9	11	15	27	
65+	67	7.9	96	1	2	5	9	16	20	65	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	631	5.6	61	1	1	4	5	11	18	55	
20-34	330	7.4	121	1	1	4	7	17	36	99+	
35-49	341	7.5	109	1	2	4	8	16	25	63	
50-64	582	10.7	172	2	2	6	12	29	40	79	
65+	1813	10.8	107	2	3	7	14	23	32	56	
<i>B. Operated</i>											
0-19 YRS	585	9.1	180	1	2	5	9	21	39	99+	
20-34	232	11.0	186	1	2	7	13	27	49	99+	
35-49	248	9.7	155	2	2	7	11	20	36	99+	
50-64	312	11.2	146	1	2	7	14	26	38	75	
65+	604	12.8	115	2	3	10	18	27	35	64	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	820	4.1	19	1	1	3	5	8	12	24	
<i>B. Operated</i>											
	711	5.3	26	1	1	4	7	11	14	21	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	3697	9.3	115	1	2	6	11	21	32	61	
<i>B. Operated</i>											
	1981	10.8	154	2	2	7	13	25	38	99+	
1. SINGLE DX											
	1531	4.7	23	1	1	3	6	10	13	22	
2. MULTIPLE DX											
	5678	9.8	129	1	2	6	12	23	34	75	
A. NOT OPERATED											
	4517	8.3	101	1	2	5	10	19	29	59	
B. OPERATED											
	2692	9.4	127	1	2	6	11	21	32	90	
TOTAL 0-19 YRS											
	1738	6.3	91	1	1	4	6	12	21	82	
20-34	908	7.2	105	1	1	4	8	16	29	89	
35-49	852	7.1	97	1	2	4	8	14	23	69	
50-64	1085	9.9	142	1	2	6	11	24	37	74	
65+	2626	10.9	107	2	3	8	14	24	32	58	
GRAND TOTAL											
	7209	8.7	111	1	2	5	10	20	30	65	

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	2.2	2	<1	1	2	3	4	5	7
20-34	395	3.1	5	1	1	3	4	6	7	13
35-49	330	3.5	7	1	1	3	5	6	8	14
50-64	104	3.3	6	1	1	3	4	5	8	13
65+	17	3.6	7	1	1	3	5	8	9	9
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	30	3.3	4	1	1	3	4	6	8	9
35-49	28	4.4	9	1	2	3	7	9	9	11
50-64	13	2.7	5	1	1	2	3	5	9	10
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	3.2	6	1	1	2	4	6	9	13
20-34	522	3.9	7	1	1	3	5	7	10	14
35-49	558	4.4	13	1	1	3	6	8	10	19
50-64	252	4.1	9	1	1	3	5	7	9	17
65+	84	4.2	11	1	2	3	5	8	10	19
B. Operated										
0-19 YRS	8	3.5	3	2	2	3	4	6	7	7
20-34	50	5.6	9	2	2	6	7	9	12	14
35-49	53	6.3	19	2	2	5	9	11	17	19
50-64	50	6.6	19	2	2	6	9	12	17	18
65+	19	6.2	9	2	3	6	8	9	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1036	3.1	5	1	1	2	4	6	7	12
B. Operated	77	3.5	6	1	1	3	4	8	9	11
2. MULTIPLE DX										
A. Not Operated	1545	4.1	10	1	1	3	5	8	10	15
B. Operated	180	6.1	15	2	2	6	8	11	14	18
1. SINGLE DX	1113	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX	1725	4.3	11	1	1	3	5	8	10	17
A. NOT OPERATED	2581	3.7	8	1	1	3	5	7	9	14
B. OPERATED	257	5.3	14	1	2	4	7	10	12	18
TOTAL 0-19 YRS	330	2.6	4	1	1	2	3	5	7	10
20-34	997	3.6	7	1	1	3	4	7	9	14
35-49	969	4.2	12	1	1	3	5	8	10	18
50-64	419	4.2	10	1	1	3	5	8	10	17
65+	123	4.4	10	1	2	3	6	8	10	17
GRAND TOTAL	2838	3.8	9	1	1	3	5	7	9	15

366 Hospitals, Southern Region, January-December 1985

119: Carpal tunnel syndrome and other lesions of median nerve
(354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49	7	4.1	2	2	2	4	6	6	6	6
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	4	2.3	2	<1	<1	2	3	4	4	4
<i>B. Operated</i>										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	167	1.8	2	<1	<1	1	2	3	4	8
35-49	327	2.0	2	<1	<1	2	2	3	5	8
50-64	247	1.9	1	<1	<1	2	2	3	4	7
65+	115	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34	5	4.8	6	3	3	4	5	9	9	9
35-49	27	3.4	5	<1	1	3	5	7	7	8
50-64	16	4.3	7	<1	1	4	6	8	9	10
65+	12	4.5	10	<1	1	4	5	9	12	13
<i>B. Operated</i>										
0-19 YRS	6	2.3	3	1	1	2	4	5	5	5
20-34	75	2.6	3	1	1	2	3	5	6	8
35-49	200	3.2	9	<1	1	2	4	6	9	13
50-64	250	3.3	11	1	1	2	3	7	11	18
65+	172	2.9	6	<1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	21	2.9	3	<1	<1	3	4	5	6	6
<i>B. Operated</i>	862	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
<i>A. Not Operated</i>	60	4.0	6	<1	1	4	5	7	9	13
<i>B. Operated</i>	703	3.1	8	<1	1	2	3	6	8	14
1. SINGLE DX	883	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	763	3.2	8	<1	1	2	4	6	8	14
A. NOT OPERATED	81	3.7	6	<1	1	3	5	7	8	12
B. OPERATED	1565	2.4	5	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS										
0-19 YRS	13	1.8	2	<1	<1	1	2	4	5	5
20-34	252	2.1	2	<1	<1	2	3	4	5	8
35-49	561	2.5	5	<1	<1	2	3	5	7	11
50-64	517	2.7	7	<1	<1	2	3	5	8	13
65+	303	2.5	5	<1	<1	2	3	4	7	12
GRAND TOTAL	1646	2.5	5	<1	<1	2	3	5	7	11

120: Peripheral nervous system disorder, except sciatica
(337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	6.6	58	1	1	4	8	17	22	35
20-34	100	4.9	27	1	1	3	6	11	15	28
35-49	139	4.3	15	1	1	3	5	8	11	20
50-64	107	4.8	23	1	1	3	6	9	13	29
65+	63	4.9	17	1	2	4	6	11	13	22
B. Operated										
0-19 YRS	86	3.0	3	1	1	3	4	5	7	9
20-34	299	3.8	16	1	1	3	5	8	9	36
35-49	409	3.5	8	<1	1	3	4	8	9	13
50-64	350	3.6	10	1	1	3	4	8	9	20
65+	241	3.4	12	<1	1	2	3	8	10	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	8.0	86	1	1	5	10	20	31	42
20-34	113	6.0	34	1	2	4	7	14	18	29
35-49	264	5.6	31	1	2	4	7	10	15	26
50-64	355	5.8	26	1	2	4	7	12	15	27
65+	491	7.0	51	2	2	5	8	13	18	36
B. Operated										
0-19 YRS	65	6.9	88	1	1	4	7	11	36	45
20-34	240	6.5	81	1	2	4	7	13	18	66
35-49	387	5.6	47	1	1	4	6	11	15	31
50-64	413	5.4	23	1	2	4	7	11	14	32
65+	371	8.7	114	2	2	5	10	17	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	486	5.0	26	1	1	3	6	10	16	28
B. Operated	1385	3.6	11	<1	1	3	4	8	9	18
2. MULTIPLE DX										
A. Not Operated	1291	6.4	41	1	2	5	8	12	17	33
B. Operated	1476	6.5	66	1	2	4	8	13	18	53
1. SINGLE DX	1871	3.9	15	1	1	3	5	8	11	21
2. MULTIPLE DX	2767	6.5	54	1	2	4	8	13	17	43
A. NOT OPERATED	1777	6.0	37	1	2	4	7	12	17	32
B. OPERATED	2861	5.1	42	1	1	3	6	10	14	41
TOTAL										
0-19 YRS	296	6.0	58	1	1	4	6	13	21	43
20-34	752	5.1	42	1	1	3	6	11	16	54
35-49	1199	4.7	27	1	1	3	6	9	13	21
50-64	1225	5.0	21	1	1	3	6	10	14	24
65+	1166	6.7	65	1	2	4	8	13	20	45
GRAND TOTAL	4638	5.4	40	1	1	4	6	11	15	34

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	22	4.2	3	1	2	4	5	7	8	9
20-34	66	4.2	7	1	2	4	5	7	8	15
35-49	69	4.2	5	2	2	4	6	7	9	11
50-64	170	3.5	3	1	2	3	4	6	7	8
65+	178	3.8	4	1	2	3	5	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.3	5	<1	<1	1	4	5	5	5
50-64	8	2.3	4	<1	<1	1	3	6	7	7
65+	7	3.1	5	1	1	2	4	7	8	8
B. Operated										
0-19 YRS	48	4.1	16	2	2	3	4	6	10	27
20-34	70	4.6	5	2	2	4	6	7	9	11
35-49	93	4.7	5	2	2	4	6	8	9	12
50-64	266	4.3	5	2	2	4	6	7	8	11
65+	377	4.3	5	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6		1	1	2	2	2	2	2
B. Operated	505	3.8	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	24	2.5	4	<1	<1	2	3	5	7	8
B. Operated	854	4.3	6	2	2	4	5	7	8	12
1. SINGLE DX	510	3.8	4	1	2	3	5	6	7	10
2. MULTIPLE DX	878	4.3	6	2	2	4	5	7	8	12
A. NOT OPERATED	29	2.3	3	<1	<1	2	3	5	7	8
B. OPERATED	1359	4.1	5	2	2	4	5	7	8	11
TOTAL 0-19 YRS	76	4.0	11	1	2	3	4	6	9	23
20-34	138	4.4	6	1	2	4	6	7	9	12
35-49	167	4.4	5	2	2	4	6	7	9	12
50-64	444	3.9	4	1	2	3	5	7	8	10
65+	563	4.1	5	2	2	4	5	7	8	12
GRAND TOTAL	1388	4.1	5	2	2	4	5	7	8	11

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	3.0	6	<1	<1	2	5	6	6	6
50-64	6	1.3		1	1	1	2	2	2	2
65+	18	1.9	2	<1	<1	1	2	5	5	5
B. Operated										
0-19 YRS	9	2.9	2	2	2	2	4	5	6	6
20-34	5	2.8	2	2	2	2	3	5	5	5
35-49	18	3.1	4	<1	1	3	4	6	7	8
50-64	56	2.2	1	1	1	2	3	4	5	5
65+	76	2.7	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	4.8	13	2	2	3	7	10	10	10
50-64	6	4.8	2	3	3	5	6	7	7	7
65+	35	3.2	5	1	1	3	4	5	6	13
B. Operated										
0-19 YRS	8	4.0	12	<1	<1	2	6	10	11	11
20-34	6	4.5	4	2	2	4	6	7	7	7
35-49	10	4.8	23	2	2	3	4	12	18	18
50-64	50	3.4	4	1	1	3	4	6	7	11
65+	163	4.7	42	1	2	3	5	9	11	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	1.8	2	<1	<1	1	2	5	5	6
B. Operated	164	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	54	3.3	5	1	1	3	4	6	7	13
B. Operated	237	4.4	32	1	2	3	5	8	10	28
1. SINGLE DX	197	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	291	4.2	27	1	1	3	5	8	10	22
A. NOT OPERATED	87	2.7	4	<1	1	2	4	5	6	12
B. OPERATED	401	3.7	21	1	1	2	4	7	9	19
TOTAL 0-19 YRS	28	2.5	5	<1	1	2	2	6	7	11
20-34	13	3.7	3	2	2	3	5	6	7	7
35-49	37	3.7	10	<1	1	3	4	6	9	18
50-64	118	2.8	3	1	1	2	4	5	6	10
65+	292	3.8	26	1	1	3	4	7	10	22
GRAND TOTAL	488	3.5	18	1	1	2	4	6	9	17

366 Hospitals, Southern Region, January-December 1985

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	1.3		1	1	1	2	2	2	2
65+	6	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	11	1.7	1	1	1	2	2	3	4	4
20-34	8	3.6	6	1	1	3	5	7	8	8
35-49	17	3.2	4	<1	1	2	5	7	7	7
50-64	24	3.5	8	<1	1	3	4	7	9	13
65+	29	2.4	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	4	3.3	8	<1	<1	2	5	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	3.2	13	1	1	2	4	9	10	10
65+	25	3.6	6	1	2	3	4	6	9	13
B. Operated										
0-19 YRS	5	2.6	2	1	1	2	3	5	5	5
20-34	10	3.7	8	1	1	3	4	8	11	11
35-49	9	2.9	1	1	1	3	4	4	4	4
50-64	50	4.0	10	1	1	3	5	8	12	14
65+	104	3.7	9	1	1	3	5	8	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.1	2	1	1	2	3	4	5	5
B. Operated	89	2.9	4	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	42	3.1	7	<1	1	3	4	6	9	13
B. Operated	178	3.7	9	1	1	3	4	7	10	15
1. SINGLE DX	101	2.8	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX	220	3.6	8	1	1	3	4	7	10	15
A. NOT OPERATED	54	2.9	6	<1	1	2	4	5	8	13
B. OPERATED	267	3.4	7	<1	1	3	4	7	8	14
TOTAL 0-19 YRS	22	1.7	1	<1	<1	1	2	3	4	5
20-34	23	3.5	7	<1	1	3	5	7	9	11
35-49	29	3.2	3	1	1	3	4	6	7	7
50-64	83	3.7	9	1	1	3	4	7	11	14
65+	164	3.4	8	<1	1	3	4	7	8	16
GRAND TOTAL	321	3.4	7	<1	1	3	4	7	8	14

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	10	1.6		<1	<1	1	2	3	3	3
B. Operated										
0-19 YRS										
20-34										
35-49	132	1.6	2	<1	<1	1	2	2	3	9
50-64	693	1.7	2	<1	<1	2	2	2	3	4
65+	2591	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	21	2.6	8	<1	<1	1	3	6	9	12
65+	82	2.8	19	<1	<1	2	2	5	9	29
B. Operated										
0-19 YRS										
20-34										
35-49	63	2.3	2	1	1	2	2	4	5	7
50-64	589	2.2	2	1	1	2	2	3	4	7
65+	2655	2.3	3	<1	1	2	2	3	4	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.5		<1	<1	1	2	3	3	3
B. Operated	3416	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	105	2.7	16	<1	<1	2	2	5	8	24
B. Operated	3307	2.2	3	<1	1	2	2	3	4	11
1. SINGLE DX	3428	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	3412	2.3	3	<1	1	2	2	3	4	11
A. NOT OPERATED	117	2.6	15	<1	<1	2	2	5	8	22
B. OPERATED	6723	2.0	2	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS										
20-34										
35-49	198	1.8	2	<1	<1	2	2	3	4	7
50-64	1304	1.9	2	<1	<1	2	2	3	4	6
65+	5338	2.0	2	<1	<1	2	2	3	3	8
GRAND TOTAL	6840	2.0	2	<1	<1	2	2	3	3	8

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. Operated										
0-19 YRS	39	1.8	1	<1	1	2	2	3	4	5
20-34	12	2.0	2	1	1	2	2	4	6	6
35-49	23	2.0	1	<1	1	2	2	3	4	4
50-64	42	1.7		<1	1	2	2	2	3	4
65+	55	1.5		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	20	<1	<1	1	6	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	42	2.5	2	1	1	2	3	4	5	8
20-34	22	3.5	8	1	1	3	4	7	10	14
35-49	24	2.7	1	1	2	2	4	4	5	5
50-64	54	2.2	1	1	1	2	3	4	4	6
65+	139	2.2	2	1	1	2	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	171	1.7	1	<1	1	2	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	8	2.4	10	<1	<1	1	2	8	10	10
B. Operated	281	2.4	2	1	1	2	3	4	5	9
1. SINGLE DX	172	1.7	1	<1	1	2	2	2	3	5
2. MULTIPLE DX	289	2.4	3	1	1	2	3	4	5	10
A. NOT OPERATED	9	2.2	9	<1	<1	1	2	7	10	10
B. OPERATED	452	2.2	2	1	1	2	2	4	4	8
TOTAL 0-19 YRS	85	2.2	2	<1	1	2	3	4	5	9
20-34	35	2.9	6	1	1	2	4	6	8	14
35-49	47	2.3	1	1	1	2	3	4	4	5
50-64	99	2.0	1	<1	1	2	2	3	4	6
65+	195	2.0	2	1	1	2	2	3	4	8
GRAND TOTAL	461	2.2	2	1	1	2	2	4	4	8

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.3	2	<1	<1	2	4	4	4	4
20-34	5	4.8	27	2	2	2	6	14	14	14
35-49	8	3.0	2	1	1	3	4	5	5	5
50-64	7	3.3	3	1	1	4	5	5	5	5
65+	4	3.8	5	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	769	1.3	1	<1	<1	1	2	2	2	2
20-34	59	1.7	1	<1	1	2	2	2	3	5
35-49	29	1.5		<1	<1	1	2	2	2	3
50-64	14	2.9	6	<1	1	2	2	7	9	10
65+	10	2.8	2	<1	<1	3	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.8	4	<1	<1	1	2	3	4	12
20-34	7	2.6	2	<1	<1	3	4	4	4	4
35-49	14	4.8	51	<1	1	3	4	8	24	29
50-64	23	3.4	9	1	1	3	4	5	9	16
65+	43	6.7	192	1	2	4	7	10	13	93
B. Operated										
0-19 YRS	227	1.5	1	<1	<1	1	2	2	2	4
20-34	29	2.0	1	1	1	2	2	3	3	5
35-49	27	3.0	7	1	1	2	3	7	10	11
50-64	34	3.4	4	1	2	3	4	7	8	8
65+	35	5.0	14	1	1	4	6	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.3	6	1	1	3	4	5	7	14
B. Operated	881	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	123	4.2	79	<1	1	2	4	7	11	46
B. Operated	352	2.2	4	<1	<1	2	2	4	6	11
1. SINGLE DX	911	1.5	2	<1	<1	1	2	2	2	5
2. MULTIPLE DX	475	2.7	24	<1	<1	2	3	5	7	14
A. NOT OPERATED	153	4.0	64	<1	1	3	4	7	10	29
B. OPERATED	1233	1.6	2	<1	<1	1	2	2	3	9
TOTAL 0-19 YRS	1038	1.4	1	<1	<1	1	2	2	2	4
20-34	100	2.0	2	<1	1	2	2	3	4	10
35-49	78	2.8	12	<1	1	2	3	5	7	24
50-64	78	3.3	6	1	1	3	4	7	8	14
65+	92	5.5	96	1	1	4	6	9	12	61
GRAND TOTAL	1386	1.9	10	<1	<1	1	2	3	4	11

366 Hospitals, Southern Region, January-December 1985

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	226	1.9	13	<1	<1	<1	2	4	5	11
20-34	29	3.7	6	1	1	3	4	6	7	13
35-49	24	3.7	8	<1	1	3	5	8	9	11
50-64	21	6.5	27	1	1	4	8	14	19	20
65+	16	3.5	4	<1	<1	3	5	6	7	7
B. Operated										
0-19 YRS	142	1.4	1	<1	<1	1	2	2	3	5
20-34	95	2.2	2	<1	1	2	3	4	5	6
35-49	127	2.0	4	<1	<1	1	2	4	5	11
50-64	137	1.8	1	<1	<1	2	2	3	4	5
65+	229	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	3.2	5	<1	<1	3	4	6	8	10
20-34	28	3.4	4	1	1	3	4	6	7	10
35-49	29	6.5	30	1	1	5	8	15	17	25
50-64	40	5.4	19	<1	1	4	7	12	14	20
65+	93	5.8	15	1	1	5	8	12	13	19
B. Operated										
0-19 YRS	72	2.3	2	<1	<1	2	3	4	5	7
20-34	60	3.0	4	<1	1	2	4	6	6	10
35-49	86	2.5	3	<1	1	2	3	5	6	10
50-64	189	3.0	8	1	1	2	3	6	7	12
65+	437	3.3	9	1	1	3	4	6	7	20
SUBTOTALS:										
I. SINGLE DX										
A. Not Operated	316	2.6	14	<1	<1	1	3	5	8	16
B. Operated	730	2.0	2	<1	<1	2	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	324	4.5	13	<1	1	4	6	9	12	18
B. Operated	844	3.0	7	1	1	2	4	5	7	14
I. SINGLE DX	1046	2.2	6	<1	<1	1	3	4	5	11
2. MULTIPLE DX	1168	3.4	9	<1	1	3	4	6	9	16
A. NOT OPERATED	640	3.6	14	<1	<1	3	5	8	10	18
B. OPERATED	1574	2.5	5	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	574	2.2	7	<1	<1	1	3	4	5	10
20-34	212	2.8	3	<1	1	2	4	5	6	10
35-49	266	2.8	8	<1	<1	2	3	6	8	16
50-64	387	3.0	9	<1	1	2	3	6	8	17
65+	775	3.3	9	<1	1	3	4	6	8	18
GRAND TOTAL	2214	2.8	8	<1	<1	2	3	6	7	14

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	306	3.6	5	1	1	3	4	6	8	13
20-34	63	4.0	6	1	1	4	5	7	9	13
35-49	32	3.3	3	1	1	3	4	6	6	8
50-64	22	4.5	6	2	2	4	5	8	10	12
65+	33	4.1	10	1	1	3	5	7	12	14
B. Operated										
0-19 YRS	51	3.3	6	<1	1	3	4	7	9	10
20-34	40	3.2	5	1	1	3	4	7	9	10
35-49	27	2.5	5	<1	<1	2	3	4	8	12
50-64	93	2.5	4	<1	1	2	3	5	7	10
65+	163	2.9	11	<1	<1	2	3	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	327	4.3	7	1	2	4	5	7	10	13
20-34	69	5.0	42	1	1	4	5	9	12	45
35-49	49	4.6	15	1	2	4	5	8	10	26
50-64	83	4.4	7	1	2	4	6	8	9	14
65+	134	5.1	12	1	2	4	7	9	13	17
B. Operated										
0-19 YRS	62	5.3	40	1	1	3	7	9	24	29
20-34	88	5.2	16	2	2	4	6	9	14	22
35-49	102	4.7	24	1	1	3	5	9	16	27
50-64	167	3.7	8	1	1	3	5	7	10	15
65+	414	4.3	23	1	1	3	5	8	13	24
SUBTOTALS:										
I. SINGLE DX										
A. Not Operated	456	3.7	6	1	1	3	4	7	8	13
B. Operated	374	2.8	7	<1	<1	2	3	6	9	12
2. MULTIPLE DX										
A. Not Operated	662	4.6	12	1	2	4	6	8	10	16
B. Operated	833	4.4	21	1	1	3	5	8	12	26
I. SINGLE DX	830	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	1495	4.5	17	1	1	3	5	8	11	22
A. NOT OPERATED	1118	4.2	10	1	2	4	5	7	10	14
B. OPERATED	1207	3.9	17	<1	1	3	4	8	11	23
TOTAL 0-19 YRS	746	4.0	9	1	1	3	5	7	9	14
20-34	260	4.6	19	1	1	3	6	9	11	19
35-49	210	4.2	17	1	1	3	5	7	11	26
50-64	365	3.6	7	1	1	3	5	7	9	13
65+	744	4.2	18	<1	1	3	5	8	12	20
GRAND TOTAL	2325	4.1	14	1	1	3	5	8	10	18

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	3	3
20-34	7	2.3	3	1	1	2	3	5	6	6
35-49	7	3.3	2	1	1	4	4	5	5	5
50-64	5	3.2	2	1	1	4	4	4	4	4
65+	6	3.8	7	2	2	3	4	8	9	9
B. Operated										
0-19 YRS	20	1.4		<1	<1	1	2	2	2	2
20-34	26	2.0	1	<1	1	2	2	4	4	5
35-49	14	1.6	2	<1	<1	1	2	3	5	6
50-64	6	2.0	1	<1	<1	2	3	3	3	3
65+	13	2.2	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.6	3	<1	1	2	3	5	7	7
20-34	12	3.4	9	<1	<1	2	4	9	10	10
35-49	39	3.3	3	1	1	3	4	5	6	11
50-64	44	4.9	36	1	1	3	5	10	17	35
65+	49	4.6	7	1	1	4	6	8	9	11
B. Operated										
0-19 YRS	15	2.6	9	<1	1	2	2	6	10	12
20-34	15	3.1	7	<1	1	2	3	6	10	11
35-49	19	3.3	9	<1	<1	2	4	9	10	10
50-64	31	3.5	5	1	2	3	4	7	9	10
65+	40	4.2	16	1	1	3	4	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.7	3	1	1	2	4	4	6	9
B. Operated	79	1.8	1	<1	<1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	176	3.9	13	1	1	3	5	7	10	19
B. Operated	120	3.5	10	1	1	3	4	8	10	17
1. SINGLE DX	116	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	296	3.8	12	1	1	3	4	7	10	18
A. NOT OPERATED	213	3.7	12	1	1	3	4	7	9	17
B. OPERATED	199	2.8	7	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	79	2.2	3	<1	<1	2	2	4	6	11
20-34	60	2.6	4	<1	1	2	3	5	7	11
35-49	79	3.0	5	<1	1	2	4	5	8	11
50-64	86	4.1	21	1	1	3	4	8	10	30
65+	108	4.1	10	1	1	3	5	8	9	18
GRAND TOTAL	412	3.3	10	<1	1	2	4	6	9	15

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	424	2.7	2	1	1	3	3	4	5	8
20-34	8	3.8	10	<1	1	3	4	9	11	11
35-49	10	5.2	15	2	2	4	7	11	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	1289	1.2	1	<1	<1	<1	1	2	2	5
20-34	107	1.6		<1	1	1	2	2	3	4
35-49	86	1.8	1	1	1	2	2	3	3	8
50-64	62	1.9	1	1	1	2	2	3	3	4
65+	26	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1809	3.2	4	1	1	3	4	5	7	10
20-34	66	4.1	6	1	2	3	5	7	9	14
35-49	46	4.9	19	<1	<1	4	6	12	14	19
50-64	30	4.5	6	1	1	4	5	8	8	11
65+	31	6.7	26	2	2	5	8	14	18	23
B. Operated										
0-19 YRS	1575	1.8	3	<1	<1	1	2	3	4	9
20-34	179	2.0	1	1	1	2	2	3	4	7
35-49	164	2.4	8	<1	1	2	2	4	5	12
50-64	173	2.5	5	1	1	2	3	4	7	14
65+	78	2.9	7	<1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	2.8	3	1	1	3	3	4	6	10
B. Operated	1570	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	1982	3.4	5	1	1	3	4	6	7	12
B. Operated	2169	1.9	3	<1	<1	2	2	3	4	10
1. SINGLE DX	2015	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	4151	2.6	5	<1	1	2	3	5	6	11
A. NOT OPERATED	2427	3.3	5	1	1	3	4	5	7	11
B. OPERATED	3739	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	5097	2.2	3	<1	<1	2	3	4	5	9
20-34	360	2.3	3	1	1	2	3	4	6	10
35-49	306	2.7	9	<1	1	2	3	5	8	15
50-64	266	2.6	4	1	1	2	3	5	7	11
65+	137	3.6	13	<1	1	2	4	7	11	20
GRAND TOTAL	6166	2.3	4	<1	<1	2	3	4	6	10

366 Hospitals, Southern Region, January-December 1985

**131: Other inflammation of ear and mastoid
(380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	3.7	6	1	1	3	5	6	9	14
20-34	19	3.6	2	1	2	3	5	6	6	6
35-49	28	4.6	25	2	2	4	5	6	9	29
50-64	20	3.7	3	1	2	3	5	6	7	8
65+	8	8.6	23	3	4	8	11	16	18	18
B. Operated										
0-19 YRS	180	1.7	2	<1	<1	1	2	4	5	9
20-34	40	2.2	2	<1	1	2	3	4	5	7
35-49	28	2.5	2	1	1	2	3	4	6	7
50-64	20	3.5	8	1	1	3	4	9	10	11
65+	15	9.6	162	1	2	4	10	28	41	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	4.2	9	1	2	3	5	8	10	15
20-34	71	3.9	4	1	2	4	5	6	8	11
35-49	53	5.1	15	1	2	4	6	9	11	25
50-64	48	5.8	16	2	2	5	7	9	10	27
65+	59	11.3	153	2	2	7	11	31	42	56
B. Operated										
0-19 YRS	207	3.2	19	<1	<1	2	3	8	10	25
20-34	65	3.9	13	1	1	3	5	10	11	19
35-49	66	3.3	10	1	1	2	4	6	10	18
50-64	71	3.8	21	1	1	2	4	7	17	26
65+	70	6.2	56	1	2	3	7	14	25	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	4.1	11	1	2	3	5	7	9	19
B. Operated	283	2.4	14	<1	<1	1	3	4	7	20
2. MULTIPLE DX										
A. Not Operated	453	5.4	34	1	2	4	6	9	12	32
B. Operated	479	3.9	23	<1	1	2	4	9	13	27
1. SINGLE DX	423	3.0	13	<1	<1	2	4	5	8	20
2. MULTIPLE DX	932	4.6	29	1	1	3	5	9	13	30
A. NOT OPERATED	593	5.1	29	1	2	4	6	9	11	31
B. OPERATED	762	3.3	20	<1	<1	2	3	7	10	26
TOTAL 0-19 YRS	674	3.2	11	<1	<1	2	4	7	9	16
20-34	195	3.5	7	1	1	3	4	7	9	13
35-49	175	3.9	13	1	1	3	5	7	9	23
50-64	159	4.4	16	1	1	3	5	8	10	26
65+	152	8.6	106	1	2	5	10	21	32	55
GRAND TOTAL	1355	4.1	25	<1	1	3	5	8	11	28

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	11	3.4	1	2	2	3	4	5	5	5	
20-34	89	3.2	5	1	1	3	4	6	8	11	
35-49	154	2.8	4	1	1	2	3	5	6	11	
50-64	222	3.1	7	1	1	3	4	5	7	12	
65+	196	3.4	4	1	1	3	4	6	8	11	
B. Operated											
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9	
20-34	18	3.4	11	1	1	2	3	8	12	14	
35-49	36	2.6	2	1	1	2	3	5	5	6	
50-64	39	3.2	11	1	1	2	3	6	7	21	
65+	14	4.1	9	1	1	3	6	10	10	10	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	19	3.5	4	1	1	3	5	6	8	9	
20-34	140	3.6	4	1	2	3	5	7	7	10	
35-49	272	3.8	6	1	2	3	5	7	9	12	
50-64	649	3.9	6	1	2	3	5	7	8	11	
65+	1066	4.3	8	1	2	4	5	8	10	14	
B. Operated											
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5	
20-34	10	3.4	7	1	1	2	5	8	9	9	
35-49	25	4.7	9	1	2	3	5	9	11	13	
50-64	59	5.9	20	1	1	5	7	12	14	24	
65+	77	6.0	19	2	2	5	7	11	15	25	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	672	3.1	5	1	1	3	4	6	7	11	
B. Operated											
	109	3.2	8	1	1	2	4	6	9	17	
2. MULTIPLE DX											
A. Not Operated											
	2146	4.1	7	1	2	3	5	7	9	14	
B. Operated											
	174	5.6	17	1	2	5	7	11	14	24	
1. SINGLE DX											
	781	3.1	5	1	1	3	4	6	7	11	
2. MULTIPLE DX											
	2320	4.2	8	1	2	4	5	7	10	14	
A. NOT OPERATED											
	2818	3.9	7	1	2	3	5	7	9	13	
B. OPERATED											
	283	4.7	15	1	1	3	6	10	12	20	
TOTAL 0-19 YRS											
	35	3.5	4	1	2	3	5	6	8	9	
20-34	257	3.4	5	1	1	3	4	7	8	11	
35-49	487	3.4	5	1	1	3	4	6	8	12	
50-64	969	3.8	7	1	1	3	5	7	8	14	
65+	1353	4.3	9	1	2	4	5	8	10	15	
GRAND TOTAL											
	3101	3.9	7	1	2	3	5	7	9	14	

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	11	1.8	1	1	1	2	2	3	4	4	
20-34	84	2.0	1	1	1	2	2	3	4	6	
35-49	146	2.0	1	1	1	2	2	3	4	6	
50-64	109	2.0	1	1	1	2	2	3	3	5	
65+	26	1.8	1	1	1	2	2	3	3	3	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1	
20-34	3	1.7		<1	<1	2	2	2	2	2	
35-49	1	5.0		5	5	5	5	5	5	5	
50-64	4	4.3	42	1	1	1	8	14	14	14	
65+											
B. Operated											
0-19 YRS	9	1.8		1	1	2	2	2	2	2	
20-34	35	2.0	1	1	1	2	2	3	3	5	
35-49	56	2.1	1	1	1	2	3	3	4	5	
50-64	75	2.4	2	1	1	2	3	4	5	7	
65+	40	2.4	1	1	1	2	3	4	5	5	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1	
B. Operated											
0-19 YRS	376	2.0	1	1	1	2	2	3	3	6	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	9	3.1	18	<1	<1	1	3	10	14	14	
B. Operated											
0-19 YRS	215	2.2	1	1	1	2	3	3	4	6	
1. SINGLE DX											
0-19 YRS	377	2.0	1	1	1	2	2	3	3	6	
2. MULTIPLE DX											
0-19 YRS	224	2.3	2	1	1	2	3	3	5	7	
A. NOT OPERATED											
0-19 YRS	10	2.9	17	<1	<1	1	2	9	14	14	
B. OPERATED											
0-19 YRS	591	2.1	1	1	1	2	2	3	4	6	
TOTAL											
0-19 YRS	21	1.8	1	<1	1	2	2	3	3	4	
20-34	122	2.0	1	1	1	2	2	3	4	6	
35-49	204	2.0	1	1	1	2	2	3	4	6	
50-64	188	2.2	2	1	1	2	2	3	4	7	
65+	66	2.2	1	1	1	2	3	3	4	5	
GRAND TOTAL											
	601	2.1	1	1	1	2	2	3	4	6	

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	10	1.9	1	<1	<1	2	3	4	4	4	
20-34	13	3.5	6	<1	<1	3	5	7	9	9	
35-49	24	3.5	2	1	2	3	4	5	6	6	
50-64	12	3.6	9	<1	1	3	4	9	11	11	
65+	6	3.3	6	<1	<1	3	5	7	7	7	
B. Operated											
0-19 YRS	467	1.6	1	<1	<1	1	2	2	3	4	
20-34	235	1.8	4	<1	1	1	2	3	3	6	
35-49	187	1.9	1	1	1	2	2	3	3	4	
50-64	157	1.9	1	1	1	2	2	3	4	5	
65+	49	2.3	2	1	1	2	3	3	4	8	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	17	3.8	13	<1	1	3	4	9	13	15	
20-34	23	2.7	4	<1	1	2	3	6	8	9	
35-49	15	3.1	5	<1	1	3	4	6	8	9	
50-64	41	4.2	13	1	1	3	5	10	13	16	
65+	44	4.0	7	1	1	3	5	8	9	14	
B. Operated											
0-19 YRS	371	1.8	1	<1	1	2	2	3	3	6	
20-34	246	2.1	2	1	1	2	2	3	4	8	
35-49	238	2.1	2	1	1	2	3	4	5	9	
50-64	203	2.2	2	1	1	2	3	3	5	10	
65+	142	2.6	4	1	1	2	3	4	5	14	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	65	3.2	4	<1	<1	3	4	6	7	11	
B. Operated											
	1095	1.8	2	<1	1	2	2	3	3	5	
2. MULTIPLE DX											
A. Not Operated											
	140	3.7	9	1	1	3	5	8	10	15	
B. Operated											
	1200	2.1	2	1	1	2	2	3	4	9	
1. SINGLE DX											
	1160	1.8	2	<1	1	2	2	3	4	7	
2. MULTIPLE DX											
	1340	2.3	3	1	1	2	3	4	5	10	
A. NOT OPERATED											
	205	3.6	8	<1	1	3	4	7	9	15	
B. OPERATED											
	2295	1.9	2	<1	1	2	2	3	4	8	
TOTAL											
0-19 YRS	865	1.7	1	<1	<1	2	2	3	3	5	
20-34	517	2.0	3	1	1	2	2	3	4	8	
35-49	464	2.1	2	1	1	2	3	4	4	8	
50-64	413	2.3	3	1	1	2	3	4	5	11	
65+	241	2.8	5	1	1	2	3	5	8	14	
GRAND TOTAL	2500	2.1	3	<1	1	2	2	3	4	9	

366 Hospitals, Southern Region, January-December 1985

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	5.3	15	1	2	5	7	10	12	21
20-34	11	5.2	14	2	2	3	7	12	12	12
35-49	3	5.6	32	2	2	3	6	15	20	20
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	8.2	119	2	2	5	7	18	34	51
20-34	17	8.3	115	1	2	5	9	21	37	44
35-49	13	5.8	14	2	2	4	9	11	12	12
50-64	18	5.8	31	<1	1	4	7	14	19	22
65+	14	6.1	8	2	3	5	9	10	11	11
B. Operated										
0-19 YRS	7	10.6	62	2	2	8	18	20	20	20
20-34	2	21.5	265	10	10	21	33	33	33	33
35-49	6	5.3	12	2	2	5	8	10	10	10
50-64	7	11.4	32	2	3	13	14	18	19	19
65+	8	12.6	86	4	5	9	18	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	73	5.3	16	1	2	4	7	11	12	21
B. Operated										
	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
	83	7.0	62	2	2	5	8	13	21	49
B. Operated										
	30	11.0	66	2	2	9	16	20	31	33
1. SINGLE DX										
	74	5.4	16	1	2	4	7	11	12	21
2. MULTIPLE DX										
	113	8.0	66	2	2	6	10	18	22	47
A. NOT OPERATED										
	156	6.2	41	2	2	4	7	12	15	43
B. OPERATED										
	31	10.9	64	2	2	8	16	20	30	33
TOTAL 0-19 YRS										
	79	6.5	48	1	2	5	8	14	19	42
20-34										
	30	8.0	93	2	2	5	10	18	33	44
35-49										
	29	5.7	17	2	2	4	8	11	12	20
50-64										
	27	7.3	34	1	2	4	13	14	19	22
65+										
	22	8.5	44	2	3	6	10	17	24	31
GRAND TOTAL										
	187	7.0	48	2	2	5	9	14	20	40

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	10	3.0	4	1	1	3	4	6	7	7
35-49	5	4.2	17	<1	<1	4	6	11	11	11
50-64	6	4.0	6	1	1	3	7	7	7	7
65+	7	4.4	6	<1	1	4	6	8	9	9
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	17	8.0	23	1	2	9	11	14	17	18
35-49	23	5.9	26	1	2	2	11	14	15	16
50-64	31	7.3	37	1	1	4	11	18	20	20
65+	11	11.5	79	1	2	11	15	25	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.6	1	<1	<1	2	4	4	4	4
20-34	28	3.8	3	2	2	4	5	7	7	8
35-49	56	5.4	13	1	1	5	7	10	12	20
50-64	84	7.0	31	2	3	5	8	14	21	26
65+	119	7.9	35	2	3	7	10	13	20	34
B. Operated										
0-19 YRS	11	8.9	195	<1	<1	3	12	29	46	48
20-34	29	8.3	89	1	2	3	11	26	28	33
35-49	106	9.9	90	2	2	8	13	21	25	57
50-64	204	10.1	67	2	2	9	14	19	26	37
65+	129	11.6	121	2	2	11	16	24	28	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	31	3.7	7	<1	1	4	5	7	9	11
B. Operated										
	84	7.5	38	1	2	6	11	16	19	27
2. MULTIPLE DX										
A. Not Operated										
	294	6.7	28	2	2	5	8	12	17	27
B. Operated										
	479	10.3	91	2	2	9	14	22	28	50
1. SINGLE DX										
	115	6.5	32	1	1	4	10	14	18	25
2. MULTIPLE DX										
	773	8.9	70	2	2	7	12	18	25	40
A. NOT OPERATED										
	325	6.4	27	1	2	5	8	12	15	26
B. OPERATED										
	563	9.9	84	2	2	9	14	21	27	49
TOTAL 0-19 YRS										
	23	5.5	101	<1	1	2	4	14	27	48
20-34										
	84	6.1	41	1	2	4	8	12	21	31
35-49										
	190	8.0	62	1	2	6	11	16	21	43
50-64										
	325	8.9	56	2	2	7	12	18	24	35
65+										
	266	9.7	81	2	2	7	13	21	27	49
GRAND TOTAL										
	888	8.6	66	2	2	6	12	18	24	39

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	3.4	5	1	1	3	5	5	7	13
20-34	125	2.9	3	1	1	3	3	5	6	9
35-49	350	3.3	4	1	1	3	4	5	7	10
50-64	287	3.7	6	1	1	3	5	7	8	12
65+	168	4.0	8	1	1	3	5	7	8	15
B. Operated										
0-19 YRS	12	7.1	55	1	1	4	8	21	24	24
20-34	26	3.2	3	1	2	3	4	6	6	7
35-49	51	4.4	11	1	2	4	5	8	11	19
50-64	35	4.0	7	1	2	3	5	8	9	13
65+	25	5.9	13	2	2	6	9	11	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	4.0	6	1	2	3	5	7	9	12
20-34	381	3.9	5	1	2	3	5	7	9	11
35-49	1260	4.5	7	2	2	4	5	8	9	14
50-64	1772	5.0	13	1	2	4	6	9	11	17
65+	1838	5.2	16	2	2	4	6	9	12	17
B. Operated										
0-19 YRS	25	6.1	40	1	2	3	8	13	24	25
20-34	83	5.7	21	1	2	5	8	10	18	20
35-49	236	6.3	26	1	2	5	9	13	16	28
50-64	258	6.5	23	1	2	5	9	13	15	26
65+	250	7.5	41	1	2	6	10	16	22	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	969	3.5	5	1	1	3	4	6	7	12
B. Operated	149	4.5	13	1	2	3	6	9	11	20
2. MULTIPLE DX										
A. Not Operated	5331	4.8	12	2	2	4	6	9	11	16
B. Operated	852	6.7	29	1	2	5	9	14	17	28
1. SINGLE DX	1118	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX	6183	5.1	15	1	2	4	6	9	12	20
A. NOT OPERATED	6300	4.6	11	1	2	4	6	8	10	16
B. OPERATED	1001	6.3	27	1	2	5	8	13	17	27
TOTAL 0-19 YRS	156	4.4	16	1	2	3	5	8	11	24
20-34	615	3.9	7	1	1	3	5	7	9	15
35-49	1897	4.5	10	1	2	4	5	8	10	17
50-64	2352	5.0	14	1	2	4	6	9	11	17
65+	2281	5.4	19	2	2	4	7	10	13	22
GRAND TOTAL	7301	4.9	14	1	2	4	6	9	11	19

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	10	3.5	1	2	2	3	4	5	5	5
35-49	30	4.1	5	1	1	4	5	7	8	11
50-64	51	4.0	5	1	2	4	5	7	8	12
65+	83	5.2	9	1	2	4	7	9	10	16
B. Operated										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	6	3.3	6	2	2	2	4	8	8	8
50-64	17	4.5	28	<1	1	2	5	15	17	17
65+	13	3.2	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.3	2	7	7	8	9	10	10	10
20-34	34	3.9	9	1	1	3	5	6	7	18
35-49	196	5.2	10	2	2	4	6	9	12	17
50-64	627	6.2	17	2	2	5	8	11	14	20
65+	1673	7.5	36	2	3	6	9	14	18	32
B. Operated										
0-19 YRS										
20-34	6	5.2	16	1	1	4	7	11	12	12
35-49	55	4.7	18	1	1	3	6	9	11	26
50-64	175	6.3	35	1	2	4	8	13	17	31
65+	215	10.9	73	2	2	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	4.6	7	1	2	4	5	8	9	15
B. Operated	38	3.7	15	<1	1	2	4	9	14	17
2. MULTIPLE DX										
A. Not Operated	2533	7.0	29	2	3	6	8	13	16	28
B. Operated	451	8.3	57	1	2	6	11	17	25	34
1. SINGLE DX	215	4.4	9	1	2	4	5	8	10	16
2. MULTIPLE DX	2984	7.2	34	2	2	6	9	13	17	30
A. NOT OPERATED	2710	6.8	28	2	3	6	8	12	16	28
B. OPERATED	489	7.9	56	1	2	6	10	17	23	34
TOTAL 0-19 YRS	6	6.2	8	2	2	6	8	10	10	10
20-34	52	3.9	8	1	1	3	5	6	7	18
35-49	287	4.9	11	1	2	4	6	9	11	17
50-64	870	6.0	21	2	2	5	8	11	15	24
65+	1984	7.8	40	2	3	6	9	14	19	33
GRAND TOTAL	3199	7.0	33	2	2	6	8	13	17	29

366 Hospitals, Southern Region, January-December 1985

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	7.6	47	1	1	5	12	19	20	20
20-34	7	3.0	5	1	1	2	4	6	7	7
35-49	16	5.1	4	2	3	5	6	8	9	10
50-64	20	4.9	17	2	2	3	6	9	14	19
65+	16	4.4	11	<1	1	3	6	10	11	12
B. Operated										
0-19 YRS	6	3.3	5	2	2	3	3	8	8	8
20-34	18	5.3	24	<1	1	4	7	13	17	19
35-49	30	6.1	34	1	1	3	9	13	21	23
50-64	32	4.3	13	1	1	3	5	11	12	14
65+	18	5.8	30	1	1	4	9	13	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	7.0	32	2	2	5	10	17	19	21
20-34	34	4.0	6	<1	1	3	6	7	9	10
35-49	58	5.8	34	1	2	4	7	10	16	32
50-64	108	6.3	20	2	2	5	8	12	15	58
65+	210	7.6	39	2	2	6	10	15	18	29
B. Operated										
0-19 YRS	27	9.3	71	2	2	7	12	24	28	36
20-34	67	9.1	66	1	2	6	12	21	24	39
35-49	132	9.8	126	2	2	7	12	22	29	83
50-64	212	9.9	100	2	3	8	12	19	26	53
65+	193	11.9	94	2	3	9	16	23	34	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	5.0	16	1	2	4	6	10	12	20
B. Operated	104	5.2	23	1	1	3	7	12	15	22
2. MULTIPLE DX										
A. Not Operated	439	6.7	31	2	2	5	9	14	17	30
B. Operated	631	10.4	99	2	2	8	13	21	30	55
1. SINGLE DX	172	5.1	20	1	1	4	7	11	14	22
2. MULTIPLE DX	1070	8.9	75	2	2	7	11	18	24	52
A. NOT OPERATED	507	6.5	30	2	2	5	8	14	17	29
B. OPERATED	735	9.7	92	2	2	7	13	20	26	53
TOTAL										
0-19 YRS	71	7.6	48	2	2	6	10	17	21	34
20-34	126	6.9	46	1	1	5	8	16	21	38
35-49	236	8.1	87	1	2	5	9	17	23	70
50-64	372	8.1	69	2	2	6	10	15	21	53
65+	437	9.3	67	2	2	7	12	19	24	46
GRAND TOTAL	1242	8.4	69	2	2	6	10	17	22	49

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	11.7		11	11	12	12	12	12	12
20-34	27	7.9	9	2	3	9	10	11	12	12
35-49	448	8.2	11	1	3	8	10	12	13	16
50-64	924	8.6	12	3	4	9	10	12	14	19
65+	893	9.0	10	4	5	9	11	13	14	18
B. Operated										
0-19 YRS										
20-34	17	8.8	9	2	3	10	11	12	12	12
35-49	135	9.3	13	2	5	9	11	13	15	23
50-64	206	10.2	24	4	6	10	12	15	17	30
65+	73	12.5	68	3	6	11	14	18	26	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	8.8	6	6	6	8	10	13	13	13
20-34	89	8.4	43	2	4	8	10	13	14	43
35-49	1191	8.9	13	3	4	9	11	13	15	20
50-64	4010	9.8	18	4	5	9	12	14	16	24
65+	9200	10.7	30	4	6	10	13	16	20	31
B. Operated										
0-19 YRS	5	12.0	7	9	9	12	14	15	15	15
20-34	56	9.4	22	1	2	9	12	16	17	21
35-49	775	10.0	27	2	4	9	13	16	19	28
50-64	1755	11.9	55	2	5	11	14	19	23	41
65+	1570	14.4	75	5	7	13	17	24	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2295	8.7	11	3	4	9	10	12	14	18
B. Operated	431	10.3	29	3	5	10	12	15	17	31
2. MULTIPLE DX										
A. Not Operated	14504	10.3	25	4	6	10	12	15	19	28
B. Operated	4161	12.4	60	3	5	11	15	20	25	41
1. SINGLE DX	2726	8.9	14	3	5	9	11	13	14	20
2. MULTIPLE DX	18665	10.8	34	4	6	10	13	17	20	32
A. NOT OPERATED	16799	10.1	24	4	5	9	12	15	18	28
B. OPERATED	4592	12.2	57	3	5	11	15	20	25	40
TOTAL 0-19 YRS										
20-34	189	8.7	29	2	3	9	11	13	15	21
35-49	2549	9.1	18	2	4	9	11	14	16	22
50-64	6895	10.1	28	3	5	10	12	15	18	28
65+	11736	11.1	36	4	6	10	13	17	21	35
GRAND TOTAL	21391	10.5	32	4	5	10	12	16	20	32

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	26	3.3	3	<1	1	3	4	6	6	7	
35-49	254	3.1	3	1	1	3	4	5	6	9	
50-64	429	3.3	4	1	1	3	4	6	7	9	
65+	460	3.5	4	1	1	3	4	6	7	11	
B. Operated											
0-19 YRS											
20-34	9	2.3	1	1	1	2	3	4	4	4	
35-49	89	3.4	10	1	2	2	4	7	9	19	
50-64	149	3.9	13	1	2	2	5	9	11	21	
65+	56	5.5	39	1	2	3	7	14	17	36	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	18	4.0	12	1	1	3	5	9	13	15	
20-34	107	3.6	5	1	1	3	5	6	8	12	
35-49	1183	3.8	5	1	2	3	5	7	8	12	
50-64	3602	4.2	6	1	2	4	5	7	9	13	
65+	6585	4.8	9	2	2	4	6	8	10	15	
B. Operated											
0-19 YRS	5	8.0	69	<1	<1	6	11	22	22	22	
20-34	35	4.7	9	2	2	3	7	9	11	13	
35-49	614	4.3	15	1	2	3	6	9	11	17	
50-64	1713	4.8	25	1	2	3	7	10	13	24	
65+	1177	5.8	30	1	2	4	8	12	16	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1170	3.3	4	1	1	3	4	6	7	10	
B. Operated	303	4.0	17	1	2	2	4	9	12	21	
2. MULTIPLE DX											
A. Not Operated	11495	4.5	8	1	2	4	5	8	9	14	
B. Operated	3544	5.1	25	1	2	3	7	11	14	25	
1. SINGLE DX	1473	3.5	6	1	1	3	4	6	8	13	
2. MULTIPLE DX	15039	4.6	12	1	2	4	6	8	11	17	
A. NOT OPERATED	12665	4.4	8	1	2	4	5	8	9	14	
B. OPERATED	3847	5.0	25	1	2	3	7	10	13	25	
TOTAL 0-19 YRS	24	4.9	24	1	1	3	6	10	17	22	
20-34	177	3.7	6	1	1	3	5	7	8	12	
35-49	2140	3.8	8	1	2	3	5	7	9	13	
50-64	5893	4.3	12	1	2	3	5	8	10	16	
65+	8278	4.9	12	2	2	4	6	9	11	18	
GRAND TOTAL	16512	4.5	12	1	2	4	6	8	10	17	

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3	
20-34	15	3.1	4	1	1	3	5	6	7	7	
35-49	215	3.6	4	1	2	3	4	6	8	10	
50-64	541	3.8	5	1	2	3	5	6	8	12	
65+	828	4.4	6	1	2	4	5	7	9	13	
B. Operated											
0-19 YRS											
20-34	4	6.8	13	4	4	5	9	12	12	12	
35-49	65	5.7	17	1	2	5	7	13	14	19	
50-64	144	6.6	22	1	2	5	9	14	17	20	
65+	94	7.6	41	1	2	5	10	16	20	29	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	17	4.2	8	1	1	3	6	8	9	10	
20-34	64	4.3	6	1	1	4	5	7	9	13	
35-49	1129	4.4	8	1	2	4	5	7	9	14	
50-64	4599	4.8	8	2	2	4	6	8	10	15	
65+	10232	5.4	13	2	2	5	6	9	11	18	
B. Operated											
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10	
20-34	24	8.7	46	2	3	7	10	13	22	36	
35-49	590	6.8	22	2	2	6	9	13	15	23	
50-64	1992	7.5	29	2	2	7	10	14	17	25	
65+	2001	9.7	60	2	2	8	12	18	23	37	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1601	4.0	5	1	2	4	5	7	8	12	
B. Operated	307	6.7	27	1	2	5	9	14	17	26	
2. MULTIPLE DX											
A. Not Operated	16041	5.2	11	2	2	4	6	9	11	17	
B. Operated	4609	8.4	43	2	2	7	11	15	20	32	
1. SINGLE DX	1908	4.5	10	1	2	4	5	8	10	17	
2. MULTIPLE DX	20650	5.9	20	2	2	5	7	11	14	22	
A. NOT OPERATED	17642	5.1	11	2	2	4	6	9	11	17	
B. OPERATED	4916	8.3	42	2	2	7	11	15	19	31	
TOTAL 0-19 YRS	21	4.5	9	<1	1	3	7	9	10	10	
20-34	107	5.2	19	1	1	4	6	10	12	25	
35-49	1999	5.0	13	1	2	4	6	9	12	18	
50-64	7276	5.5	16	2	2	4	7	10	13	20	
65+	13155	6.0	22	2	2	5	7	11	14	24	
GRAND TOTAL	22558	5.8	20	2	2	5	7	10	13	22	

366 Hospitals, Southern Region, January-December 1985

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1	
20-34	7	2.6	3	<1	<1	2	3	5	6	6	
35-49	41	3.6	5	<1	1	3	5	7	8	9	
50-64	87	3.8	5	1	1	3	5	8	9	11	
65+	75	3.9	10	1	2	3	4	7	9	20	
B. Operated											
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2	
20-34	20	4.1	9	1	2	3	7	9	9	9	
35-49	431	4.4	14	1	1	2	7	10	12	17	
50-64	1042	4.7	19	1	1	2	8	11	13	18	
65+	345	5.7	25	1	2	3	9	13	16	19	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4	
20-34	35	4.1	9	1	1	3	5	7	11	14	
35-49	379	4.6	12	1	2	4	6	8	11	18	
50-64	1207	4.9	12	1	2	4	6	9	11	20	
65+	1857	5.8	19	2	2	5	7	10	13	21	
B. Operated											
0-19 YRS	10	6.6	31	<1	<1	6	11	14	16	16	
20-34	78	4.9	12	2	2	3	8	11	11	15	
35-49	1661	5.6	24	1	2	3	8	11	14	22	
50-64	4726	5.6	36	1	2	4	10	14	17	27	
65+	3009	8.3	55	2	2	7	12	17	20	34	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	211	3.7	7	1	1	3	5	7	8	11	
B. Operated	1840	4.8	19	1	1	2	8	11	14	19	
2. MULTIPLE DX											
A. Not Operated	3481	5.4	16	1	2	4	7	9	12	21	
B. Operated	9484	7.0	41	1	2	5	10	14	18	29	
1. SINGLE DX	2051	4.7	18	1	1	2	7	11	13	19	
2. MULTIPLE DX	12965	6.5	35	1	2	5	9	13	17	27	
A. NOT OPERATED	3692	5.3	15	1	2	4	7	9	12	20	
B. OPERATED	11324	6.6	38	1	2	4	10	14	17	28	
TOTAL 0-19 YRS	16	4.9	25	<1	<1	2	9	12	15	16	
20-34	140	4.5	11	1	2	3	7	9	11	14	
35-49	2512	5.2	21	1	2	3	8	11	13	20	
50-64	7062	6.0	30	1	2	4	9	13	16	25	
65+	5286	7.2	41	2	2	5	10	15	18	30	
GRAND TOTAL	15016	6.3	33	1	2	4	9	13	16	26	

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	7	9.6	29	5	5	8	10	19	21	21	
20-34	60	7.5	11	2	4	7	9	12	14	17	
35-49	91	8.1	10	2	4	8	10	12	14	17	
50-64	98	8.8	8	5	5	9	11	13	14	16	
65+	126	10.2	12	5	6	10	12	15	16	21	
<i>B. Operated</i>											
0-19 YRS	1	16.0		16	16	16	16	16	16	16	
20-34	19	9.3	15	2	4	9	12	15	16	16	
35-49	17	9.2	9	4	5	9	11	13	14	14	
50-64	19	10.2	17	3	5	10	13	16	17	17	
65+	16	11.6	51	5	6	9	14	17	30	35	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	11	9.6	44	<1	2	8	14	19	24	24	
20-34	102	9.0	15	4	4	9	10	14	16	23	
35-49	242	9.3	14	4	5	9	11	13	15	22	
50-64	435	10.7	31	5	6	10	12	17	20	32	
65+	1121	11.5	35	5	6	10	13	18	22	31	
<i>B. Operated</i>											
0-19 YRS	1	7.0		7	7	7	7	7	7	7	
20-34	47	11.9	56	2	4	10	15	20	23	45	
35-49	77	11.8	32	6	6	11	14	18	23	36	
50-64	150	13.8	62	6	7	12	16	24	34	48	
65+	262	15.6	79	7	8	13	19	27	35	50	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	382	8.9	12	4	5	9	11	13	15	18	
<i>B. Operated</i>											
	72	10.1	22	4	5	9	13	15	16	31	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	1911	10.9	31	4	6	10	13	17	21	30	
<i>B. Operated</i>											
	537	14.2	67	6	7	12	17	24	31	48	
1. SINGLE DX											
	454	9.1	13	4	5	9	11	14	15	18	
2. MULTIPLE DX											
	2448	11.6	41	5	6	10	14	18	23	38	
A. NOT OPERATED											
	2293	10.5	28	4	6	10	12	16	20	29	
B. OPERATED											
	609	13.7	64	6	7	12	16	22	30	48	
TOTAL 0-19 YRS											
	20	9.8	35	1	4	8	13	19	22	24	
20-34	228	9.2	24	3	4	9	11	15	18	26	
35-49	427	9.5	18	4	5	9	11	14	16	24	
50-64	702	11.1	36	5	6	10	13	17	22	38	
65+	1525	12.1	43	5	6	11	14	19	24	37	
GRAND TOTAL											
	2902	11.2	37	4	6	10	13	18	22	35	

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	12.5	442	1	1	2	23	44	44	44
35-49	3	19.3	104	12	12	15	27	31	31	31
50-64	5	20.2	131	9	9	14	32	34	34	34
65+	5	10.2	141	3	3	4	14	31	31	31
B. Operated										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49										
50-64										
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	22.5	267	1	3	22	35	46	49	53
20-34	48	20.5	136	3	5	19	29	36	43	45
35-49	30	23.7	229	3	3	26	33	41	46	63
50-64	42	19.7	226	2	4	16	30	44	48	60
65+	71	24.5	305	4	7	21	35	43	53	93
B. Operated										
0-19 YRS	3	16.7	210	2	2	17	27	31	31	31
20-34	34	29.7	283	2	5	29	36	49	60	73
35-49	20	30.0	333	10	12	24	42	50	69	84
50-64	25	30.8	357	6	9	31	44	48	94	99+
65+	46	33.5	222	11	16	33	44	53	60	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	18	15.0	175	1	2	11	31	33	40	44
B. Operated										
	2	35.5	181	26	26	35	45	45	45	45
2. MULTIPLE DX										
A. Not Operated										
	213	22.3	237	3	5	20	32	43	46	71
B. Operated										
	128	31.0	280	6	10	31	43	49	62	94
1. SINGLE DX	20	17.1	206	1	2	12	31	39	44	45
2. MULTIPLE DX	341	25.6	270	3	6	24	36	46	53	85
A. NOT OPERATED	231	21.8	235	3	4	19	31	43	46	67
B. OPERATED	130	31.1	278	6	10	31	44	49	62	94
TOTAL 0-19 YRS										
	26	21.4	250	1	2	19	32	45	48	53
20-34	87	23.8	224	3	4	26	32	44	48	69
35-49	53	25.8	265	3	5	25	34	44	53	83
50-64	72	23.6	287	3	6	19	34	46	51	98
65+	123	27.4	295	4	7	24	39	48	55	87
GRAND TOTAL	361	25.1	270	3	5	23	35	45	52	84

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.5	5	<1	1	2	3	6	9	9
20-34	29	2.3	2	1	1	2	3	4	5	6
35-49	59	2.1	2	<1	1	2	3	4	5	8
50-64	90	2.5	2	1	1	2	3	4	5	8
65+	63	3.2	9	1	1	2	4	5	7	20
B. Operated										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.9	3	1	1	3	4	5	7	9
20-34	47	3.2	3	1	1	3	4	6	7	8
35-49	162	3.2	7	1	1	3	4	6	7	13
50-64	304	3.8	8	1	1	3	5	7	9	14
65+	604	4.9	14	1	2	4	6	9	11	15
B. Operated										
0-19 YRS	3	5.3	8	2	2	7	7	7	7	7
20-34	3	6.7	1	6	6	6	8	8	8	8
35-49	12	3.5	5	2	2	2	5	6	9	9
50-64	37	6.3	19	2	2	5	8	12	16	20
65+	36	10.6	75	2	2	9	13	23	27	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated 270 2.5 4 1 1 2 3 5 6 9										
B. Operated 5 2.8 2 2 2 2 3 5 5 5										
2. MULTIPLE DX										
A. Not Operated 1155 4.2 11 1 1 3 5 8 10 14										
B. Operated 91 7.6 44 2 2 6 10 15 23 36										
1. SINGLE DX 275 2.5 4 1 1 2 3 5 6 9										
2. MULTIPLE DX 1246 4.5 14 1 1 3 6 9 11 19										
A. NOT OPERATED 1425 3.9 10 1 1 3 5 7 9 14										
B. OPERATED 96 7.4 43 2 2 6 9 14 22 36										
TOTAL 0-19 YRS 70 2.9 4 1 1 2 4 6 7 9										
20-34 79 3.0 3 1 1 2 4 6 7 8										
35-49 235 3.0 6 1 1 2 4 5 6 10										
50-64 432 3.8 8 1 1 3 5 7 9 15										
65+ 705 5.0 18 1 2 4 6 9 12 23										
GRAND TOTAL 1521 4.1 13 1 1 3 5 8 10 17										

366 Hospitals, Southern Region, January-December 1985

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.2	4	1	1	3	4	6	6	6
20-34	61	2.0	2	<1	<1	1	3	3	4	10
35-49	120	2.4	3	<1	1	2	3	4	5	9
50-64	252	2.7	3	<1	1	2	3	5	6	8
65+	337	3.3	5	1	1	3	4	6	8	11
B. Operated										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	19	6.2	31	1	1	5	8	15	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.0	4	1	2	4	5	7	8	8
20-34	132	2.8	6	1	1	2	3	5	7	11
35-49	374	3.6	6	1	1	3	5	7	9	11
50-64	1497	4.4	12	1	1	4	6	8	10	19
65+	4620	5.4	16	1	2	4	7	10	13	21
B. Operated										
0-19 YRS										
20-34	10	5.5	15	1	1	4	8	11	12	12
35-49	22	4.4	9	1	1	4	8	9	10	10
50-64	161	7.5	34	2	2	6	9	14	20	32
65+	452	9.8	49	2	3	8	13	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	776	2.8	4	<1	1	2	4	5	7	10
B. Operated										
	25	5.2	27	1	1	3	7	14	17	22
2. MULTIPLE DX										
A. Not Operated										
	6648	5.0	15	1	2	4	6	9	12	20
B. Operated										
	645	8.9	45	2	3	7	11	18	21	34
1. SINGLE DX	801	2.9	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	7293	5.3	19	1	2	4	7	10	13	22
A. NOT OPERATED	7424	4.8	14	1	1	4	6	9	11	19
B. OPERATED	670	8.8	45	2	2	7	11	17	21	34
TOTAL										
0-19 YRS	31	3.8	4	1	1	4	5	7	8	8
20-34	203	2.7	6	1	1	2	3	5	7	12
35-49	517	3.4	6	1	1	3	4	7	8	11
50-64	1915	4.4	14	1	1	3	6	8	11	20
65+	5428	5.6	20	1	2	4	7	10	14	23
GRAND TOTAL	8094	5.1	18	1	2	4	6	10	13	22

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	3.2	8	1	1	2	4	7	9	17
20-34	107	2.5	2	1	1	2	3	5	5	8
35-49	195	2.7	3	<1	1	2	4	5	6	8
50-64	223	3.3	6	1	1	3	4	6	8	15
65+	328	4.3	20	1	1	4	5	7	9	15
B. Operated										
0-19 YRS	11	4.7	19	2	2	3	6	11	16	17
20-34	8	3.8	9	1	1	2	5	9	10	10
35-49	33	4.8	11	1	2	4	7	8	9	16
50-64	68	5.1	13	1	2	5	7	9	11	21
65+	230	6.1	20	2	3	5	7	10	12	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	3.9	8	1	1	3	5	8	11	14
20-34	314	3.4	6	1	1	3	4	6	7	13
35-49	815	4.0	7	1	1	3	5	7	9	14
50-64	2069	5.0	18	1	2	4	6	9	12	22
65+	5965	5.9	17	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	33	10.5	187	1	2	6	11	42	92	99
20-34	44	6.1	12	1	2	5	8	11	13	14
35-49	145	6.8	44	1	2	5	9	15	18	51
50-64	601	7.6	45	2	2	6	9	13	17	41
65+	2971	8.7	38	2	3	7	11	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	909	3.4	11	1	1	3	4	6	8	13
B. Operated										
	350	5.7	18	2	2	5	7	9	12	23
2. MULTIPLE DX										
A. Not Operated										
	9292	5.4	17	1	2	4	7	10	13	21
B. Operated										
	3794	8.4	40	2	3	7	10	15	19	37
1. SINGLE DX	1259	4.1	14	1	1	3	5	7	9	17
2. MULTIPLE DX	13086	6.3	25	2	2	5	8	12	15	26
A. NOT OPERATED	10201	5.2	16	1	2	4	6	9	12	21
B. OPERATED	4144	8.2	39	2	3	7	10	15	18	36
TOTAL										
0-19 YRS	229	4.7	40	1	1	3	5	9	12	73
20-34	473	3.4	7	1	1	3	4	6	8	14
35-49	1188	4.1	12	1	1	3	5	8	10	17
50-64	2961	5.4	24	1	2	4	7	10	13	27
65+	9494	6.7	26	2	2	5	8	12	15	26
GRAND TOTAL	14345	6.1	25	1	2	5	8	11	15	26

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	4.9	7	2	2	4	7	8	10	11
20-34	6	5.5	14	2	2	5	8	11	11	11
35-49	49	4.4	6	1	1	4	6	8	8	11
50-64	190	5.3	12	2	2	5	7	9	11	17
65+	804	5.8	17	2	2	5	7	11	14	21
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	6.8	10	2	2	7	8	11	11	11
50-64	16	8.6	46	1	2	6	12	19	23	24
65+	29	9.8	69	2	2	8	12	21	26	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	6.6	56	1	2	4	8	13	22	42
20-34	124	5.9	14	1	2	5	8	11	13	18
35-49	756	6.4	18	2	3	5	8	12	15	23
50-64	4546	6.9	23	2	3	6	8	12	15	26
65+	20782	7.7	31	2	3	6	9	14	18	29
B. Operated										
0-19 YRS	42	14.2	141	2	3	13	20	34	44	99+
20-34	46	7.4	35	1	1	6	10	14	17	31
35-49	157	10.2	120	1	2	8	13	19	26	61
50-64	629	11.3	83	2	3	9	14	22	29	53
65+	1821	13.3	108	3	4	11	16	25	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1064	5.7	16	2	2	5	7	10	13	20
B. Operated	52	9.0	54	2	2	7	11	18	24	40
2. MULTIPLE DX										
A. Not Operated	26366	7.5	30	2	3	6	9	14	17	28
B. Operated	2695	12.5	104	2	4	10	16	24	31	57
1. SINGLE DX	1116	5.8	18	2	2	5	7	11	14	22
2. MULTIPLE DX	29061	8.0	39	2	3	6	10	15	19	32
A. NOT OPERATED	27430	7.4	29	2	3	6	9	13	17	28
B. OPERATED	2747	12.5	103	2	4	10	16	24	31	56
TOTAL										
0-19 YRS	216	8.0	78	1	2	5	10	19	27	56
20-34	177	6.2	19	1	2	5	8	11	14	24
35-49	967	6.9	36	2	2	5	8	13	16	29
50-64	5381	7.4	32	2	3	6	9	14	17	30
65+	23436	8.1	39	2	3	7	10	15	19	32
GRAND TOTAL	30177	7.9	38	2	3	6	10	14	19	32

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	4.4	17	1	1	3	5	10	12	22
20-34	138	3.2	3	1	1	3	4	6	6	9
35-49	164	3.7	4	1	1	3	5	6	7	10
50-64	127	4.3	6	1	1	4	6	8	8	13
65+	77	5.0	20	1	2	4	6	9	11	28
B. Operated										
0-19 YRS	95	3.4	14	1	1	2	4	9	12	17
20-34	40	4.2	24	1	1	2	6	10	12	27
35-49	99	3.9	12	1	2	2	5	10	11	16
50-64	146	3.9	13	1	1	2	5	10	12	15
65+	79	8.8	56	1	2	7	13	17	24	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	5.3	26	1	1	4	6	10	16	28
20-34	361	4.7	20	1	2	4	5	9	11	22
35-49	682	5.3	16	1	2	4	7	10	13	21
50-64	1167	6.6	28	2	2	5	8	12	16	26
65+	1717	7.7	30	2	3	6	9	14	18	30
B. Operated										
0-19 YRS	99	7.4	88	1	1	4	9	19	26	49
20-34	154	7.6	67	1	2	5	10	15	21	38
35-49	402	7.3	72	1	2	5	9	15	22	56
50-64	811	8.7	83	2	2	6	11	18	24	46
65+	914	10.7	89	2	2	9	14	22	27	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	555	4.0	8	1	1	3	5	7	9	13
B. Operated	459	4.7	24	1	1	2	7	12	15	25
2. MULTIPLE DX										
A. Not Operated	4038	6.6	27	2	2	5	8	12	16	27
B. Operated	2380	9.1	84	2	2	7	12	19	25	48
1. SINGLE DX	1014	4.3	15	1	1	3	5	9	12	21
2. MULTIPLE DX	6418	7.5	50	2	2	6	9	15	20	35
A. NOT OPERATED	4593	6.3	26	2	2	5	8	12	16	26
B. OPERATED	2839	8.4	77	1	2	6	11	18	24	44
TOTAL										
0-19 YRS	354	5.3	41	1	1	3	7	11	17	29
20-34	693	5.0	29	1	2	3	6	10	14	24
35-49	1347	5.6	32	1	2	4	7	11	15	31
50-64	2251	7.0	48	2	2	5	9	14	18	37
65+	2787	8.6	52	2	2	7	11	17	22	35
GRAND TOTAL	7432	7.1	46	2	2	5	9	14	19	33

366 Hospitals, Southern Region, January-December 1985

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS											
20-34											
35-49	2	2.5	5	1	1	2	4	4	4	4	
50-64	3	2.0	1	1	1	2	3	3	3	3	
65+	12	4.8	6	2	2	5	6	8	9	9	
<i>B. Operated</i>											
0-19 YRS											
20-34											
35-49	1	3.0		3	3	3	3	3	3	3	
50-64	6	4.5	20	1	1	3	5	12	13	13	
65+	3	3.3	5	2	2	2	5	6	6	6	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	4	4.3	3	2	2	4	5	6	6	6	
20-34	2	8.0	8	6	6	8	10	10	10	10	
35-49	23	5.3	13	2	2	4	7	11	14	16	
50-64	107	4.5	6	2	2	4	5	8	9	14	
65+	315	6.0	22	2	2	5	7	11	15	28	
<i>B. Operated</i>											
0-19 YRS											
20-34	1	2.0		2	2	2	2	2	2	2	
35-49	41	3.7	8	1	2	2	5	8	10	11	
50-64	100	4.8	19	1	2	3	7	10	12	25	
65+	80	9.5	143	1	2	6	12	19	26	76	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>	17	4.0	6	1	1	3	6	8	9	9	
<i>B. Operated</i>	10	4.0	12	1	1	3	5	9	13	13	
2. MULTIPLE DX											
<i>A. Not Operated</i>	451	5.6	18	2	2	4	7	10	13	27	
<i>B. Operated</i>	222	6.3	67	1	2	4	8	13	18	36	
1. SINGLE DX	27	4.0	8	1	1	3	6	8	10	13	
2. MULTIPLE DX	673	5.8	34	2	2	4	7	11	15	29	
A. NOT OPERATED	468	5.6	17	2	2	4	7	10	13	27	
B. OPERATED	232	6.2	65	1	2	4	8	13	18	35	
TOTAL 0-19 YRS											
20-34	3	6.0	16	2	2	6	9	10	10	10	
35-49	67	4.2	10	1	2	3	6	9	11	15	
50-64	216	4.6	13	1	2	4	6	9	11	17	
65+	410	6.6	47	2	2	5	8	13	17	29	
GRAND TOTAL	700	5.8	33	2	2	4	7	11	15	28	

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	4	7.8	16	2	2	9	10	11	11	11	
35-49	5	1.8	2	1	1	1	2	4	4	4	
50-64	5	4.6	19	<1	<1	3	8	11	11	11	
65+	6	6.5	17	2	2	5	11	12	12	12	
B. Operated											
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11	
20-34	23	11.8	25	4	6	11	16	18	20	20	
35-49	36	14.3	159	2	2	11	21	26	45	54	
50-64	30	17.5	172	2	3	15	24	31	52	57	
65+	10	13.5	100	1	1	12	18	28	36	36	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34	4	13.5	283	2	2	7	24	38	38	38	
35-49	6	6.2	38	1	1	3	10	16	17	17	
50-64	15	16.3	248	<1	1	13	22	47	52	54	
65+	35	12.5	97	<1	1	11	14	22	29	53	
B. Operated											
0-19 YRS	1	5.0		5	5	5	5	5	5	5	
20-34	22	22.0	319	3	4	17	27	50	61	68	
35-49	64	22.6	234	5	9	18	30	49	62	99+	
50-64	76	24.2	269	5	8	20	34	48	67	99+	
65+	57	23.9	280	3	6	23	30	50	96	99+	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	20	5.1	16	<1	<1	4	9	11	12	12	
B. Operated	101	14.5	126	2	2	12	19	27	37	55	
2. MULTIPLE DX											
A. Not Operated	60	12.9	140	<1	1	11	16	24	42	54	
B. Operated	220	23.3	264	3	7	20	31	48	70	99+	
1. SINGLE DX	121	12.9	120	1	2	11	17	25	34	55	
2. MULTIPLE DX	280	21.1	255	2	5	17	28	47	63	99+	
A. NOT OPERATED	80	10.9	120	<1	1	9	14	22	34	54	
B. OPERATED	321	20.6	237	2	5	17	27	47	57	99+	
TOTAL 0-19 YRS											
20-34	3	7.0	12	5	5	5	10	11	11	11	
35-49	53	15.9	186	2	3	11	18	36	46	68	
50-64	111	18.1	223	1	2	14	25	43	54	99+	
65+	126	20.9	252	2	3	17	28	47	58	99+	
	108	18.3	224	1	3	15	25	38	53	99+	
GRAND TOTAL	401	18.6	228	2	3	15	25	41	54	99+	

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	57.5	685	39	39	57	76	76	76	76
50-64	3	52.7	422	29	29	63	65	66	66	66
65+	5	27.6	336	5	5	24	44	50	50	50
B. Operated										
0-19 YRS										
20-34	3	49.3	1430	27	27	28	77	93	93	93
35-49	7	36.4	366	23	23	26	44	69	75	75
50-64	4	40.5	1486	16	16	24	62	98	98	98
65+	5	27.4	433	13	13	15	39	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	10	41.1	525	5	11	40	63	71	76	76
B. Operated	19	36.9	679	14	15	26	44	86	96	98
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED	10	41.1	525	5	11	40	63	71	76	76
B. OPERATED	19	36.9	679	14	15	26	44	86	96	98
TOTAL 0-19 YRS										
20-34	3	49.3	1430	27	27	28	77	93	93	93
35-49	9	41.1	447	23	23	36	54	76	76	76
50-64	7	45.7	926	16	17	29	65	92	98	98
65+	10	27.5	342	5	9	20	42	56	62	62
GRAND TOTAL	29	38.4	609	13	15	28	53	76	93	98

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	5	4.0	18	<1	<1	1	8	10	10	10
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	6	6.2	57	<1	<1	4	6	19	21	21
50-64	17	9.4	60	1	2	6	12	24	25	25
65+	47	10.9	89	1	1	8	14	19	30	47
<i>B. Operated</i>										
0-19 YRS	18	6.3	13	1	1	7	9	11	12	12
20-34	9	9.7	75	2	3	6	10	25	30	30
35-49	23	13.3	375	3	4	8	12	22	64	91
50-64	31	12.0	55	4	4	11	16	25	29	30
65+	52	9.7	50	2	4	8	12	21	26	36
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	9	15.0	589	2	3	7	11	53	79	79
35-49	32	8.9	33	1	2	8	12	18	20	22
50-64	117	11.0	116	1	2	8	13	22	35	60
65+	415	12.8	116	3	4	10	16	24	33	69
<i>B. Operated</i>										
0-19 YRS	24	15.7	219	1	3	12	21	48	74	99+
20-34	20	20.0	403	3	5	11	21	58	66	71
35-49	47	16.1	142	4	6	13	19	36	55	99+
50-64	105	18.1	217	5	7	13	22	40	61	87
65+	232	17.2	155	4	6	14	23	33	42	61
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	77	9.6	76	1	1	8	13	21	27	45
<i>B. Operated</i>	133	10.4	105	2	4	8	11	19	28	57
2. MULTIPLE DX										
<i>A. Not Operated</i>	584	12.0	119	2	3	9	15	23	33	64
<i>B. Operated</i>	428	17.3	182	4	6	13	22	37	50	77
1. SINGLE DX	210	10.1	94	1	2	8	12	20	28	48
2. MULTIPLE DX	1012	14.3	152	2	4	11	18	29	40	75
A. NOT OPERATED	661	11.7	114	2	2	9	15	22	32	61
B. OPERATED	561	15.7	173	4	5	11	19	32	45	76
TOTAL 0-19 YRS										
0-19 YRS	58	9.2	126	1	1	7	11	22	38	97
20-34	40	15.9	355	3	4	9	15	46	66	79
35-49	108	12.8	162	2	3	10	16	22	42	95
50-64	270	13.8	156	2	3	10	17	28	40	68
65+	746	13.8	127	3	4	11	17	28	36	61
GRAND TOTAL	1222	13.6	145	2	3	10	17	27	38	72

366 Hospitals, Southern Region, January-December 1985

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	76.0		76	76	76	76	76	76	76
20-34	2	43.5	13	41	41	43	46	46	46	46
35-49	18	18.3	310	3	4	14	21	43	64	73
50-64	42	18.6	292	2	4	14	24	56	80	99+
65+	180	15.7	155	4	5	12	20	31	40	89
B. Operated										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	2	29.0	450	14	14	29	44	44	44	44
35-49	11	34.7	996	6	7	23	72	93	99	99+
50-64	25	27.2	506	9	11	20	27	55	90	95
65+	47	26.4	261	7	8	24	36	52	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
	243	16.9	208	3	5	13	20	38	51	99+
B. Operated										
	86	27.5	420	7	8	23	39	67	90	99+
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
	329	19.7	285	4	6	14	25	44	68	99+
B. OPERATED										
	243	16.9	208	3	5	13	20	38	51	99+
	86	27.5	420	7	8	23	39	67	90	99+
TOTAL 0-19 YRS										
	2	40.0	2592	4	4	76	94	99+	99+	99+
20-34	4	36.3	224	14	14	42	45	46	46	46
35-49	29	24.5	610	3	6	16	26	73	90	99+
50-64	67	21.8	383	4	6	16	26	56	88	99+
65+	227	17.9	195	4	6	14	25	38	44	93
GRAND TOTAL	329	19.7	285	4	6	14	25	44	68	99+

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	6	5.7	35	1	1	3	7	16	17	17
50-64	17	2.4	2	<1	1	2	3	5	5	5
65+	36	4.3	19	1	1	3	5	10	16	18
B. Operated										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	39	5.3	12	1	2	4	7	10	13	14
50-64	389	5.4	12	1	2	5	7	10	11	16
65+	639	5.8	18	2	2	5	7	10	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.0	128	2	2	10	18	18	18	18
20-34	1	25.0		25	25	25	25	25	25	25
35-49	13	4.5	16	1	1	4	6	8	15	16
50-64	87	4.9	14	1	1	4	6	11	12	20
65+	363	5.8	31	1	2	5	7	11	14	24
B. Operated										
0-19 YRS	6	5.5	1	5	5	5	6	7	7	7
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	105	6.8	34	2	2	6	8	12	17	34
50-64	1169	6.9	27	2	2	6	9	12	16	27
65+	2899	7.6	33	2	2	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	61	3.9	16	1	1	3	5	8	15	18
B. Operated										
	1070	5.6	16	1	2	5	7	10	11	19
2. MULTIPLE DX										
A. Not Operated										
	466	5.6	29	1	2	4	7	11	14	24
B. Operated										
	4181	7.4	31	2	2	6	9	13	17	30
1. SINGLE DX										
	1131	5.5	16	1	2	5	7	10	11	18
2. MULTIPLE DX										
	4647	7.2	31	2	2	6	9	13	17	29
A. NOT OPERATED										
	527	5.4	28	1	1	4	6	11	14	23
B. OPERATED										
	5251	7.0	28	2	2	6	9	13	16	28
TOTAL 0-19 YRS										
	8	6.6	23	2	3	5	6	15	18	18
20-34	8	6.9	66	1	1	3	9	21	25	25
35-49	163	6.2	27	1	2	5	7	11	15	20
50-64	1662	6.4	23	2	2	5	8	12	14	25
65+	3937	7.1	31	2	2	6	9	13	16	29
GRAND TOTAL										
	5778	6.9	29	2	2	5	8	12	16	28

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	16	17.7	517	5	6	10	13	46	80	93
65+	36	9.9	38	3	4	8	14	20	23	25
B. Operated										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	2	15.0	72	9	9	15	21	21	21	21
35-49	12	12.8	221	1	2	8	12	38	51	53
50-64	68	13.5	201	2	4	9	14	28	57	96
65+	166	11.9	79	2	3	9	17	24	28	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	56	12.4	198	3	4	8	14	23	38	90
B. Operated	250	12.4	117	2	3	9	16	25	31	66
1. SINGLE DX										
2. MULTIPLE DX	306	12.4	132	2	4	9	15	24	31	71
A. NOT OPERATED	56	12.4	198	3	4	8	14	23	38	90
B. OPERATED	250	12.4	117	2	3	9	16	25	31	66
TOTAL 0-19 YRS	3	23.3	346	6	6	21	37	43	43	43
20-34	3	11.7	69	5	5	9	18	21	21	21
35-49	14	11.4	200	1	2	7	12	33	49	53
50-64	84	14.3	258	2	4	9	14	28	59	98
65+	202	11.5	72	2	3	9	15	23	27	37
GRAND TOTAL	306	12.4	132	2	4	9	15	24	31	71

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	3	<1	<1	2	4	5	5	5
20-34	3	1.7		1	1	2	2	2	2	2
35-49	18	5.4	8	<1	1	5	8	9	10	10
50-64	106	7.2	35	2	2	6	9	13	16	36
65+	326	7.8	29	2	3	6	10	14	17	28
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	9	6.7	23	2	2	6	9	14	15	15
35-49	18	7.1	41	2	2	5	7	19	23	25
50-64	40	7.8	70	2	2	6	9	13	28	41
65+	41	7.7	68	2	2	5	8	16	22	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	9.1	74	2	2	6	10	25	27	27
20-34	24	6.8	36	1	2	4	9	16	19	27
35-49	147	8.4	40	2	3	7	10	17	23	29
50-64	780	8.9	61	2	3	7	11	16	22	40
65+	4220	9.9	55	3	3	8	12	18	24	38
B. Operated										
0-19 YRS	9	15.6	91	5	6	13	20	31	33	33
20-34	22	8.9	89	2	2	7	10	16	30	46
35-49	88	9.5	62	2	3	7	10	18	29	40
50-64	262	11.8	122	3	3	9	14	25	33	67
65+	706	13.0	121	3	4	10	15	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	458	7.4	30	2	2	6	10	14	17	30
B. Operated	110	7.5	59	2	2	5	8	15	21	43
2. MULTIPLE DX										
A. Not Operated	5182	9.7	56	3	3	8	12	18	24	38
B. Operated	1087	12.3	117	3	4	9	14	25	33	61
1. SINGLE DX	568	7.5	35	2	2	6	9	14	17	38
2. MULTIPLE DX	6269	10.1	67	3	3	8	12	19	25	43
A. NOT OPERATED	5640	9.5	54	2	3	8	12	18	23	38
B. OPERATED	1197	11.9	113	2	3	9	14	24	33	60
TOTAL 0-19 YRS	27	9.7	81	1	2	7	13	26	29	33
20-34	58	7.3	53	2	2	5	9	15	18	44
35-49	271	8.5	46	2	3	7	10	17	25	36
50-64	1188	9.4	74	2	3	7	11	17	26	49
65+	5293	10.1	64	3	3	8	13	19	25	42
GRAND TOTAL	6837	9.9	65	2	3	8	12	19	25	42

366 Hospitals, Southern Region, January-December 1985

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	12.4	125	3	3	8	17	32	35	35
20-34	8	14.1	117	5	5	9	22	31	32	32
35-49	71	13.0	88	3	4	11	17	27	37	88
50-64	360	13.5	128	3	4	10	16	28	37	76
65+	1822	12.7	96	4	5	10	15	23	32	59
B. Operated										
0-19 YRS	3	11.0	4	9	9	11	12	13	13	13
20-34	7	13.7	162	2	2	13	17	35	39	39
35-49	19	12.1	72	3	4	10	16	31	68	99+
50-64	92	15.1	194	3	4	10	20	31	50	90
65+	298	16.9	180	4	5	13	21	35	49	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	2269	12.8	101	3	4	10	15	24	33	61
B. Operated	419	16.1	177	4	5	12	21	35	49	86
1. SINGLE DX										
2. MULTIPLE DX	2688	13.3	114	4	5	10	16	26	36	65
A. NOT OPERATED	2269	12.8	101	3	4	10	15	24	33	61
B. OPERATED	419	16.1	177	4	5	12	21	35	49	86
TOTAL 0-19 YRS	11	12.0	89	3	4	9	12	28	34	35
20-34	15	13.9	128	2	3	11	17	32	37	39
35-49	90	12.8	84	3	4	11	17	28	38	99+
50-64	452	13.8	141	3	4	10	17	29	39	78
65+	2120	13.2	110	4	5	10	16	25	35	63
GRAND TOTAL	2688	13.3	114	4	5	10	16	26	36	65

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	20	3.1	6	<1	1	2	4	7	8	9
35-49	53	3.1	4	1	1	3	4	6	7	11
50-64	196	3.3	4	1	1	3	4	5	7	11
65+	583	3.9	22	1	1	3	5	6	9	13
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	1	1	1	3	4	4	4	4
35-49	36	4.1	5	1	1	4	6	7	8	10
50-64	118	4.1	13	1	1	3	5	8	11	21
65+	142	3.9	7	1	2	3	5	7	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.2	13	1	1	4	4	10	13	13
20-34	35	4.0	5	1	2	4	5	8	9	10
35-49	217	4.5	16	1	2	3	6	8	10	19
50-64	1132	4.5	10	1	2	4	6	8	10	15
65+	6445	5.1	13	2	2	4	6	9	11	18
B. Operated										
0-19 YRS	4	7.5	34	3	3	5	11	16	16	16
20-34	18	5.3	41	1	1	4	5	9	21	29
35-49	116	5.5	13	2	2	5	7	10	13	19
50-64	541	5.5	12	2	2	5	7	10	12	17
65+	1304	7.1	39	2	2	6	9	13	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	855	3.7	16	1	1	3	4	6	8	13
B. Operated	303	4.0	9	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	7841	5.0	12	2	2	4	6	9	11	18
B. Operated	1983	6.5	31	2	2	5	8	12	15	29
1. SINGLE DX	1158	3.7	14	1	1	3	5	7	8	13
2. MULTIPLE DX	9824	5.3	16	2	2	4	7	10	12	20
A. NOT OPERATED	8696	4.9	13	1	2	4	6	9	11	17
B. OPERATED	2286	6.2	29	2	2	5	8	11	15	29
TOTAL 0-19 YRS	20	4.5	15	1	1	3	5	11	14	16
20-34	79	4.0	13	1	1	3	5	8	9	24
35-49	422	4.6	13	1	2	4	6	8	10	17
50-64	1987	4.6	10	1	2	4	6	8	11	15
65+	8474	5.3	18	2	2	4	7	10	12	21
GRAND TOTAL	10962	5.2	17	1	2	4	6	9	12	20

161: Acute, but ill-defined, cerebrovascular disease without paralysis
(436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	6	5.0	2	3	3	5	6	6	6	6
35-49	35	6.0	22	<1	1	5	9	12	14	21
50-64	142	6.0	25	1	2	5	7	12	15	29
65+	471	8.9	52	2	3	7	11	17	22	35
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	5.6	8	2	2	5	7	10	10	10
50-64	27	6.0	17	2	2	5	7	11	13	20
65+	45	10.3	125	2	2	8	12	20	44	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	7.0	21	1	2	8	10	13	14	15
20-34	22	6.4	10	2	2	7	9	10	11	11
35-49	131	9.3	113	2	3	6	11	17	25	62
50-64	877	8.2	49	2	3	7	10	15	20	56
65+	4170	10.0	69	3	3	8	12	18	25	47
B. Operated										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	5	6.2	12	3	3	6	9	11	11	11
35-49	44	11.2	205	2	3	7	12	19	37	84
50-64	182	12.5	135	3	3	9	15	31	41	89
65+	486	14.1	132	3	4	11	17	30	40	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	657	8.0	45	2	2	6	10	16	21	33
B. Operated										
	82	8.3	79	2	2	6	10	15	21	90
2. MULTIPLE DX										
A. Not Operated										
	5215	9.7	67	2	3	8	12	18	24	48
B. Operated										
	720	13.4	137	3	4	10	16	30	40	75
1. SINGLE DX	739	8.1	49	2	2	6	10	16	21	35
2. MULTIPLE DX	5935	10.2	77	3	3	8	12	19	26	52
A. NOT OPERATED	5872	9.5	65	2	3	8	11	17	23	47
B. OPERATED	802	12.9	133	3	3	10	16	29	39	76
TOTAL										
0-19 YRS	23	6.2	16	1	2	5	9	12	14	15
20-34	34	6.0	8	2	3	6	8	10	11	11
35-49	217	9.1	115	1	2	6	10	16	23	65
50-64	1228	8.6	61	2	3	7	10	16	22	57
65+	5172	10.3	75	3	3	8	12	19	26	50
GRAND TOTAL	6674	9.9	74	2	3	8	12	19	25	51

162: Acute, but ill-defined, cerebrovascular disease with paralysis
(436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.5	6	3	3	7	8	9	9	9
20-34	7	13.9	235	3	3	6	18	41	46	46
35-49	57	10.9	152	1	1	8	13	20	25	83
50-64	375	11.1	97	2	4	9	13	21	26	57
65+	1577	12.5	122	3	4	9	15	24	31	69
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	16	11.0	62	3	4	11	13	32	78	99+
50-64	67	15.8	255	3	4	10	18	39	48	87
65+	197	15.7	153	4	5	12	22	34	40	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated			119	3	4	9	15	23	31	67
B. Operated	281	15.4	173	3	4	11	19	34	45	67
1. SINGLE DX	2303	12.6	126	3	4	9	15	24	33	67
2. MULTIPLE DX										
A. NOT OPERATED	2022	12.2	119	3	4	9	15	23	31	67
B. OPERATED	281	15.4	173	3	4	11	19	34	45	67
TOTAL										
0-19 YRS	7	6.1	6	3	3	7	8	9	9	9
20-34	7	13.9	235	3	3	6	18	41	46	46
35-49	73	10.9	131	1	3	8	13	20	31	97
50-64	442	11.8	123	2	4	9	14	21	33	60
65+	1774	12.8	127	3	4	10	15	25	34	67
GRAND TOTAL	2303	12.6	126	3	4	9	15	24	33	67

366 Hospitals, Southern Region, January-December 1985

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.2	5	<1	<1	3	5	6	6	6
20-34	17	3.4	9	1	1	3	4	6	11	13
35-49	64	3.8	5	1	1	3	5	7	9	10
50-64	71	3.9	6	1	1	3	5	7	8	12
65+	108	4.7	14	1	2	4	5	10	13	18
B. Operated										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	6	9.3	16	4	4	9	11	15	16	16
35-49	23	6.7	39	1	1	5	10	15	21	24
50-64	44	6.2	42	1	1	4	8	14	20	32
65+	42	4.8	16	1	2	3	6	9	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.0	10	1	1	3	6	9	10	10
20-34	57	4.8	11	1	2	4	7	10	12	15
35-49	219	5.2	14	1	2	4	7	9	13	22
50-64	534	5.9	23	1	2	5	7	11	14	26
65+	1619	6.9	48	2	2	5	8	12	17	36
B. Operated										
0-19 YRS	7	9.9	122	2	2	4	16	29	31	31
20-34	21	10.2	73	2	2	10	14	18	28	39
35-49	69	11.9	234	1	2	8	12	38	57	95
50-64	212	9.4	114	2	2	7	11	20	29	67
65+	374	9.3	86	2	2	7	12	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	4.1	9	1	1	3	5	8	11	16
B. Operated	117	6.0	32	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. Not Operated	2437	6.5	39	2	2	5	8	12	16	32
B. Operated	683	9.7	110	2	2	7	12	20	31	56
1. SINGLE DX	383	4.7	17	1	1	3	6	9	13	20
2. MULTIPLE DX	3120	7.2	56	2	2	5	8	13	19	44
A. NOT OPERATED	2703	6.3	37	2	2	5	7	11	15	31
B. OPERATED	800	9.1	100	2	2	6	11	19	27	55
TOTAL 0-19 YRS	23	6.2	50	<1	1	4	7	16	23	31
20-34	101	6.0	29	1	2	4	9	13	15	29
35-49	375	6.3	61	1	2	4	7	11	17	65
50-64	861	6.6	48	1	2	5	8	12	17	39
65+	2143	7.2	54	2	2	5	8	14	19	40
GRAND TOTAL	3503	6.9	52	2	2	5	8	13	18	41

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	8	1.6		<1	<1	2	2	2	2	2
65+	6	2.5	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	29	5.2	15	1	1	5	8	10	13	15
50-64	91	6.2	29	1	1	5	9	12	15	30
65+	120	7.0	44	1	1	6	10	14	16	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	9	3.9	14	<1	<1	2	6	10	11	11
50-64	48	4.9	15	<1	1	4	7	9	11	22
65+	193	6.6	67	1	1	5	7	12	18	46
B. Operated										
0-19 YRS	6	16.2	273	1	2	11	18	45	48	48
20-34	11	5.3	10	1	2	4	8	10	10	10
35-49	108	8.2	40	1	2	7	12	16	20	31
50-64	621	9.8	97	1	2	8	12	20	26	63
65+	1318	12.1	107	2	2	10	15	25	34	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.0	2	<1	1	2	2	4	6	6
B. Operated	241	6.4	35	1	1	5	9	13	15	22
2. MULTIPLE DX										
A. Not Operated	251	6.2	55	1	1	4	7	12	16	45
B. Operated	2064	11.2	102	2	2	9	14	23	33	54
1. SINGLE DX	255	6.2	34	1	1	5	9	13	15	21
2. MULTIPLE DX	2315	10.6	99	2	2	8	13	22	31	52
A. NOT OPERATED	265	6.0	53	1	1	4	7	11	15	43
B. OPERATED	2305	10.7	97	2	2	9	14	22	31	52
TOTAL 0-19 YRS	8	12.5	241	1	1	9	15	39	48	48
20-34	11	5.3	10	1	2	4	8	10	10	10
35-49	146	7.3	35	1	1	6	10	15	17	30
50-64	768	9.0	86	1	2	7	11	18	24	54
65+	1637	11.0	101	2	2	9	14	23	33	50
GRAND TOTAL	2570	10.2	95	1	2	8	13	21	30	50

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	31	3.5	10	<1	<1	2	5	9	11	11
B. Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.3	15	1	1	2	5	9	9	9
50-64	71	9.5	23	1	2	10	12	15	17	22
65+	137	9.8	25	1	2	10	13	15	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	5.5	18	1	1	5	9	10	10	10
50-64	34	4.6	13	1	1	4	7	9	12	15
65+	239	5.6	23	1	1	4	7	12	15	26
B. Operated										
0-19 YRS	3	11.0	73	2	2	12	17	19	19	19
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	18	13.2	90	2	4	11	15	28	36	39
50-64	363	11.3	61	2	5	10	13	17	24	43
65+	1114	14.0	96	2	5	12	16	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.0	8	<1	<1	2	4	8	10	11
B. Operated	213	9.5	25	1	2	10	12	15	18	23
2. MULTIPLE DX										
A. Not Operated	279	5.5	22	1	1	4	7	11	14	25
B. Operated	1500	13.3	87	2	5	11	15	23	30	54
1. SINGLE DX	255	8.5	28	1	1	9	12	14	17	23
2. MULTIPLE DX	1779	12.1	85	2	3	10	15	21	28	51
A. NOT OPERATED	321	5.2	21	1	1	4	7	11	14	23
B. OPERATED	1713	12.9	81	2	4	11	15	22	28	52
TOTAL 0-19 YRS										
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	29	9.6	82	1	1	9	12	20	31	39
50-64	476	10.4	55	2	2	9	12	16	22	39
65+	1521	12.1	86	2	2	11	15	22	28	53
GRAND TOTAL	2034	11.7	79	2	2	10	14	21	26	47

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.7	4	1	1	2	4	5	5	5
<i>B. Operated</i>										
0-19 YRS	7	5.0	16	<1	<1	6	8	10	11	11
20-34	13	5.8	39	1	1	3	6	16	22	23
35-49	22	6.9	30	1	1	5	11	12	17	24
50-64	27	6.6	16	2	2	7	9	12	14	16
65+	38	8.8	50	1	2	8	11	16	22	39
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64	8	7.4	42	1	1	6	11	18	20	20
65+	17	4.9	36	1	1	3	5	12	21	25
<i>B. Operated</i>										
0-19 YRS	8	5.9	25	1	1	5	9	13	14	14
20-34	10	10.2	65	1	2	9	13	23	24	24
35-49	33	10.0	53	1	2	9	12	18	25	35
50-64	102	10.8	61	2	3	9	14	19	25	45
65+	179	11.5	58	2	3	10	14	20	27	41
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	7	2.1	2	<1	<1	2	3	5	5	5
<i>B. Operated</i>	107	7.2	34	1	1	6	10	13	17	30
2. MULTIPLE DX										
<i>A. Not Operated</i>	26	5.7	36	1	1	3	7	13	21	25
<i>B. Operated</i>	332	10.9	58	2	3	9	14	20	26	41
1. SINGLE DX	114	6.9	34	1	1	5	10	12	16	29
2. MULTIPLE DX	358	10.6	58	1	2	9	14	20	25	41
A. NOT OPERATED	33	5.0	31	1	1	3	6	12	19	25
B. OPERATED	439	10.0	55	1	2	9	13	19	24	40
TOTAL 0-19 YRS										
20-34	16	5.5	18	<1	1	6	9	11	13	14
35-49	26	7.0	50	1	1	4	10	22	23	24
50-64	55	8.7	46	1	1	7	12	17	23	35
65+	138	9.7	53	2	2	8	13	18	23	42
	237	10.5	59	1	2	9	14	20	25	40
GRAND TOTAL	472	9.7	55	1	2	8	13	18	24	40

366 Hospitals, Southern Region, January-December 1985

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	8	5.3	10	<1	1	5	8	10	10	10
35-49	17	6.1	10	1	2	6	8	10	12	13
50-64	21	4.4	21	1	1	2	5	10	15	21
65+	16	4.6	10	1	1	4	7	9	10	10
<i>B. Operated</i>										
0-19 YRS	3	8.0	7	5	5	9	10	10	10	10
20-34	12	6.5	14	2	2	6	9	12	14	14
35-49	67	5.9	13	1	1	6	9	10	11	15
50-64	211	7.0	21	1	2	7	10	12	14	25
65+	177	7.1	19	1	1	7	10	12	15	19
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	11	7.4	19	2	2	8	9	13	18	18
35-49	24	8.0	83	1	2	6	9	11	23	48
50-64	56	7.5	64	1	1	5	10	13	22	48
65+	190	6.7	19	1	2	6	9	12	15	21
<i>B. Operated</i>										
0-19 YRS	2	12.0	200	2	2	12	22	22	22	22
20-34	32	10.8	69	2	3	8	13	21	30	38
35-49	208	9.6	45	2	2	9	12	16	23	43
50-64	948	10.5	80	2	2	9	13	20	26	48
65+	1790	11.7	88	2	3	10	14	21	28	52
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	64	5.1	14	1	1	4	8	9	11	20
<i>B. Operated</i>	470	6.9	19	1	2	7	10	12	14	19
2. MULTIPLE DX										
<i>A. Not Operated</i>	283	6.9	33	1	2	6	9	12	16	30
<i>B. Operated</i>	2980	11.2	83	2	2	9	14	20	27	48
1. SINGLE DX	534	6.7	19	1	2	6	10	12	14	20
2. MULTIPLE DX	3263	10.8	80	2	2	9	13	20	26	48
A. NOT OPERATED	347	6.6	30	1	2	6	9	11	15	27
B. OPERATED	3450	10.6	76	2	2	9	13	19	26	47
TOTAL										
0-19 YRS	9	8.2	33	2	3	7	9	17	22	22
20-34	63	8.7	46	2	2	7	11	18	21	37
35-49	316	8.5	42	1	2	8	10	15	19	40
50-64	1236	9.6	71	1	2	8	12	18	24	46
65+	2173	10.9	79	2	2	9	13	20	26	47
GRAND TOTAL	3797	10.2	73	2	2	9	12	19	25	46

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	108	5.3	12	1	2	5	7	9	10	18
20-34	12	4.3	8	1	1	4	6	9	10	10
35-49	25	3.8	5	1	2	3	5	8	8	9
50-64	18	3.8	5	<1	1	4	6	7	8	8
65+	46	4.5	11	<1	1	4	6	9	11	15
<i>B. Operated</i>										
0-19 YRS	14	8.0	106	1	1	3	9	29	31	31
20-34	34	4.4	9	1	2	3	6	10	10	11
35-49	82	5.8	22	1	1	4	8	12	16	23
50-64	187	4.8	16	1	1	3	7	10	13	18
65+	159	6.0	55	1	1	4	8	12	15	22
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	85	7.1	30	2	2	6	8	14	17	29
20-34	47	4.7	12	1	2	4	5	8	10	20
35-49	87	5.8	12	1	2	5	9	10	11	68
50-64	190	5.3	19	1	1	4	7	11	16	23
65+	427	5.9	22	1	2	5	8	11	16	22
<i>B. Operated</i>										
0-19 YRS	28	14.0	227	1	2	8	19	42	62	99+
20-34	46	8.9	73	2	2	7	10	19	25	48
35-49	207	9.1	114	1	2	6	11	19	26	59
50-64	645	8.9	95	1	2	6	11	18	24	52
65+	1123	10.1	89	1	2	8	13	20	28	50
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	209	4.8	10	1	1	4	6	9	10	17
<i>B. Operated</i>	476	5.4	32	1	1	4	8	11	14	21
2. MULTIPLE DX										
<i>A. Not Operated</i>	836	5.8	21	1	2	5	8	11	15	23
<i>B. Operated</i>	2049	9.6	95	1	2	7	12	20	27	52
1. SINGLE DX	685	5.2	26	1	1	4	7	10	13	19
2. MULTIPLE DX	2885	8.5	77	1	2	6	11	17	24	48
A. NOT OPERATED	1045	5.6	19	1	2	5	7	11	14	22
B. OPERATED	2525	8.8	86	1	2	7	11	18	25	50
TOTAL										
0-19 YRS	235	7.1	56	1	2	5	9	14	21	45
20-34	139	6.0	35	1	2	4	8	11	17	31
35-49	401	7.4	69	1	2	5	9	14	20	44
50-64	1040	7.4	69	1	2	5	9	16	21	44
65+	1755	8.5	72	1	2	6	11	17	24	45
GRAND TOTAL	3570	7.9	69	1	2	6	10	16	22	44

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	6.5	8	3	3	6	8	10	13	14
20-34	252	6.7	12	2	3	6	9	11	14	18
35-49	366	7.3	13	2	3	7	9	12	14	18
50-64	311	6.7	10	2	3	6	8	11	12	17
65+	308	7.3	13	2	3	7	9	11	13	16
B. Operated										
0-19 YRS	14	6.1	21	1	1	5	10	13	14	14
20-34	106	5.7	12	1	2	5	8	11	12	15
35-49	131	6.8	15	1	2	6	9	12	13	17
50-64	137	6.5	15	1	2	6	9	12	14	17
65+	104	7.4	18	1	2	7	10	13	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	7.4	15	2	3	7	10	13	15	16
20-34	269	7.5	20	2	3	7	9	14	16	22
35-49	550	7.8	20	2	3	7	10	13	16	25
50-64	855	8.3	25	3	4	8	10	13	17	26
65+	1651	8.8	27	3	4	8	10	14	17	27
B. Operated										
0-19 YRS	7	7.3	11	2	3	7	8	12	13	13
20-34	122	8.9	59	2	2	8	11	15	20	52
35-49	234	8.7	53	2	3	7	10	16	19	37
50-64	373	8.9	47	2	3	8	11	16	19	32
65+	643	9.9	48	2	4	9	12	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1261	7.0	12	2	3	7	9	11	13	17
B. Operated	492	6.6	15	1	2	6	9	12	13	17
2. MULTIPLE DX										
A. Not Operated	3354	8.4	25	3	4	8	10	13	16	26
B. Operated	1379	9.3	50	2	3	8	11	16	20	34
1. SINGLE DX	1753	6.9	13	2	2	7	9	11	13	17
2. MULTIPLE DX	4733	8.7	32	2	3	8	10	14	18	29
A. NOT OPERATED	4615	8.0	22	3	3	7	10	13	15	23
B. OPERATED	1871	8.6	42	2	2	8	11	15	19	32
TOTAL 0-19 YRS	74	6.9	13	2	3	6	9	13	14	16
20-34	749	7.2	23	2	2	6	9	12	15	23
35-49	1281	7.7	24	2	3	7	10	13	15	27
50-64	1676	8.0	27	2	3	7	10	13	17	27
65+	2706	8.8	30	3	4	8	11	14	17	29
GRAND TOTAL	6486	8.2	28	2	3	7	10	13	17	27

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	14.5	145	6	6	14	23	23	23	23
35-49	14	7.1	43	1	1	4	10	17	20	21
50-64	22	6.8	22	1	2	6	8	12	18	22
65+	35	8.9	65	2	3	7	10	15	30	37
B. Operated										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	241	3.3	5	1	1	3	4	5	7	12
35-49	437	3.7	5	1	2	3	4	6	8	13
50-64	341	4.5	13	1	2	3	5	8	12	21
65+	146	6.7	45	1	2	4	7	16	24	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	14	4.6	10	<1	<1	4	7	8	11	12
35-49	56	6.0	13	1	1	5	8	11	13	17
50-64	93	7.9	37	1	3	6	10	14	19	35
65+	326	10.1	55	3	4	8	12	18	24	43
B. Operated										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	78	5.0	18	1	2	4	5	11	14	22
35-49	198	6.7	55	2	2	4	7	14	21	36
50-64	262	7.7	50	2	2	5	9	16	20	38
65+	375	13.1	124	2	3	10	17	28	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	8.1	49	1	2	7	9	16	23	35
B. Operated	1175	4.2	13	1	2	3	5	7	10	21
2. MULTIPLE DX										
A. Not Operated	491	9.1	48	2	3	7	11	16	22	40
B. Operated	917	9.5	88	2	2	6	13	20	28	43
1. SINGLE DX	1248	4.5	16	1	2	3	5	8	12	23
2. MULTIPLE DX	1408	9.3	74	2	3	7	12	19	26	42
A. NOT OPERATED	564	8.9	48	2	3	7	11	16	22	39
B. OPERATED	2092	6.5	53	1	2	4	7	15	21	36
TOTAL 0-19 YRS	16	2.4	1	1	1	2	3	4	4	4
20-34	335	3.9	10	1	1	3	4	7	10	19
35-49	705	4.8	22	1	2	4	5	9	12	23
50-64	718	6.2	32	1	2	4	7	13	17	31
65+	882	10.8	88	2	3	8	14	22	30	45
GRAND TOTAL	2656	7.0	53	1	2	4	8	15	21	37

366 Hospitals, Southern Region, January-December 1985

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.3	4	<1	<1	1	4	5	5	5
20-34	61	2.3	1	<1	1	2	3	4	4	5
35-49	52	2.6	2	<1	1	2	4	5	6	7
50-64	41	2.6	3	1	1	2	4	5	6	7
65+	21	3.1	4	<1	1	3	4	6	7	8
B. Operated										
0-19 YRS	16	2.6	3	<1	<1	2	4	5	6	6
20-34	398	3.8	3	1	2	4	5	6	7	9
35-49	470	4.0	4	1	2	4	5	6	7	10
50-64	278	4.1	4	1	2	4	5	7	8	11
65+	92	4.1	5	1	2	4	5	6	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.2	5	<1	<1	3	4	7	7	7
20-34	84	3.2	3	<1	1	3	4	5	7	10
35-49	190	3.2	4	1	1	3	4	6	7	11
50-64	198	3.4	6	1	1	3	4	6	7	15
65+	228	3.7	5	1	1	3	5	7	8	11
B. Operated										
0-19 YRS	46	3.7	3	1	1	4	4	6	7	7
20-34	1208	4.4	5	2	2	4	5	7	8	11
35-49	2145	4.6	5	2	2	4	6	7	8	12
50-64	1604	4.9	7	2	3	4	6	8	9	14
65+	897	5.5	16	2	3	5	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	2.6	2	<1	1	2	3	5	5	7
B. Operated	1254	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	710	3.4	5	1	1	3	4	6	7	11
B. Operated	5900	4.8	7	2	2	4	6	7	9	14
1. SINGLE DX	1436	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX	6610	4.6	7	2	2	4	5	7	9	14
A. NOT OPERATED	892	3.2	5	1	1	3	4	6	7	11
B. OPERATED	7154	4.6	7	2	2	4	5	7	9	14
TOTAL										
0-19 YRS	79	3.3	3	<1	1	3	4	6	7	7
20-34	1751	4.1	5	1	2	4	5	6	8	10
35-49	2857	4.4	5	2	2	4	5	7	8	12
50-64	2121	4.6	7	2	2	4	5	7	9	13
65+	1238	5.0	14	1	2	4	6	8	11	17
GRAND TOTAL	8046	4.5	7	1	2	4	5	7	9	13

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.7	9	1	1	3	5	8	10	14
20-34	85	7.2	92	1	2	6	8	10	13	64
35-49	120	6.5	17	1	2	6	8	12	14	21
50-64	139	6.3	13	1	2	6	8	11	14	16
65+	144	6.5	15	1	2	6	9	11	13	20
B. Operated										
0-19 YRS	96	3.1	13	<1	1	2	3	8	11	20
20-34	179	3.4	14	<1	1	2	3	8	12	19
35-49	141	5.7	24	<1	<1	5	8	12	15	26
50-64	100	6.9	25	1	1	6	10	14	16	23
65+	106	7.0	18	1	2	6	10	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	4.1	10	1	1	3	6	9	11	13
20-34	184	6.0	20	1	1	5	8	14	15	18
35-49	361	6.5	28	1	2	5	8	12	15	31
50-64	776	6.5	30	1	2	5	9	12	14	26
65+	1927	6.9	21	2	2	6	9	12	15	23
B. Operated										
0-19 YRS	63	6.3	61	1	1	2	9	17	22	40
20-34	236	6.2	38	1	1	4	8	14	18	29
35-49	283	8.1	54	1	2	7	10	15	19	54
50-64	392	9.5	57	2	2	8	12	17	22	39
65+	822	10.8	76	2	3	9	13	19	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	521	6.4	27	1	2	6	8	11	13	20
B. Operated	622	5.1	21	<1	1	3	8	12	14	20
2. MULTIPLE DX										
A. Not Operated	3297	6.7	24	1	2	6	9	12	14	24
B. Operated	1796	9.3	65	1	2	8	12	17	23	40
1. SINGLE DX	1143	5.7	24	1	1	5	8	11	14	20
2. MULTIPLE DX	5093	7.6	40	1	2	6	10	14	18	32
A. NOT OPERATED	3818	6.6	24	1	2	6	9	12	14	23
B. OPERATED	2418	8.2	57	1	1	7	11	16	21	36
TOTAL										
0-19 YRS	241	4.2	26	1	1	2	5	10	15	23
20-34	684	5.5	35	1	1	4	8	12	15	25
35-49	905	6.9	35	1	2	6	9	13	16	31
50-64	1407	7.3	37	1	2	6	9	14	16	30
65+	2999	8.0	39	2	2	7	10	14	18	31
GRAND TOTAL	6236	7.3	38	1	2	6	9	14	17	30

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2089	2.5	2	1	1	2	3	4	5	8
20-34	297	3.1	2	1	2	3	4	5	6	9
35-49	145	3.6	4	1	2	3	4	6	8	10
50-64	74	4.0	5	1	2	3	5	7	9	11
65+	36	4.4	3	2	3	4	5	8	9	99+
B. Operated										
0-19 YRS	349	1.6	1	1	1	1	2	3	3	5
20-34	138	1.8	1	1	1	1	2	3	5	6
35-49	35	2.8	5	1	1	2	3	6	8	10
50-64	20	3.9	11	<1	1	2	6	8	11	13
65+	5	2.6	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4044	3.3	5	1	1	3	4	5	7	11
20-34	807	3.5	5	1	2	3	4	6	7	12
35-49	584	4.4	8	1	2	4	5	8	9	14
50-64	519	5.1	11	1	2	4	6	9	11	17
65+	670	6.3	20	2	2	5	7	11	14	24
B. Operated										
0-19 YRS	537	2.9	19	1	1	2	3	6	9	15
20-34	174	4.1	20	1	1	3	5	8	12	29
35-49	88	5.0	19	1	1	3	7	11	13	22
50-64	91	5.8	29	1	2	4	7	11	15	32
65+	74	10.0	96	2	3	6	13	20	37	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2641	2.7	3	1	1	2	3	5	6	9
B. Operated	547	1.9	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	6624	3.8	8	1	1	3	5	7	9	14
B. Operated	964	4.1	29	1	1	2	5	9	13	29
1. SINGLE DX	3188	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	7588	3.9	11	1	1	3	5	7	9	16
A. NOT OPERATED	9265	3.5	7	1	1	3	4	6	8	13
B. OPERATED	1511	3.3	21	1	1	2	3	7	11	21
TOTAL 0-19 YRS	7019	2.9	5	1	1	2	4	5	6	11
20-34	1416	3.3	7	1	1	3	4	6	7	13
35-49	852	4.3	9	1	2	3	5	8	10	14
50-64	704	5.0	13	1	2	4	6	9	11	19
65+	785	6.5	28	2	2	5	8	12	16	32
GRAND TOTAL	10776	3.5	9	1	1	3	4	6	8	14

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2551	3.3	3	1	1	3	4	5	6	9
20-34	178	3.7	4	2	2	3	5	6	7	12
35-49	256	4.5	4	2	2	4	5	7	9	12
50-64	281	4.8	5	2	2	4	6	8	10	12
65+	263	5.3	15	2	2	5	6	8	10	19
B. Operated										
0-19 YRS	6	9.5	109	1	1	4	19	25	26	26
20-34	9	3.7	5	1	1	4	5	7	7	7
35-49	13	5.1	6	2	2	4	7	8	10	10
50-64	9	7.4	16	1	2	7	10	13	14	14
65+	5	6.4	43	1	1	6	9	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3360	3.9	6	1	2	3	5	7	8	13
20-34	609	4.7	9	2	2	4	6	8	10	15
35-49	1201	5.3	10	2	2	4	6	9	11	19
50-64	2980	6.2	13	2	3	5	8	10	13	19
65+	6175	6.9	18	2	3	6	8	12	14	23
B. Operated										
0-19 YRS	50	7.8	27	2	3	7	10	15	18	26
20-34	45	6.6	32	2	3	5	7	13	19	31
35-49	130	8.3	35	2	3	7	10	14	20	36
50-64	240	10.2	120	2	3	7	12	19	25	90
65+	429	10.4	70	2	3	8	12	19	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3529	3.7	5	1	2	3	5	6	7	10
B. Operated	42	6.1	27	1	1	5	7	13	18	26
2. MULTIPLE DX										
A. Not Operated	14325	5.8	15	2	2	5	7	10	13	20
B. Operated	894	9.7	75	2	3	8	11	18	24	50
1. SINGLE DX	3571	3.7	5	1	2	3	5	6	7	11
2. MULTIPLE DX	15219	6.0	19	2	2	5	7	11	13	22
A. NOT OPERATED	17854	5.4	13	2	2	5	7	10	12	19
B. OPERATED	936	9.5	74	2	3	7	11	18	24	49
TOTAL 0-19 YRS	5967	3.7	5	1	2	3	5	6	8	12
20-34	841	4.6	9	2	2	4	5	8	10	15
35-49	1600	5.4	12	2	2	5	7	9	11	19
50-64	3510	6.3	21	2	3	5	8	11	13	21
65+	6872	7.0	22	2	3	6	8	12	15	25
GRAND TOTAL	18790	5.6	17	2	2	5	7	10	13	21

366 Hospitals, Southern Region, January-December 1985

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	172	1.6	1	<1	1	1	2	3	3	4
20-34	421	1.6	1	<1	1	1	2	3	3	4
35-49	244	1.7	1	<1	1	1	2	3	3	4
50-64	116	1.8	1	1	1	2	2	3	3	5
65+	29	2.0	2	1	1	1	3	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	11	1.6	1	1	1	1	2	3	3	3
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	7	1.1		<1	<1	1	1	2	2	2
65+	5	1.8	2	<1	<1	1	2	4	4	4
B. Operated										
0-19 YRS	514	1.8	1	<1	1	1	2	3	3	6
20-34	1445	1.9	1	1	1	2	2	3	4	6
35-49	1142	2.0	2	1	1	2	3	3	4	6
50-64	531	2.1	2	1	1	2	3	4	4	6
65+	170	2.3	2	1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	982	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	34	1.4	1	<1	<1	1	2	3	3	4
B. Operated	3802	2.0	1	1	1	2	3	3	4	6
1. SINGLE DX	983	1.7	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	3836	2.0	1	1	1	2	3	3	4	6
A. NOT OPERATED	35	1.5	1	<1	<1	1	2	3	3	4
B. OPERATED	4784	1.9	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	689	1.7	1	<1	1	1	2	3	3	5
20-34	1877	1.9	1	1	1	2	2	3	4	5
35-49	1395	2.0	1	1	1	2	3	3	4	5
50-64	654	2.1	2	1	1	2	3	4	4	6
65+	204	2.2	2	1	1	2	3	4	4	7
GRAND TOTAL	4819	1.9	1	1	1	2	2	3	4	6

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	17	2.2	1	1	1	2	3	4	4	4
20-34	21	1.7	1	<1	<1	1	2	4	4	4
35-49	30	2.1	2	1	1	2	3	4	5	7
50-64	40	2.1	1	<1	<1	2	3	4	5	5
65+	26	2.2	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	8	8.6	448	<1	<1	1	2	43	61	61
35-49	5	3.4	4	<1	<1	4	5	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	44	2.3	5	1	1	2	3	3	4	15
20-34	73	2.3	3	1	1	2	3	4	4	12
35-49	125	2.4	2	1	1	2	3	4	4	7
50-64	128	2.5	3	1	1	2	3	4	5	9
65+	82	2.7	3	1	1	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	134	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	18	5.3	195	<1	<1	1	3	5	39	61
B. Operated	452	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	135	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	470	2.6	10	1	1	2	3	4	5	10
A. NOT OPERATED	19	5.2	185	<1	<1	2	3	5	36	61
B. OPERATED	586	2.4	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	65	2.3	4	1	1	2	3	3	4	13
20-34	102	2.7	36	<1	1	2	3	4	4	37
35-49	160	2.4	2	1	1	2	3	4	5	7
50-64	170	2.4	2	<1	1	2	3	4	5	8
65+	108	2.6	3	1	1	2	3	4	5	10
GRAND TOTAL	605	2.5	8	1	1	2	3	4	5	9

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	1.9	1	<1	1	1	3	3	4	6
20-34	5	1.6	2	<1	<1	1	2	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	7742	1.5		<1	1	1	2	2	2	3
20-34	2052	1.6	1	1	1	1	2	2	3	4
35-49	286	1.8	1	1	1	2	2	3	3	8
50-64	38	1.8	1	1	1	2	2	3	4	5
65+	20	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	1.5	1	<1	<1	1	1	3	3	8
20-34	18	1.6	1	<1	<1	1	2	3	4	4
35-49	5	2.2	1	<1	<1	2	3	4	4	4
50-64										
65+	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
0-19 YRS	5344	1.6	1	<1	1	1	2	2	3	4
20-34	495	1.9	2	1	1	2	2	3	4	6
35-49	120	2.3	2	1	1	2	3	4	5	9
50-64	30	2.0	1	1	1	2	2	3	4	6
65+	24	3.3	15	<1	1	2	4	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.9	1	<1	1	1	3	3	4	6
B. Operated	10138	1.6	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	171	1.6	2	<1	<1	1	2	3	4	8
B. Operated	6013	1.7	1	<1	1	1	2	2	3	5
1. SINGLE DX	10193	1.6	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	6184	1.7	1	<1	1	1	2	2	3	5
A. NOT OPERATED	226	1.7	2	<1	<1	1	2	3	4	8
B. OPERATED	16151	1.6	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	13279	1.6	1	<1	1	1	2	2	3	4
20-34	2570	1.7	1	1	1	1	2	3	3	5
35-49	413	2.0	2	1	1	2	2	3	4	8
50-64	68	1.9	1	1	1	2	2	3	4	6
65+	47	2.7	9	1	1	2	3	6	8	19
GRAND TOTAL	16377	1.6	1	<1	1	1	2	2	3	4

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	358	2.8	4	1	1	2	3	5	6	8
20-34	208	3.0	4	1	1	3	4	5	6	9
35-49	103	3.1	4	1	1	3	4	5	6	12
50-64	48	3.8	5	1	1	4	5	7	7	10
65+	25	3.3	6	<1	1	2	4	8	8	9
B. Operated										
0-19 YRS	489	2.4	5	<1	1	2	3	4	6	10
20-34	535	2.3	2	<1	1	2	3	4	5	7
35-49	480	2.2	3	<1	1	2	3	4	5	7
50-64	384	2.2	3	<1	1	2	3	3	5	11
65+	182	2.7	47	<1	1	2	3	4	4	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	492	3.7	9	1	1	3	5	7	8	16
20-34	252	3.7	4	1	2	3	5	6	7	10
35-49	290	4.3	11	1	1	4	5	7	9	21
50-64	202	4.5	9	1	2	4	6	8	10	15
65+	137	4.6	8	1	1	4	6	8	10	12
B. Operated										
0-19 YRS	519	3.7	31	1	1	2	4	7	10	28
20-34	749	2.7	5	1	1	2	3	5	6	13
35-49	807	3.1	10	1	1	2	4	6	8	17
50-64	723	3.6	21	1	1	2	4	7	10	17
65+	452	4.1	24	1	1	3	4	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	742	2.9	4	1	1	3	4	5	6	9
B. Operated	2070	2.3	7	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	1373	4.0	9	1	1	3	5	7	9	15
B. Operated	3250	3.3	17	1	1	2	4	6	9	19
1. SINGLE DX	2812	2.5	6	<1	1	2	3	4	5	9
2. MULTIPLE DX	4623	3.6	15	1	1	3	4	7	9	18
A. NOT OPERATED	2115	3.7	7	1	1	3	5	7	8	13
B. OPERATED	5320	2.9	13	1	1	2	3	5	7	16
TOTAL 0-19 YRS	1858	3.2	13	1	1	2	4	6	7	18
20-34	1744	2.8	4	1	1	2	3	5	6	10
35-49	1680	3.0	8	1	1	2	4	5	7	15
50-64	1357	3.3	14	1	1	2	4	6	9	15
65+	796	3.9	26	1	1	3	4	8	10	22
GRAND TOTAL	7435	3.1	12	1	1	2	4	6	8	15

366 Hospitals, Southern Region, January-December 1985

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5233	3.8	4	1	2	3	5	6	8	11
20-34	851	4.5	5	2	2	4	6	8	9	12
35-49	820	5.2	9	2	2	5	6	8	10	15
50-64	908	5.7	8	2	3	5	7	9	11	15
65+	1330	6.6	11	3	3	6	8	11	12	18
B. Operated										
0-19 YRS	47	8.3	51	2	2	5	10	16	25	34
20-34	38	6.1	14	1	2	6	8	11	13	16
35-49	45	7.6	18	2	3	7	10	14	15	22
50-64	79	8.3	40	2	2	8	11	14	17	40
65+	73	10.5	38	2	3	10	13	18	23	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7861	4.5	9	2	2	4	5	8	10	15
20-34	1408	6.2	21	2	3	5	7	11	14	22
35-49	2299	6.4	18	2	3	5	8	11	13	22
50-64	4825	7.6	26	3	3	7	9	13	16	27
65+	16939	9.0	35	3	4	8	11	15	19	32
B. Operated										
0-19 YRS	244	12.6	137	2	3	9	17	29	40	99+
20-34	195	11.9	76	3	4	9	15	24	30	41
35-49	374	12.5	84	3	4	10	16	23	33	52
50-64	840	13.0	78	3	5	11	16	24	32	50
65+	1984	14.8	106	4	6	12	18	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9142	4.6	7	2	2	4	6	8	9	14
B. Operated	282	8.5	36	2	2	7	11	15	18	30
2. MULTIPLE DX										
A. Not Operated	33332	7.4	29	2	3	6	9	13	17	28
B. Operated	3637	13.8	99	3	5	11	17	26	33	55
1. SINGLE DX	9424	4.7	9	2	2	4	6	8	10	15
2. MULTIPLE DX	36969	8.1	40	2	3	7	10	15	19	33
A. NOT OPERATED	42474	6.8	26	2	3	6	8	12	15	26
B. OPERATED	3919	13.5	96	3	5	11	17	25	33	53
TOTAL 0-19 YRS										
20-34	13385	4.4	11	2	2	4	5	7	10	16
35-49	2492	6.1	23	2	2	5	7	11	14	27
50-64	3538	6.8	27	2	3	6	8	12	15	28
65+	6652	8.0	34	3	3	7	10	14	18	32
	20326	9.4	44	3	4	8	11	16	21	36
GRAND TOTAL	46393	7.4	35	2	3	6	9	14	18	31

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	249	3.2	3	1	1	3	4	5	7	8
20-34	139	3.5	3	1	2	3	4	6	7	8
35-49	152	4.1	6	2	2	4	5	6	8	13
50-64	126	4.8	7	2	2	4	6	8	9	15
65+	124	5.0	9	2	2	4	6	8	11	17
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	2	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	533	3.4	3	1	2	3	4	5	7	9
20-34	291	3.8	6	1	2	3	5	7	9	12
35-49	380	4.7	8	2	2	4	6	8	10	15
50-64	583	5.3	9	2	2	4	6	9	11	15
65+	1193	6.7	23	2	3	6	8	12	15	25
B. Operated										
0-19 YRS	10	8.9	129	1	2	5	9	26	40	40
20-34	9	5.0	6	2	2	4	7	9	9	9
35-49	18	7.9	23	2	3	7	11	15	18	20
50-64	25	7.6	16	3	4	6	9	14	15	19
65+	42	11.7	86	4	6	10	12	17	27	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	790	3.9	5	1	2	4	5	7	8	13
B. Operated	4	6.3	6	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	2980	5.3	15	2	2	4	6	9	12	21
B. Operated	104	9.2	59	3	3	8	11	14	20	48
1. SINGLE DX	794	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX	3084	5.4	17	2	2	4	7	10	13	22
A. NOT OPERATED	3770	5.0	13	2	2	4	6	9	11	20
B. OPERATED	108	9.1	57	3	3	8	11	14	20	48
TOTAL										
0-19 YRS	793	3.4	5	1	2	3	4	5	7	9
20-34	440	3.7	5	1	2	3	5	6	8	11
35-49	550	4.6	9	2	2	4	6	8	10	15
50-64	736	5.3	9	2	2	5	6	9	11	15
65+	1359	6.7	25	2	3	6	8	12	15	25
GRAND TOTAL	3878	5.1	15	2	2	4	6	9	12	21

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	529	3.1	3	1	1	3	4	5	6	9
20-34	62	4.0	4	1	2	4	5	7	8	10
35-49	124	4.8	7	2	2	4	6	8	9	15
50-64	154	4.9	9	1	2	4	6	8	11	14
65+	147	5.1	8	1	2	5	7	9	11	13
B. Operated										
0-19 YRS	9	4.1	6	<1	1	4	6	8	8	8
20-34	6	3.5	3	<1	<1	4	5	5	5	5
35-49	20	3.9	8	<1	1	3	5	9	9	9
50-64	35	4.0	9	<1	1	3	5	9	10	13
65+	19	5.6	12	1	2	5	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	757	3.9	6	1	2	3	5	7	8	14
20-34	199	4.5	7	2	2	4	5	8	10	14
35-49	418	5.0	8	2	2	4	6	8	10	17
50-64	978	6.2	16	2	3	5	8	11	14	22
65+	1700	7.0	22	2	3	6	9	12	15	23
B. Operated										
0-19 YRS	24	8.3	83	1	2	6	9	14	29	45
20-34	44	6.5	20	2	2	6	8	13	17	20
35-49	100	5.3	12	1	2	4	8	10	12	16
50-64	185	8.8	140	1	2	6	10	14	26	80
65+	237	9.1	49	1	2	8	12	18	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1016	3.9	6	1	2	3	5	7	9	13
B. Operated	90	4.3	9	<1	1	4	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	4052	5.9	17	2	2	5	7	11	13	22
B. Operated	590	8.2	72	1	2	6	10	16	21	40
1. SINGLE DX	1106	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX	4642	6.2	24	2	2	5	8	11	14	24
A. NOT OPERATED	5068	5.5	15	2	2	5	7	10	12	21
B. OPERATED	680	7.7	65	1	2	6	9	15	20	35
TOTAL										
0-19 YRS	1319	3.7	7	1	2	3	4	6	8	13
20-34	311	4.7	9	2	2	4	6	8	10	17
35-49	662	5.0	9	2	2	4	6	8	10	16
50-64	1353	6.4	33	2	2	5	8	11	14	27
65+	2103	7.1	25	2	3	6	9	12	16	26
GRAND TOTAL	5748	5.8	22	2	2	5	7	11	13	23

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	11	4.5	5	2	2	4	6	8	9	9
50-64	45	7.0	21	1	2	6	9	11	18	20
65+	63	5.5	13	2	2	5	7	8	11	24
B. Operated										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	12.3	52	4	4	16	17	17	17	17
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.3	42	4	4	4	11	17	17	17
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	52	6.5	17	2	3	5	9	13	15	16
50-64	300	7.2	22	2	3	6	9	13	16	24
65+	624	7.6	30	2	3	6	9	14	18	26
B. Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	16	8.1	26	1	3	7	10	13	20	23
35-49	19	11.8	38	3	4	11	16	21	23	24
50-64	44	11.9	117	3	4	9	14	23	27	66
65+	78	13.7	113	2	3	11	16	28	37	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	6.0	16	2	2	5	7	10	13	22
B. Operated	8	11.1	27	4	5	12	16	17	17	17
2. MULTIPLE DX										
A. Not Operated	982	7.4	27	2	3	6	9	13	17	25
B. Operated	158	12.4	97	3	4	10	15	24	32	50
1. SINGLE DX	127	6.3	18	2	2	5	8	11	16	21
2. MULTIPLE DX	1140	8.1	40	2	3	6	10	15	20	32
A. NOT OPERATED	1101	7.3	26	2	3	6	9	13	17	25
B. OPERATED	166	12.3	94	3	4	10	15	23	31	49
TOTAL 0-19 YRS										
20-34	19	7.8	25	1	2	7	10	13	18	23
35-49	83	7.5	25	2	3	6	11	15	17	23
50-64	392	7.8	35	2	3	6	10	15	18	28
65+	766	8.1	41	2	3	6	10	15	21	36
GRAND TOTAL	1267	7.9	38	2	3	6	10	15	19	31

366 Hospitals, Southern Region, January-December 1985

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4679	3.0	3	1	1	3	4	5	6	8
20-34	1014	3.6	4	1	2	3	5	6	7	10
35-49	953	4.3	9	1	2	4	5	7	9	14
50-64	799	4.9	8	1	2	4	6	8	10	15
65+	582	5.2	10	2	2	5	6	9	11	16
B. Operated										
0-19 YRS	16	5.0	8	2	2	4	6	9	11	12
20-34	12	3.5	3	<1	<1	3	5	6	6	6
35-49	12	7.3	12	3	3	7	9	13	14	14
50-64	8	13.8	159	4	5	10	13	35	44	44
65+	5	7.0	43	2	2	3	13	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3738	3.6	5	1	2	3	4	6	7	11
20-34	1183	4.6	10	1	2	4	6	8	10	15
35-49	1826	5.3	12	2	2	4	6	9	11	19
50-64	2915	6.2	17	2	3	5	8	11	13	20
65+	3741	6.9	20	2	3	5	8	12	14	23
B. Operated										
0-19 YRS	54	9.2	69	2	2	7	10	19	33	36
20-34	45	7.0	24	2	3	6	8	9	21	25
35-49	98	10.2	51	3	4	8	13	20	23	39
50-64	195	10.8	61	3	4	8	13	19	28	42
65+	195	11.3	60	4	5	9	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8027	3.6	5	1	2	3	4	6	8	11
B. Operated	53	6.7	41	2	2	5	8	12	15	43
2. MULTIPLE DX										
A. Not Operated	13403	5.4	15	2	2	4	7	10	12	19
B. Operated	587	10.4	58	3	4	8	13	19	24	39
1. SINGLE DX	8080	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX	13990	5.6	18	2	2	5	7	10	13	21
A. NOT OPERATED	21430	4.7	12	1	2	4	6	9	11	17
B. OPERATED	640	10.1	58	3	3	8	13	19	24	39
TOTAL 0-19 YRS	8487	3.3	5	1	2	3	4	5	6	10
20-34	2254	4.2	8	1	2	4	5	7	9	14
35-49	2889	5.1	14	2	2	4	6	9	11	19
50-64	3917	6.2	19	2	2	5	8	11	13	21
65+	4523	6.8	22	2	3	6	8	12	15	24
GRAND TOTAL	22070	4.9	14	1	2	4	6	9	11	19

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.9	5	1	1	3	5	7	8	8
20-34	21	5.7	12	2	2	5	7	9	13	18
35-49	96	5.4	12	2	2	4	7	9	13	62
50-64	433	5.9	22	2	2	5	7	10	12	24
65+	539	6.2	20	2	2	5	8	11	13	19
B. Operated										
0-19 YRS	13	5.7	28	1	1	3	9	14	17	18
20-34	5	3.4	2	2	2	3	5	5	5	5
35-49	13	6.1	18	1	2	6	8	13	14	14
50-64	22	8.9	46	2	2	8	12	16	23	32
65+	37	7.6	27	1	2	7	11	16	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	8.7	36	2	2	8	12	17	20	29
20-34	52	6.4	21	1	2	6	9	12	16	24
35-49	361	6.3	37	2	2	5	7	10	13	31
50-64	2487	7.0	24	2	3	6	9	12	16	26
65+	4480	7.5	32	2	3	6	9	13	17	28
B. Operated										
0-19 YRS	18	12.3	137	1	3	9	15	22	40	52
20-34	13	10.9	87	2	2	8	19	23	30	32
35-49	75	10.3	159	2	3	6	13	18	24	80
50-64	281	10.2	64	2	3	8	12	19	25	47
65+	484	11.6	76	3	4	9	14	22	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1099	6.0	20	2	2	5	7	10	13	21
B. Operated	90	7.2	30	1	2	6	9	15	16	28
2. MULTIPLE DX										
A. Not Operated	7436	7.3	29	2	3	6	9	13	16	28
B. Operated	871	11.0	81	2	3	9	13	21	28	54
1. SINGLE DX	1189	6.1	21	2	2	5	7	11	14	22
2. MULTIPLE DX	8307	7.7	36	2	3	6	9	14	18	31
A. NOT OPERATED	8535	7.1	28	2	3	6	9	12	16	27
B. OPERATED	961	10.6	77	2	3	8	13	21	27	52
TOTAL 0-19 YRS	97	8.5	55	1	2	7	12	17	21	41
20-34	91	6.7	30	1	2	5	8	12	20	29
35-49	545	6.7	51	2	2	5	8	12	16	33
50-64	3223	7.1	28	2	3	6	9	13	16	28
65+	5540	7.7	36	2	3	6	9	14	18	31
GRAND TOTAL	9496	7.5	34	2	3	6	9	13	17	30

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.7	7	1	1	3	4	8	10	10
20-34	111	2.8	5	1	1	2	3	5	7	13
35-49	31	3.2	5	1	1	2	4	7	8	9
50-64	13	4.1	3	1	1	4	5	6	7	7
65+	12	6.6	34	1	1	5	8	15	21	22
B. Operated										
0-19 YRS	111	6.6	26	2	3	5	8	12	17	27
20-34	444	5.7	11	2	3	5	7	10	12	18
35-49	141	6.6	18	2	3	6	8	13	15	21
50-64	70	7.2	22	2	2	6	9	14	18	20
65+	51	7.7	36	2	3	6	9	16	24	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.3	20	1	1	3	4	12	16	16
20-34	34	3.2	5	1	1	2	6	6	7	8
35-49	28	5.9	37	1	1	3	8	15	17	26
50-64	43	7.2	31	3	3	6	9	13	18	33
65+	63	6.4	19	1	2	6	8	12	15	22
B. Operated										
0-19 YRS	27	7.6	18	3	3	7	10	14	16	21
20-34	163	9.3	44	3	4	7	12	17	22	32
35-49	132	10.4	48	3	4	9	13	19	22	37
50-64	185	10.5	60	3	4	8	14	22	26	39
65+	294	12.2	113	3	4	8	16	27	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	200	3.3	7	1	1	2	4	7	8	13
B. Operated										
	817	6.2	17	2	3	5	8	11	14	21
2. MULTIPLE DX										
A. Not Operated										
	179	5.8	24	1	1	5	7	12	15	25
B. Operated										
	801	10.8	74	3	4	8	14	22	28	46
1. SINGLE DX	1017	5.7	16	1	2	5	7	11	14	21
2. MULTIPLE DX	980	9.9	69	2	3	7	12	20	27	44
A. NOT OPERATED	379	4.5	17	1	1	3	6	9	12	22
B. OPERATED	1618	8.5	50	2	3	6	10	17	22	36
TOTAL										
0-19 YRS	182	6.1	22	1	2	5	8	12	15	25
20-34	752	6.0	21	1	2	5	7	11	15	23
35-49	332	7.7	36	2	2	6	10	16	20	29
50-64	311	9.0	49	3	3	6	11	19	24	36
65+	420	10.7	93	2	3	7	13	22	30	53
GRAND TOTAL	1997	7.7	47	2	2	6	9	16	21	34

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	517	3.1	4	1	1	3	4	6	7	10
20-34	162	3.6	15	1	1	3	4	6	8	17
35-49	147	4.1	10	1	1	4	5	7	9	19
50-64	181	4.2	12	1	1	3	5	8	10	17
65+	198	5.7	15	1	2	5	8	10	12	21
B. Operated										
0-19 YRS	107	6.0	82	1	1	3	8	12	17	57
20-34	75	6.5	20	1	2	6	9	11	15	21
35-49	130	6.6	36	1	1	5	8	13	17	34
50-64	195	6.6	27	1	1	5	9	12	17	27
65+	142	6.6	39	1	1	5	8	15	19	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	909	4.5	18	1	1	3	5	9	12	22
20-34	361	5.1	20	1	1	4	6	11	15	22
35-49	690	5.7	29	1	2	4	7	11	14	31
50-64	1632	6.6	28	2	2	5	8	12	16	28
65+	4492	8.0	38	2	3	6	10	15	19	32
B. Operated										
0-19 YRS	242	9.1	140	1	1	5	11	20	30	74
20-34	177	10.4	97	1	2	8	14	23	31	48
35-49	460	10.7	127	1	2	8	14	22	30	68
50-64	895	10.7	102	2	2	8	14	22	30	54
65+	1534	12.0	117	2	3	9	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1205	3.9	10	1	1	3	5	7	9	17
B. Operated										
	649	6.5	39	1	1	5	8	13	17	28
2. MULTIPLE DX										
A. Not Operated										
	8084	7.0	34	2	2	6	9	13	17	30
B. Operated										
	3308	11.2	116	1	2	8	14	23	31	57
1. SINGLE DX	1854	4.8	22	1	1	3	6	9	12	21
2. MULTIPLE DX	11392	8.2	61	2	2	6	10	16	22	41
A. NOT OPERATED	9289	6.6	32	1	2	5	8	13	16	29
B. OPERATED	3957	10.4	106	1	2	8	13	22	29	54
TOTAL										
0-19 YRS	1775	4.8	38	1	1	3	5	9	14	30
20-34	775	6.1	42	1	1	4	8	13	17	39
35-49	1427	7.2	65	1	2	5	9	15	21	39
50-64	2903	7.7	54	1	2	6	9	15	21	40
65+	6366	8.8	60	2	3	7	11	17	22	41
GRAND TOTAL	13246	7.7	57	1	2	6	9	15	21	40

366 Hospitals, Southern Region, January-December 1985

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.8	2	<1	<1	3	4	4	5	6
20-34	27	4.0	27	1	1	2	4	7	11	28
35-49	16	2.8	2	<1	<1	3	4	5	5	5
50-64	4	3.0	2	1	1	3	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	698	2.2	2	<1	<1	2	3	4	5	7
20-34	719	3.0	2	1	1	3	4	4	5	8
35-49	508	3.1	2	1	1	3	4	5	6	9
50-64	235	2.9	4	1	1	3	4	4	5	9
65+	69	3.2	8	<1	1	3	4	5	6	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	3.1	4	<1	1	3	4	6	7	10
20-34	96	3.6	7	<1	1	3	5	6	10	13
35-49	69	3.9	13	1	1	3	4	6	9	24
50-64	42	3.7	9	1	1	3	4	9	11	12
65+	48	5.5	24	1	2	5	6	9	14	31
B. Operated										
0-19 YRS	839	2.5	2	<1	<1	2	3	4	5	8
20-34	766	3.3	6	1	1	3	4	5	6	16
35-49	561	3.2	6	1	1	3	4	5	7	12
50-64	437	3.2	6	1	2	2	4	6	8	14
65+	367	3.5	19	1	2	3	4	6	9	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	3.3	11	<1	1	3	4	5	7	22
B. Operated	2229	2.8	3	<1	1	3	4	4	5	8
2. MULTIPLE DX										
A. Not Operated	368	3.7	10	<1	1	3	5	7	9	14
B. Operated	2970	3.1	7	1	1	3	4	5	6	13
1. SINGLE DX	2309	2.8	3	<1	1	3	4	4	5	8
2. MULTIPLE DX	3338	3.1	7	1	1	3	4	5	7	14
A. NOT OPERATED	448	3.7	10	<1	1	3	4	6	9	14
B. OPERATED	5199	2.9	5	<1	1	3	4	5	6	11
TOTAL 0-19 YRS	1682	2.4	2	<1	<1	2	3	4	5	8
20-34	1608	3.2	5	1	1	3	4	5	6	12
35-49	1154	3.2	5	1	1	3	4	5	6	12
50-64	718	3.2	6	1	1	3	4	5	8	14
65+	485	3.7	18	1	2	3	4	6	9	25
GRAND TOTAL	5647	3.0	5	<1	1	3	4	5	6	12

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	3.1	2	1	1	3	4	5	6	7
20-34	23	3.9	3	<1	1	4	5	6	7	8
35-49	17	4.2	5	<1	1	4	6	7	8	9
50-64	13	4.7	8	1	2	4	7	9	10	10
65+	20	5.1	2	2	3	5	6	7	8	8
B. Operated										
0-19 YRS	90	2.7	5	<1	<1	2	4	5	6	14
20-34	104	2.3	1	1	1	2	3	4	4	6
35-49	101	3.0	10	1	1	2	3	5	7	19
50-64	101	2.9	3	1	1	3	4	5	6	8
65+	95	3.1	11	1	1	3	3	4	5	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	3.8	5	2	2	3	5	6	8	13
20-34	54	4.0	4	1	2	4	5	7	8	10
35-49	55	4.6	10	1	1	4	6	8	11	15
50-64	77	5.2	14	1	1	5	7	10	12	18
65+	113	7.0	21	2	3	6	8	12	16	27
B. Operated										
0-19 YRS	76	3.7	7	1	1	3	5	7	9	13
20-34	91	4.2	11	1	1	3	5	8	11	19
35-49	99	3.5	7	1	1	3	4	6	9	16
50-64	165	4.0	13	1	1	3	4	7	11	16
65+	185	5.2	30	1	1	3	6	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.8	4	1	2	4	5	6	7	9
B. Operated	491	2.8	6	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	454	4.9	12	1	2	4	6	9	11	19
B. Operated	616	4.3	17	1	1	3	5	8	11	22
1. SINGLE DX	628	3.0	6	1	1	3	4	5	6	9
2. MULTIPLE DX	1070	4.6	15	1	2	4	5	9	11	19
A. NOT OPERATED	591	4.7	11	1	2	4	6	8	10	17
B. OPERATED	1107	3.6	12	1	1	3	4	6	9	18
TOTAL 0-19 YRS	385	3.4	5	<1	1	3	4	6	7	13
20-34	272	3.4	6	1	1	3	4	6	8	14
35-49	272	3.6	9	1	1	3	4	7	9	15
50-64	356	4.0	11	1	1	3	5	8	10	16
65+	413	5.2	24	1	2	4	6	10	13	31
GRAND TOTAL	1698	4.0	12	1	1	3	5	7	10	18

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	349	2.9	7	1	1	2	3	6	8	12
20-34	133	2.9	4	1	1	2	4	5	6	11
35-49	211	3.1	3	1	1	3	4	6	7	8
50-64	168	2.9	3	1	1	2	4	5	6	9
65+	89	3.5	5	1	1	3	5	7	8	10
B. Operated										
0-19 YRS	162	4.5	25	<1	<1	2	7	10	14	27
20-34	64	4.6	10	1	1	4	6	9	11	15
35-49	91	4.5	6	1	1	4	6	8	9	11
50-64	104	5.4	17	<1	1	5	7	11	14	20
65+	99	5.6	23	<1	1	4	8	12	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	485	4.0	13	1	1	3	5	8	10	19
20-34	517	3.6	6	1	1	3	4	6	8	14
35-49	958	3.9	7	1	2	3	5	7	9	13
50-64	1121	4.3	9	1	2	4	5	7	10	15
65+	1500	5.0	16	1	2	4	6	9	11	20
B. Operated										
0-19 YRS	323	11.0	125	1	1	8	15	26	34	57
20-34	241	6.6	36	1	2	5	8	13	17	37
35-49	514	6.4	27	1	2	5	8	12	15	28
50-64	741	7.4	78	1	2	6	8	13	19	60
65+	1075	8.3	76	1	2	6	10	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	950	3.0	5	1	1	2	4	6	7	10
B. Operated	520	4.9	18	<1	1	4	7	10	12	22
2. MULTIPLE DX										
A. Not Operated	4581	4.3	11	1	2	4	5	8	10	17
B. Operated	2894	7.9	72	1	2	6	9	15	22	45
1. SINGLE DX	1470	3.7	10	1	1	3	5	7	9	16
2. MULTIPLE DX	7475	5.7	37	1	2	4	7	11	15	30
A. NOT OPERATED	5531	4.1	10	1	1	3	5	7	10	16
B. OPERATED	3414	7.4	65	1	2	5	9	15	21	43
TOTAL 0-19 YRS	1319	5.5	50	1	1	3	6	12	19	35
20-34	955	4.3	15	1	1	3	5	8	11	20
35-49	1774	4.6	14	1	2	4	6	9	11	19
50-64	2134	5.3	35	1	2	4	6	10	13	26
65+	2763	6.3	42	1	2	5	7	12	16	32
GRAND TOTAL	8945	5.4	34	1	1	4	6	10	14	28

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.5	4	<1	1	3	5	7	8	8
20-34	57	3.5	4	1	1	3	4	6	8	9
35-49	94	4.1	9	1	1	3	5	8	10	15
50-64	85	3.7	6	1	2	3	4	6	7	17
65+	43	4.2	6	1	2	4	5	7	9	12
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	35	5.8	10	1	2	5	8	10	11	15
35-49	61	6.5	15	2	2	5	9	12	15	17
50-64	58	6.1	14	<1	1	6	8	10	14	16
65+	35	6.7	16	2	2	7	10	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.1	2	1	2	3	4	5	6	6
20-34	168	4.7	9	2	2	4	6	8	10	17
35-49	295	5.3	13	2	2	4	7	10	12	19
50-64	366	5.2	12	2	2	4	7	9	11	17
65+	424	5.6	10	2	2	5	7	10	12	15
B. Operated										
0-19 YRS	8	5.4	19	1	1	4	8	12	13	13
20-34	87	5.5	9	2	2	5	7	9	11	15
35-49	250	7.5	57	2	3	6	9	13	18	44
50-64	326	7.0	27	2	3	5	9	13	16	31
65+	462	7.8	32	2	3	6	10	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	3.8	6	1	1	3	5	7	9	13
B. Operated	190	6.2	14	1	2	6	8	11	14	16
2. MULTIPLE DX										
A. Not Operated	1269	5.2	11	2	2	4	7	9	11	17
B. Operated	1133	7.3	35	2	3	6	9	13	16	31
1. SINGLE DX	486	4.8	11	1	2	4	6	9	11	16
2. MULTIPLE DX	2402	6.2	23	2	2	5	8	11	14	26
A. NOT OPERATED	1565	5.0	10	2	2	4	6	9	11	16
B. OPERATED	1323	7.2	32	2	3	6	9	13	16	31
TOTAL 0-19 YRS	42	3.7	6	1	1	3	4	6	9	13
20-34	347	4.8	9	1	2	4	6	9	10	15
35-49	700	6.0	30	2	2	5	7	11	14	27
50-64	835	5.8	18	2	2	5	7	10	14	22
65+	964	6.6	22	2	2	5	8	12	15	26
GRAND TOTAL	2888	6.0	21	2	2	5	7	11	14	24

366 Hospitals, Southern Region, January-December 1985

**191: Gastric ulcer with hemorrhage or perforation
(531.00; 531.10; 531.20; 531.40; 531.50; 531.60)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	6	1	1	2	3	7	8	8
20-34	43	3.5	5	1	2	3	4	6	8	12
35-49	72	4.4	6	2	2	4	5	7	8	16
50-64	79	4.3	5	1	2	4	5	7	8	13
65+	95	5.0	7	2	2	5	6	8	10	15
B. Operated										
0-19 YRS	4	5.0	5	2	2	5	6	7	7	7
20-34	27	6.6	19	2	2	7	8	10	14	24
35-49	48	7.4	16	3	3	7	9	13	15	19
50-64	79	7.2	14	2	3	6	10	11	14	21
65+	85	8.0	21	3	3	7	10	15	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.3	1	2	2	3	4	4	4	4
20-34	71	3.9	4	1	2	3	5	7	9	10
35-49	168	5.5	16	2	2	5	6	10	12	22
50-64	304	5.7	11	2	3	5	7	9	12	19
65+	842	6.9	27	2	3	6	8	12	16	28
B. Operated										
0-19 YRS	11	8.4	13	1	4	8	10	13	15	15
20-34	41	6.9	28	1	2	5	8	14	19	25
35-49	133	7.6	27	3	3	6	9	14	17	52
50-64	369	9.6	65	3	3	8	12	16	22	49
65+	860	10.4	76	3	4	8	13	19	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	4.4	6	1	2	4	5	7	8	13
B. Operated	243	7.4	17	2	3	7	10	13	15	22
2. MULTIPLE DX										
A. Not Operated	1391	6.3	21	2	3	5	7	11	14	22
B. Operated	1414	9.8	67	3	4	7	12	18	24	50
1. SINGLE DX	539	5.8	13	2	2	5	7	11	13	17
2. MULTIPLE DX	2805	8.1	48	2	3	6	9	15	19	40
A. NOT OPERATED	1687	6.0	19	2	3	5	7	10	13	21
B. OPERATED	1657	9.5	61	3	4	7	11	17	23	48
TOTAL 0-19 YRS	28	5.4	13	1	1	5	8	10	12	15
20-34	182	4.9	14	1	2	4	6	8	11	23
35-49	421	6.2	19	2	3	5	8	12	14	24
50-64	831	7.4	39	2	3	6	9	13	17	34
65+	1882	8.4	51	3	3	6	10	16	21	41
GRAND TOTAL	3344	7.7	43	2	3	6	9	14	18	35

**192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90;
533.30; 533.70; 533.90; 534.30; 534.70; 534.90)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	3.3	4	1	1	3	4	6	7	11
20-34	406	3.4	4	1	1	3	4	6	7	11
35-49	375	3.4	4	1	2	3	4	6	7	9
50-64	233	3.7	3	1	2	3	5	6	7	10
65+	103	4.6	6	2	2	4	6	8	10	13
B. Operated										
0-19 YRS	7	5.4	11	1	1	5	8	10	10	10
20-34	57	6.9	7	2	3	7	8	10	12	14
35-49	72	8.6	10	4	5	8	10	12	14	21
50-64	39	9.1	44	2	2	8	12	17	25	29
65+	12	8.2	27	2	3	8	9	14	21	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	4.1	9	1	1	3	5	8	11	15
20-34	569	4.0	6	1	2	3	5	7	9	14
35-49	805	4.6	10	2	2	4	6	8	10	17
50-64	818	4.8	9	2	2	4	6	8	10	15
65+	940	5.5	12	2	2	5	7	9	12	19
B. Operated										
0-19 YRS	6	4.5	4	3	3	4	5	8	8	8
20-34	118	8.4	35	2	3	7	10	15	21	30
35-49	239	7.9	22	2	3	7	10	13	18	24
50-64	246	7.9	24	2	3	7	10	14	19	21
65+	210	9.9	82	3	3	7	11	18	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1217	3.5	4	1	2	3	4	6	7	10
B. Operated	187	8.0	18	2	3	8	9	13	15	25
2. MULTIPLE DX										
A. Not Operated	3221	4.8	10	2	2	4	6	8	10	16
B. Operated	819	8.4	40	2	3	7	10	15	20	31
1. SINGLE DX	1404	4.1	8	1	2	3	5	8	9	15
2. MULTIPLE DX	4040	5.5	18	2	2	4	7	10	13	21
A. NOT OPERATED	4438	4.4	9	1	2	4	5	8	10	15
B. OPERATED	1006	8.4	36	2	3	7	10	15	19	30
TOTAL 0-19 YRS	202	3.7	7	1	1	3	5	7	9	13
20-34	1150	4.4	11	1	2	4	5	8	10	16
35-49	1491	5.0	13	2	2	4	6	9	12	20
50-64	1336	5.3	14	2	2	4	6	10	12	19
65+	1265	6.1	26	2	2	5	7	11	14	26
GRAND TOTAL	5444	5.2	16	2	2	4	6	9	12	21

193: Nongastric peptic ulcer with hemorrhage or perforation
 (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.8	4	1	1	3	5	7	8	9
20-34	179	3.5	3	1	2	3	4	6	7	8
35-49	207	4.1	3	1	2	4	5	6	7	10
50-64	190	4.2	3	2	2	4	5	6	8	11
65+	163	4.9	4	2	3	4	6	8	9	10
B. Operated										
0-19 YRS	7	6.3	1	5	5	6	7	8	8	8
20-34	84	7.6	7	4	5	7	9	11	12	18
35-49	93	7.7	13	3	4	7	9	11	15	22
50-64	84	8.2	16	3	4	8	10	13	15	22
65+	76	9.9	34	4	5	8	11	16	19	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	3.8	8	1	2	3	5	6	10	15
20-34	209	4.5	9	1	2	4	5	8	9	17
35-49	357	5.0	17	2	2	4	6	8	10	17
50-64	530	5.5	10	2	3	5	7	9	11	17
65+	1227	6.8	20	3	3	6	8	11	14	25
B. Operated										
0-19 YRS	10	13.3	204	5	5	9	10	36	52	52
20-34	78	9.9	90	3	4	8	11	15	27	58
35-49	147	10.3	59	3	4	9	12	17	25	45
50-64	271	12.1	134	3	5	9	13	21	30	93
65+	630	13.8	118	4	5	11	17	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	762	4.1	4	2	2	4	5	7	8	10
B. Operated	344	8.3	17	3	4	8	10	13	16	24
2. MULTIPLE DX										
A. Not Operated	2346	6.0	17	2	3	5	7	10	13	21
B. Operated	1136	12.7	114	4	5	10	14	23	31	63
1. SINGLE DX	1106	5.4	12	2	2	5	7	9	11	17
2. MULTIPLE DX	3482	8.2	59	2	3	6	10	15	20	41
A. NOT OPERATED	3108	5.5	14	2	2	5	7	9	12	19
B. OPERATED	1480	11.6	95	4	5	9	13	21	29	53
TOTAL 0-19 YRS	63	5.6	46	1	2	5	6	9	12	48
20-34	550	5.4	23	1	2	4	7	9	12	24
35-49	804	6.1	26	2	2	5	7	11	13	27
50-64	1075	7.1	49	2	3	5	8	13	16	33
65+	2096	8.9	60	3	3	7	10	16	22	41
GRAND TOTAL	4588	7.5	49	2	3	6	9	13	18	36

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	6	3.8	8	1	1	3	4	9	9	9
35-49	6	4.8	3	3	3	4	6	8	8	8
50-64	22	5.1	4	2	3	5	6	7	9	10
65+	16	4.9	3	2	3	5	6	7	8	8
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	8.8	16	3	4	8	12	15	15	15
35-49	36	10.6	19	3	5	10	13	16	20	23
50-64	23	10.6	20	4	6	10	14	16	19	21
65+	18	11.2	14	5	7	11	14	16	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	13	6.1	17	2	3	5	9	11	16	17
35-49	38	6.1	11	2	3	5	8	10	14	16
50-64	52	7.2	13	3	3	7	9	12	12	20
65+	111	7.6	24	3	3	6	9	13	16	28
B. Operated										
0-19 YRS	3	8.0	4	6	6	8	9	10	10	10
20-34	10	10.0	48	2	3	8	14	21	22	22
35-49	83	11.4	36	4	5	10	14	20	23	32
50-64	112	14.6	110	5	6	12	17	25	36	60
65+	179	15.6	139	5	6	12	19	28	36	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	4.9	4	2	2	5	6	7	9	10
B. Operated	89	10.5	18	4	5	10	13	15	19	22
2. MULTIPLE DX										
A. Not Operated	216	7.1	19	2	3	6	9	12	15	23
B. Operated	387	14.2	108	4	6	12	17	25	32	69
1. SINGLE DX	139	8.5	20	2	3	8	11	14	17	21
2. MULTIPLE DX	603	11.6	87	3	4	9	14	21	28	52
A. NOT OPERATED	266	6.7	17	2	3	6	8	12	14	23
B. OPERATED	476	13.5	93	4	6	11	16	23	30	57
TOTAL 0-19 YRS	6	7.3	12	2	2	7	10	12	12	12
20-34	40	7.5	26	2	2	7	9	15	19	22
35-49	163	9.7	30	3	4	9	13	17	20	28
50-64	209	11.3	78	3	4	9	13	20	26	49
65+	324	12.1	102	3	4	9	15	23	29	64
GRAND TOTAL	742	11.1	76	3	4	9	13	20	26	48

366 Hospitals, Southern Region, January-December 1985

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	376	2.5	3	1	1	2	3	4	5	9
20-34	616	2.9	4	1	1	2	3	5	6	9
35-49	480	3.3	5	1	1	3	4	6	7	10
50-64	266	3.1	3	1	1	3	4	5	6	9
65+	134	3.6	4	1	1	3	5	6	8	10
B. Operated										
0-19 YRS	31	3.8	7	<1	1	3	4	7	9	14
20-34	42	4.7	8	1	2	4	6	8	10	14
35-49	76	5.8	12	2	2	5	7	9	12	19
50-64	41	4.5	8	1	2	4	6	8	10	15
65+	30	5.6	26	1	1	4	7	10	14	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	900	2.9	6	1	1	2	3	5	6	10
20-34	1594	3.7	7	1	1	3	5	7	8	13
35-49	1925	4.1	8	1	2	3	5	7	9	14
50-64	1853	4.5	9	1	2	4	5	8	10	16
65+	2181	5.1	12	2	2	4	6	9	12	18
B. Operated										
0-19 YRS	57	5.5	148	1	2	3	5	7	9	88
20-34	310	6.2	29	2	2	5	8	11	14	31
35-49	466	6.3	26	2	2	5	8	11	14	29
50-64	520	6.4	24	2	2	5	8	12	16	27
65+	685	7.8	38	2	3	6	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1872	3.0	4	1	1	3	4	5	6	10
B. Operated	220	5.0	12	1	2	4	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	8453	4.2	9	1	2	4	5	7	9	15
B. Operated	2038	6.8	34	2	2	5	8	12	16	31
1. SINGLE DX	2092	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX	10491	4.7	15	1	2	4	6	9	11	19
A. NOT OPERATED	10325	4.0	8	1	2	3	5	7	9	15
B. OPERATED	2258	6.6	32	2	2	5	8	12	16	31
TOTAL										
0-19 YRS	1364	2.9	11	1	1	2	3	5	6	10
20-34	2562	3.8	10	1	1	3	5	7	9	15
35-49	2947	4.4	11	1	2	4	5	8	10	16
50-64	2680	4.7	12	1	2	4	6	8	11	18
65+	3030	5.7	19	2	2	5	7	10	14	23
GRAND TOTAL	12583	4.5	14	1	2	4	5	8	10	18

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	95	2.5	2	1	1	2	3	5	6	8	
20-34	112	3.4	11	1	1	3	4	6	7	19	
35-49	104	3.5	4	1	1	3	4	7	8	10	
50-64	65	4.0	8	1	1	3	5	7	9	15	
65+	18	3.8	2	2	2	4	5	5	6	6	
B. Operated											
0-19 YRS	92	3.4	4	2	2	3	4	5	6	14	
20-34	19	8.1	50	2	2	6	9	18	25	30	
35-49	25	8.9	45	1	2	8	10	18	27	28	
50-64	23	10.3	25	3	4	11	13	16	19	22	
65+	12	11.1	92	<1	1	9	15	27	32	33	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	145	3.4	9	1	1	3	4	6	8	18	
20-34	315	3.8	7	1	1	3	5	7	8	15	
35-49	406	4.3	7	1	2	4	6	8	9	14	
50-64	412	4.9	14	1	2	4	6	9	12	21	
65+	471	6.1	25	2	2	5	7	11	14	30	
B. Operated											
0-19 YRS	33	8.6	243	1	2	4	6	19	39	84	
20-34	80	8.0	27	2	3	7	10	15	19	27	
35-49	149	11.3	138	2	2	8	13	22	37	60	
50-64	191	11.7	67	2	3	10	16	22	29	46	
65+	272	14.6	126	2	3	12	19	30	40	62	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	394	3.3	6	1	1	3	4	6	7	12	
B. Operated	171	6.2	33	2	2	4	8	13	17	30	
2. MULTIPLE DX											
A. Not Operated	1749	4.7	15	1	2	4	6	8	11	22	
B. Operated	725	12.2	111	2	3	9	16	24	33	53	
1. SINGLE DX	565	4.2	16	1	1	3	5	8	11	24	
2. MULTIPLE DX	2474	6.9	54	1	2	5	8	15	21	39	
A. NOT OPERATED	2143	4.5	13	1	2	4	5	8	10	20	
B. OPERATED	896	11.0	102	2	2	8	14	23	31	50	
TOTAL											
0-19 YRS	365	3.6	29	1	1	3	4	6	8	19	
20-34	526	4.5	15	1	2	3	5	8	11	21	
35-49	684	5.9	45	1	2	4	7	11	16	38	
50-64	691	6.9	39	1	2	5	8	14	19	32	
65+	773	9.1	78	2	2	6	12	20	27	46	
GRAND TOTAL	3039	6.4	48	1	2	4	8	13	19	37	

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.1	1	<1	1	2	3	3	4	4
20-34	19	1.9	1	<1	<1	2	3	4	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+	3	3.0	7	1	1	2	5	6	6	6
B. Operated										
0-19 YRS	3287	3.1	2	2	2	3	4	5	5	8
20-34	2319	3.3	2	2	2	3	4	5	6	8
35-49	730	3.7	2	2	2	3	4	5	6	9
50-64	298	4.2	4	2	2	4	5	7	8	12
65+	82	4.9	5	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.3		1	1	1	2	2	2	2
20-34	10	4.2	10	1	1	3	5	9	11	11
35-49	7	2.7	3	<1	<1	2	4	5	5	5
50-64	6	4.0	6	1	1	3	7	7	7	7
65+	7	7.0	25	4	4	5	7	16	18	18
B. Operated										
0-19 YRS	498	4.2	6	2	2	4	5	7	9	14
20-34	427	4.8	14	2	2	4	6	8	10	15
35-49	236	5.8	14	2	3	5	7	10	14	21
50-64	142	6.4	19	2	2	5	8	12	15	22
65+	113	6.9	15	3	3	6	8	11	17	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	53	2.1	1	<1	1	2	3	4	4	6
B. Operated										
	6716	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
	39	3.7	11	1	1	2	5	7	10	18
B. Operated										
	1416	5.1	13	2	2	4	6	9	11	19
1. SINGLE DX	6769	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX	1455	5.1	13	2	2	4	6	8	11	19
A. NOT OPERATED	92	2.8	6	<1	1	2	4	5	7	15
B. OPERATED	8132	3.6	5	2	2	3	4	6	7	11
TOTAL 0-19 YRS										
	3821	3.3	3	2	2	3	4	5	6	9
20-34	2775	3.5	4	2	2	3	4	5	7	10
35-49	977	4.2	6	2	2	4	5	7	8	15
50-64	446	4.9	10	2	2	4	6	8	11	16
65+	205	6.0	12	2	3	5	7	9	12	20
GRAND TOTAL	8224	3.6	5	2	2	3	4	6	7	11

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.3	10	1	2	4	7	10	13	13
20-34	8	6.3	14	1	1	6	9	11	12	12
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	8	7.5	11	4	4	7	9	13	14	14
65+	2	4.0	18	<1	<1	3	7	7	7	7
B. Operated										
0-19 YRS	726	6.8	12	2	3	6	8	11	13	19
20-34	352	6.4	10	3	3	6	8	10	11	18
35-49	239	7.0	10	3	4	6	9	11	13	16
50-64	168	8.1	15	4	4	7	9	12	16	23
65+	104	7.5	7	4	5	7	9	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	5	8.8	31	2	2	7	14	15	15	15
35-49	4	7.5	7	5	5	7	9	11	11	11
50-64	7	8.4	8	6	6	7	10	13	14	14
65+	8	9.6	17	2	4	10	11	15	17	17
B. Operated										
0-19 YRS	376	9.3	29	4	5	8	11	15	19	30
20-34	215	9.0	33	3	4	8	11	14	19	33
35-49	221	10.3	39	4	5	9	12	16	22	39
50-64	267	11.6	54	4	6	10	13	18	22	33
65+	296	12.5	53	5	7	11	15	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	31	6.1	11	1	2	6	8	11	13	14
B. Operated										
	1589	6.9	11	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated										
	28	7.9	17	2	2	8	10	14	15	17
B. Operated										
	1375	10.6	43	4	5	9	12	17	21	36
1. SINGLE DX	1620	6.9	11	3	3	6	8	11	13	19
2. MULTIPLE DX	1403	10.5	43	4	5	9	12	17	21	35
A. NOT OPERATED	59	6.9	15	1	2	7	9	13	14	17
B. OPERATED	2964	8.6	29	3	4	8	10	14	17	29
TOTAL										
0-19 YRS	1117	7.6	19	3	3	7	9	12	15	25
20-34	580	7.4	20	3	3	7	9	12	14	25
35-49	466	8.5	26	3	4	8	10	14	16	29
50-64	450	10.2	41	4	5	9	12	17	20	30
65+	410	11.1	46	5	5	10	13	17	21	40
GRAND TOTAL	3023	8.6	29	3	4	8	10	14	17	28

366 Hospitals, Southern Region, January-December 1985

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.0	1	<1	1	2	2	4	4	6
20-34	39	1.9	2	<1	<1	1	3	4	5	7
35-49	10	1.8	1	1	1	2	2	3	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	302	3.2	3	1	2	3	4	5	6	10
20-34	191	3.8	5	2	2	3	4	6	9	12
35-49	55	4.1	3	2	2	4	5	6	8	11
50-64	21	5.0	5	2	2	5	7	8	9	10
65+	11	5.3	6	2	3	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.4	2	<1	1	2	3	4	5	5
20-34	22	3.1	3	1	1	3	4	5	6	7
35-49	8	4.6	13	2	2	3	6	11	12	12
50-64	6	5.3	15	1	1	6	7	11	11	11
65+	8	4.0	7	1	1	3	5	8	10	10
B. Operated										
0-19 YRS	147	4.5	8	2	2	4	5	8	9	16
20-34	165	5.1	7	2	3	5	6	8	10	14
35-49	40	6.0	14	2	3	5	8	11	15	18
50-64	29	9.2	29	4	4	8	10	14	24	27
65+	18	9.8	42	4	4	8	12	18	25	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	2.0	2	<1	1	2	2	4	5	6
B. Operated	580	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	80	3.2	5	1	1	3	4	6	8	12
B. Operated	399	5.5	13	2	2	4	7	9	13	19
1. SINGLE DX	702	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX	479	5.1	12	2	2	4	6	9	12	19
A. NOT OPERATED	202	2.5	3	<1	1	2	3	5	6	10
B. OPERATED	979	4.4	8	2	2	4	5	8	9	16
TOTAL 0-19 YRS	554	3.3	4	1	1	3	4	5	7	12
20-34	417	4.1	6	1	2	4	5	7	9	12
35-49	113	4.6	9	1	2	4	5	8	11	16
50-64	58	7.1	22	2	2	6	8	12	14	27
65+	39	7.0	29	2	2	5	9	13	18	29
GRAND TOTAL	1181	4.0	8	1	2	3	5	7	9	15

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.5	2	<1	<1	1	1	2	5	8
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	9	2.6	4	1	1	2	4	6	6	6
50-64	10	2.3	2	<1	<1	2	3	4	4	4
65+	4	4.3	5	1	1	5	6	6	6	6
B. Operated										
0-19 YRS	2112	1.6	1	<1	<1	1	2	3	3	5
20-34	2111	2.6	2	1	1	2	3	4	5	7
35-49	2223	2.9	3	1	1	3	4	5	5	7
50-64	2872	3.1	2	1	1	3	4	5	6	8
65+	2037	3.5	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	1.5	2	<1	<1	1	1	3	4	9
20-34	16	1.8	2	<1	<1	1	2	4	5	5
35-49	26	3.5	8	<1	<1	3	5	9	10	11
50-64	52	2.5	4	<1	<1	2	3	5	6	9
65+	87	3.8	26	<1	1	3	5	8	10	31
B. Operated										
0-19 YRS	1261	2.1	10	<1	<1	2	2	3	4	9
20-34	708	3.3	6	1	1	3	4	5	6	11
35-49	1204	3.6	5	1	2	3	4	6	7	12
50-64	2200	4.0	8	1	2	3	5	7	8	13
65+	3111	4.6	10	2	2	4	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.0	3	<1	<1	1	2	5	6	8
B. Operated	11355	2.8	3	<1	1	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	262	2.7	12	<1	<1	1	3	6	8	11
B. Operated	8484	3.8	9	1	1	3	5	7	8	14
1. SINGLE DX	11410	2.8	3	<1	1	3	4	5	5	7
2. MULTIPLE DX	8746	3.8	9	1	1	3	5	7	8	14
A. NOT OPERATED	317	2.6	10	<1	<1	1	3	6	8	11
B. OPERATED	19839	3.2	6	1	1	3	4	5	7	11
TOTAL 0-19 YRS	3476	1.8	4	<1	<1	1	2	3	4	6
20-34	2845	2.8	3	1	1	3	4	4	5	8
35-49	3462	3.2	4	1	1	3	4	5	6	9
50-64	5134	3.5	5	1	1	3	4	6	7	10
65+	5239	4.1	7	1	2	4	5	7	9	15
GRAND TOTAL	20156	3.2	6	1	1	3	4	5	7	11

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	9	2.3	4	1	1	1	3	6	7	7
B. Operated										
0-19 YRS	224	1.9	1	<1	1	2	2	3	4	6
20-34	107	3.0	2	1	2	3	4	5	5	7
35-49	81	3.4	4	1	1	3	4	6	7	12
50-64	111	3.3	2	1	1	3	4	5	6	8
65+	227	5.0	24	2	2	4	6	7	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	3.6	12	1	1	2	5	9	12	12
65+	35	6.1	118	<1	1	3	6	11	14	65
B. Operated										
0-19 YRS	195	3.2	24	1	1	2	4	6	8	21
20-34	53	4.3	8	2	2	4	5	6	12	15
35-49	42	5.0	9	2	2	4	6	8	13	14
50-64	156	5.9	17	2	3	4	7	11	16	20
65+	548	7.1	32	2	3	5	8	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.9	2	<1	<1	1	2	3	5	7
B. Operated	750	3.4	10	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	58	4.7	76	<1	1	2	5	10	12	61
B. Operated	994	5.9	28	1	2	5	7	11	15	30
1. SINGLE DX	773	3.3	10	1	1	3	4	6	7	10
2. MULTIPLE DX	1052	5.9	31	1	2	4	7	11	15	31
A. NOT OPERATED	81	3.9	56	<1	1	2	4	8	11	49
B. OPERATED	1744	4.8	22	1	1	4	6	9	12	25
TOTAL 0-19 YRS	437	2.5	12	1	1	2	3	4	6	11
20-34	166	3.4	4	1	2	3	4	5	6	14
35-49	125	3.9	6	1	1	3	5	6	8	13
50-64	278	4.7	12	1	2	4	5	9	12	19
65+	819	6.4	34	2	2	5	7	11	15	33
GRAND TOTAL	1825	4.8	24	1	1	4	6	9	12	25

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	433	1.7	1	<1	<1	2	2	3	3	4
20-34	131	2.6	2	1	1	2	3	4	5	6
35-49	151	2.7	2	<1	1	2	3	5	6	7
50-64	99	3.2	4	1	1	3	4	6	7	12
65+	41	3.4	5	1	1	3	4	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.5	3	<1	<1	1	1	3	6	8
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	7	2.6	2	<1	<1	3	4	4	4	4
50-64	6	2.0	6	<1	<1	1	1	6	7	7
65+	9	2.9	3	<1	<1	2	4	6	6	6
B. Operated										
0-19 YRS	112	2.4	3	<1	1	2	3	5	6	9
20-34	59	4.4	6	1	2	4	5	8	9	12
35-49	142	4.1	9	1	1	3	5	7	10	15
50-64	147	4.1	7	1	2	4	5	7	9	13
65+	89	5.0	11	2	2	4	6	9	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.8	1	<1	<1	1	3	3	3	3
B. Operated	855	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	49	2.0	3	<1	<1	1	2	4	6	8
B. Operated	549	3.9	8	1	1	3	5	7	9	14
1. SINGLE DX	867	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	598	3.8	8	1	1	3	5	7	9	13
A. NOT OPERATED	61	2.0	2	<1	<1	1	3	4	5	8
B. OPERATED	1404	2.9	5	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	573	1.9	1	<1	<1	2	2	3	4	7
20-34	197	3.1	4	1	1	3	4	5	7	10
35-49	303	3.3	6	1	1	3	4	6	7	14
50-64	252	3.7	6	1	1	3	5	6	9	12
65+	140	4.4	9	1	2	4	6	8	10	14
GRAND TOTAL	1465	2.9	5	<1	1	2	4	5	7	12

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	1.6		<1	<1	2	2	2	2	2
50-64	6	3.2	7	1	1	2	4	8	8	8
65+	5	3.0	5	<1	<1	3	4	6	6	6
B. Operated										
0-19 YRS	63	2.2	2	<1	<1	2	2	4	6	7
20-34	247	3.4	4	1	1	3	4	6	7	11
35-49	427	4.2	6	1	2	4	5	7	8	11
50-64	482	4.7	6	2	2	5	6	8	9	11
65+	310	5.2	6	2	2	5	7	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	16	<1	<1	1	6	8	8	8
20-34	17	2.4	2	<1	<1	2	3	5	5	5
35-49	28	4.8	91	<1	1	2	4	7	16	52
50-64	32	4.4	39	<1	<1	3	5	8	15	34
65+	47	4.1	8	1	1	3	5	9	10	12
B. Operated										
0-19 YRS	31	3.7	4	<1	1	4	5	7	8	9
20-34	169	5.5	19	2	2	5	7	9	11	32
35-49	465	5.9	19	2	3	5	7	9	11	18
50-64	631	6.4	14	2	3	6	8	11	12	22
65+	649	7.6	27	3	3	7	9	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.4	4	<1	<1	2	3	5	7	8
B. Operated	1529	4.4	6	1	2	4	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	127	4.1	33	<1	1	3	5	8	10	38
B. Operated	1945	6.5	21	2	3	6	8	11	13	23
1. SINGLE DX	1547	4.4	6	1	2	4	6	8	9	11
2. MULTIPLE DX	2072	6.4	22	2	2	6	8	11	13	23
A. NOT OPERATED	145	3.9	30	<1	1	3	5	8	10	35
B. OPERATED	3474	5.6	15	1	2	5	7	9	11	18
TOTAL 0-19 YRS	97	2.7	4	<1	<1	2	4	5	7	9
20-34	435	4.2	11	1	1	4	5	7	9	14
35-49	925	5.1	16	1	2	4	6	8	10	16
50-64	1151	5.6	12	2	2	5	7	9	11	19
65+	1011	6.6	21	2	3	6	8	11	14	23
GRAND TOTAL	3619	5.5	16	1	2	5	7	9	11	18

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.0	3	1	1	3	4	5	5	5
20-34	37	3.0	2	1	2	3	4	5	5	7
35-49	75	3.3	3	1	2	3	4	5	7	10
50-64	86	3.4	4	1	2	3	4	5	6	14
65+	56	3.8	4	1	2	3	5	7	9	11
B. Operated										
0-19 YRS	7	6.3	5	3	3	6	8	10	10	10
20-34	8	7.0	3	3	4	8	8	8	8	8
35-49	13	7.0	8	1	2	8	8	10	11	11
50-64	18	5.9	8	2	2	6	8	10	11	11
65+	5	7.6	1	6	6	8	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.6	2	1	2	4	5	5	5	5
20-34	157	3.4	3	1	2	3	4	6	6	9
35-49	569	3.9	5	1	2	3	5	6	8	11
50-64	844	4.1	6	1	2	4	5	7	9	14
65+	894	4.5	7	2	2	4	5	7	9	14
B. Operated										
0-19 YRS	19	7.8	22	2	3	7	10	15	18	20
20-34	87	7.0	15	2	3	7	9	10	11	26
35-49	233	7.1	22	2	2	6	9	12	16	24
50-64	307	7.5	21	2	2	7	10	13	15	24
65+	240	8.5	28	2	3	8	11	16	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	3.4	4	1	2	3	4	5	7	10
B. Operated	51	6.6	6	2	3	7	8	9	10	11
2. MULTIPLE DX										
A. Not Operated	2474	4.1	6	1	2	4	5	7	9	14
B. Operated	886	7.7	23	2	2	7	10	13	17	25
1. SINGLE DX	310	3.9	5	1	2	3	5	8	9	11
2. MULTIPLE DX	3360	5.1	13	2	2	4	6	9	12	18
A. NOT OPERATED	2733	4.1	6	1	2	4	5	7	8	14
B. OPERATED	937	7.6	22	2	2	7	9	13	17	24
TOTAL 0-19 YRS	41	6.0	16	1	2	5	8	10	14	20
20-34	289	4.5	9	1	2	4	6	8	9	12
35-49	890	4.7	11	1	2	4	6	9	11	17
50-64	1255	4.9	12	2	2	4	6	9	12	17
65+	1195	5.3	14	2	2	4	7	10	13	19
GRAND TOTAL	3670	5.0	12	2	2	4	6	9	12	18

**205: Other hernia of abdominal cavity without complication
(553.0; 553.8-553.9)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
B. Operated										
0-19 YRS	15	1.3		<1	<1	<1	1	2	3	3
20-34	35	3.5	6	<1	1	3	4	6	10	12
35-49	68	3.7	6	1	1	3	4	6	9	13
50-64	74	3.4	3	1	1	3	4	6	7	9
65+	55	4.0	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	2.6	4	<1	<1	2	4	6	6	6
35-49	5	6.2	27	2	2	5	8	15	15	15
50-64	6	4.0	4	2	2	4	5	7	7	7
65+	10	4.1	4	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	14	3.1	6	<1	<1	2	6	7	77	99+
20-34	31	4.8	12	1	2	4	5	10	14	15
35-49	46	5.0	12	1	2	4	7	10	13	14
50-64	65	5.3	16	1	2	4	6	9	13	24
65+	90	5.6	15	2	2	5	7	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.5	10	3	3	6	9	10	10	10
B. Operated	247	3.5	5	1	1	3	5	6	7	12
2. MULTIPLE DX										
A. Not Operated	26	4.2	8	1	1	4	6	7	9	15
B. Operated	246	5.2	14	1	2	4	6	10	14	21
1. SINGLE DX	251	3.5	5	1	1	3	5	6	7	12
2. MULTIPLE DX	272	5.1	13	1	2	4	6	10	14	20
A. NOT OPERATED	30	4.5	9	1	1	4	6	8	10	15
B. OPERATED	493	4.3	10	1	1	4	5	8	11	15
TOTAL 0-19 YRS	29	2.2	4	<1	<1	1	3	6	7	99+
20-34	71	4.0	9	1	1	4	5	7	11	15
35-49	121	4.3	9	1	1	4	5	8	12	14
50-64	147	4.4	10	1	2	4	5	8	9	16
65+	155	4.9	11	1	2	4	6	9	12	16
GRAND TOTAL	523	4.4	10	1	1	4	5	8	11	15

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	10	4.1	8	1	1	4	5	8	10	10
65+	16	3.8	2	2	2	3	4	6	7	8
B. Operated										
0-19 YRS	58	2.6	7	1	1	2	2	4	9	15
20-34	98	3.6	5	1	1	3	4	7	9	13
35-49	162	3.9	6	1	1	3	5	7	9	12
50-64	153	4.8	8	1	2	4	6	9	11	13
65+	209	5.7	13	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	18	3.4	6	1	1	2	5	7	8	9
50-64	26	3.8	3	1	2	4	5	6	7	9
65+	98	5.2	14	2	2	4	6	9	12	23
B. Operated										
0-19 YRS	16	5.4	70	1	1	2	4	13	28	34
20-34	67	6.0	30	2	2	5	8	10	12	38
35-49	167	6.6	26	1	2	5	8	12	16	21
50-64	305	8.3	74	2	3	6	9	14	21	47
65+	632	10.1	50	3	3	8	13	18	24	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.5	4	1	1	3	4	6	8	10
B. Operated	680	4.5	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	147	4.6	11	1	2	4	6	8	9	17
B. Operated	1187	8.8	54	2	3	7	11	16	22	37
1. SINGLE DX	713	4.4	9	1	1	4	6	8	10	15
2. MULTIPLE DX	1334	8.4	51	2	3	7	10	16	21	36
A. NOT OPERATED	180	4.4	10	1	2	4	5	8	9	16
B. OPERATED	1867	7.3	42	1	2	6	9	14	18	35
TOTAL										
0-19 YRS	79	3.1	20	1	1	2	3	5	12	28
20-34	169	4.6	17	1	1	4	5	9	10	18
35-49	350	5.1	17	1	2	4	7	9	12	19
50-64	494	6.9	52	1	2	5	8	13	16	36
65+	955	8.5	42	2	3	7	11	16	21	35
GRAND TOTAL	2047	7.0	40	1	2	5	9	13	17	34

366 Hospitals, Southern Region, January-December 1985

**207: Intestinal obstruction without mention of hernia (560.0-560.2;
560.8-560.9)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	125	2.5	3	1	1	2	3	5	6	8	
20-34	149	3.8	5	1	1	3	5	7	8	11	
35-49	293	4.4	8	1	2	4	6	8	10	15	
50-64	311	4.8	8	1	2	4	6	8	10	14	
65+	426	5.0	14	1	2	4	6	9	11	18	
B. Operated											
0-19 YRS	122	6.3	17	2	2	5	8	10	14	24	
20-34	150	8.1	12	4	4	8	9	12	16	18	
35-49	217	9.9	26	4	5	9	11	17	22	26	
50-64	188	10.5	32	5	6	9	12	17	19	30	
65+	224	11.2	32	5	6	10	13	18	22	42	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	129	4.7	21	1	1	3	5	10	16	23	
20-34	181	4.7	12	1	1	4	6	8	12	18	
35-49	406	6.1	26	1	2	5	7	11	16	24	
50-64	819	6.1	18	2	2	5	7	11	14	21	
65+	2366	6.9	26	2	3	6	9	12	16	26	
B. Operated											
0-19 YRS	172	11.4	127	4	4	8	13	19	23	75	
20-34	229	11.1	63	4	5	9	13	19	28	51	
35-49	372	12.9	88	4	6	11	14	22	30	56	
50-64	639	15.1	128	6	7	12	17	26	36	69	
65+	1519	15.6	109	6	7	13	18	26	35	60	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1304	4.4	9	1	2	4	6	8	10	15	
B. Operated	901	9.6	28	3	5	9	11	16	20	27	
2. MULTIPLE DX											
A. Not Operated	3901	6.5	24	2	2	5	8	12	15	25	
B. Operated	2931	14.5	110	5	6	12	17	25	34	61	
1. SINGLE DX	2205	6.5	23	1	2	5	9	12	15	23	
2. MULTIPLE DX	6832	9.9	77	2	3	8	12	19	25	47	
A. NOT OPERATED	5205	6.0	21	1	2	5	7	11	14	23	
B. OPERATED	3832	13.4	95	4	6	11	16	23	31	58	
TOTAL 0-19 YRS	548	6.6	61	1	1	5	8	14	18	34	
20-34	709	7.3	36	1	2	6	9	13	17	30	
35-49	1288	8.3	51	2	2	7	10	16	21	40	
50-64	1957	9.3	72	2	3	7	11	17	22	50	
65+	4535	9.9	71	2	3	8	12	19	24	43	
GRAND TOTAL	9037	9.1	66	2	3	7	11	17	22	43	

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	2965	2.6	3	1	1	2	3	4	5	8	
20-34	1359	2.4	2	1	1	2	3	4	5	7	
35-49	692	2.9	3	1	1	2	3	5	6	9	
50-64	410	3.2	3	1	1	3	4	6	7	9	
65+	306	3.5	7	1	1	3	4	6	9	16	
B. Operated											
0-19 YRS	101	3.6	4	1	1	3	4	6	8	10	
20-34	107	4.1	6	1	2	4	5	7	9	15	
35-49	66	4.7	7	2	2	4	6	8	10	14	
50-64	42	5.2	6	2	3	5	6	8	10	15	
65+	21	6.0	8	2	2	7	8	9	10	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	6132	3.2	5	1	1	3	4	5	6	11	
20-34	2186	3.1	4	1	1	3	4	5	7	10	
35-49	1695	3.9	7	1	2	3	5	7	9	13	
50-64	1913	4.4	11	1	2	4	5	8	10	18	
65+	3253	5.2	15	2	2	4	6	9	12	19	
B. Operated											
0-19 YRS	164	8.2	112	2	2	5	9	19	25	67	
20-34	200	6.9	74	2	2	5	7	12	15	56	
35-49	262	7.3	37	2	3	6	9	13	18	28	
50-64	273	8.1	42	2	3	6	10	14	18	38	
65+	408	9.7	75	2	3	7	11	18	25	49	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	5732	2.7	3	1	1	2	3	5	6	8	
B. Operated	337	4.3	6	1	2	4	6	7	9	15	
2. MULTIPLE DX											
A. Not Operated	15179	3.8	9	1	2	3	5	7	9	15	
B. Operated	1307	8.3	66	2	3	6	10	15	21	47	
1. SINGLE DX	6069	2.8	3	1	1	2	3	5	6	9	
2. MULTIPLE DX	16486	4.2	15	1	2	3	5	8	10	18	
A. NOT OPERATED	20911	3.5	7	1	1	3	4	6	8	14	
B. OPERATED	1644	7.5	56	2	2	5	9	14	19	38	
TOTAL 0-19 YRS	9362	3.1	7	1	1	3	4	5	6	11	
20-34	3852	3.1	8	1	1	2	4	5	7	12	
35-49	2715	4.0	10	1	1	3	5	7	9	16	
50-64	2638	4.6	15	1	2	4	5	8	11	19	
65+	3988	5.6	23	2	2	4	7	10	13	24	
GRAND TOTAL	22555	3.8	12	1	1	3	4	7	9	17	

209: Diverticula of Intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
<i>A. Not Operated</i>											
0-19 YRS	5	4.8	10	1	1	4	7	9	9	9	
20-34	41	4.4	4	1	2	4	5	7	8	9	
35-49	350	4.5	4	2	2	4	6	7	9	11	
50-64	598	4.5	6	1	2	4	6	8	9	11	
65+	589	4.7	7	1	2	4	6	8	9	13	
<i>B. Operated</i>											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34	23	8.0	20	3	4	7	9	14	17	22	
35-49	77	9.3	13	3	4	9	12	14	16	18	
50-64	191	9.5	17	2	4	9	12	14	18	21	
65+	99	9.9	18	3	3	10	12	15	18	22	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
0-19 YRS	14	4.6	5	2	2	4	5	8	9	9	
20-34	37	4.5	6	2	2	4	6	9	10	10	
35-49	412	5.0	11	2	2	4	7	8	10	13	
50-64	1379	5.1	10	2	2	5	6	9	10	16	
65+	3809	5.9	18	2	2	5	7	10	13	22	
<i>B. Operated</i>											
0-19 YRS	5	9.2	13	6	6	8	11	15	15	15	
20-34	44	9.2	16	4	5	8	11	17	18	20	
35-49	270	10.2	46	3	4	9	12	15	19	43	
50-64	739	11.9	56	3	5	10	14	19	25	44	
65+	1345	12.8	78	3	4	11	16	23	30	48	
SUBTOTALS:											
1. SINGLE DX											
<i>A. Not Operated</i>											
	1583	4.6	6	1	2	4	6	8	9	12	
<i>B. Operated</i>											
	391	9.5	17	3	4	9	12	14	17	21	
2. MULTIPLE DX											
<i>A. Not Operated</i>											
	5651	5.6	15	2	2	5	7	9	12	20	
<i>B. Operated</i>											
	2403	12.2	67	3	4	10	15	21	27	46	
1. SINGLE DX											
	1974	5.6	12	1	2	5	7	10	12	17	
2. MULTIPLE DX											
	8054	7.6	40	2	2	6	9	14	18	33	
A. NOT OPERATED											
	7234	5.4	13	2	2	5	7	9	11	18	
B. OPERATED											
	2794	11.8	61	3	4	10	14	20	25	45	
TOTAL 0-19 YRS											
	25	5.6	10	2	2	5	7	9	11	15	
20-34											
	145	6.5	16	2	2	6	8	11	14	20	
35-49											
	1109	6.4	23	2	2	5	8	12	14	20	
50-64											
	2907	7.0	31	2	2	6	9	13	17	26	
65+											
	5842	7.5	39	2	2	6	9	14	18	33	
GRAND TOTAL											
	10028	7.2	35	2	2	6	9	13	17	30	

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	21	2.2	1	<1	1	2	3	4	4	5	
20-34	35	3.5	14	1	1	3	4	7	9	22	
35-49	32	3.2	5	1	1	3	4	7	7	11	
50-64	7	1.9	<1	<1	2	2	2	2	2	2	
65+	8	3.6	5	2	2	3	4	8	9	9	
B. Operated											
0-19 YRS	123	2.9	5	<1	1	2	4	5	8	12	
20-34	818	2.8	3	1	1	2	3	4	5	8	
35-49	817	2.9	3	1	1	3	4	5	6	9	
50-64	387	3.2	6	1	1	3	4	5	7	12	
65+	123	3.4	3	1	2	3	4	6	7	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	28	3.4	6	1	1	3	5	7	8	9	
20-34	47	3.2	5	<1	1	3	4	6	8	10	
35-49	63	3.7	6	<1	1	3	5	7	9	11	
50-64	51	3.9	13	1	1	3	4	8	11	22	
65+	53	6.5	41	1	2	5	8	13	18	39	
B. Operated											
0-19 YRS	88	4.3	32	1	1	3	4	8	11	38	
20-34	729	4.0	14	1	1	3	4	6	8	17	
35-49	1052	4.2	16	1	2	3	5	7	10	20	
50-64	763	4.6	14	1	2	4	5	8	11	18	
65+	444	5.3	21	1	2	4	6	9	14	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	103	3.0	7	1	1	2	3	6	7	16	
B. Operated	2268	2.9	3	1	1	3	4	5	6	10	
2. MULTIPLE DX											
A. Not Operated	242	4.2	16	1	1	3	5	8	10	22	
B. Operated	3076	4.4	17	1	2	3	5	8	10	21	
1. SINGLE DX	2371	2.9	4	1	1	3	4	5	6	10	
2. MULTIPLE DX	3318	4.4	17	1	2	3	5	8	10	21	
A. NOT OPERATED	345	3.9	14	1	1	3	5	7	9	22	
B. OPERATED	5344	3.8	12	1	1	3	4	6	8	17	
TOTAL 0-19 YRS	260	3.4	15	1	1	3	4	6	9	15	
20-34	1629	3.3	9	1	1	3	4	5	7	14	
35-49	1964	3.6	10	1	1	3	4	6	8	15	
50-64	1208	4.1	12	1	2	3	5	7	10	18	
65+	628	5.0	20	1	2	4	6	9	13	24	
GRAND TOTAL	5689	3.8	12	1	1	3	4	6	9	17	

366 Hospitals, Southern Region, January-December 1985

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	454	3.0	6	1	1	2	4	6	8	12
20-34	677	4.0	9	1	1	3	5	7	9	15
35-49	542	3.9	8	1	1	3	5	7	9	14
50-64	379	4.1	12	1	1	3	5	8	9	20
65+	288	3.9	13	1	1	3	5	8	10	18
<i>B. Operated</i>										
0-19 YRS	242	5.3	34	<1	1	4	7	11	15	26
20-34	389	6.4	27	1	2	5	8	12	15	31
35-49	341	6.4	43	1	2	5	8	12	17	25
50-64	261	7.2	40	1	1	6	9	15	18	34
65+	216	6.6	30	1	2	5	9	13	18	28
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	568	4.1	11	1	1	3	5	8	11	17
20-34	1198	4.6	16	1	2	4	6	8	11	23
35-49	1358	4.8	15	1	2	4	6	9	11	20
50-64	1436	5.1	16	1	2	4	6	9	12	21
65+	2773	5.6	21	1	2	4	7	11	14	23
<i>B. Operated</i>										
0-19 YRS	360	9.5	120	1	2	6	10	22	35	72
20-34	1006	8.7	63	2	2	6	10	18	24	42
35-49	1135	8.7	78	2	2	6	11	17	24	48
50-64	1230	10.0	99	2	3	7	12	20	28	55
65+	1867	11.9	109	2	3	9	15	24	33	59
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	2340	3.8	9	1	1	3	5	7	9	15
<i>B. Operated</i>										
	1449	6.4	35	1	2	5	8	13	17	28
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	7333	5.1	18	1	2	4	6	9	12	22
<i>B. Operated</i>										
	5598	10.1	95	2	3	7	12	21	28	54
1. SINGLE DX	3789	4.8	21	1	1	3	6	9	13	22
2. MULTIPLE DX	12931	7.2	57	1	2	5	9	15	21	40
A. NOT OPERATED	9673	4.8	16	1	2	4	6	9	11	20
B. OPERATED	7047	9.3	85	2	2	7	12	19	26	50
TOTAL 0-19 YRS										
	1624	5.1	43	1	1	3	6	10	15	38
20-34	3270	5.9	34	1	2	4	7	11	16	32
35-49	3376	6.1	42	1	2	4	7	12	17	34
50-64	3306	7.0	54	1	2	5	8	14	19	39
65+	5144	7.8	62	1	2	5	10	16	22	41
GRAND TOTAL	16720	6.7	50	1	2	5	8	14	19	38

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34	14	5.9	9	3	3	5	8	9	13	14	
35-49	28	6.3	30	2	2	5	8	12	15	28	
50-64	27	7.0	45	1	2	5	6	18	24	28	
65+	5	8.4	24	3	3	7	11	16	16	16	
B. Operated											
0-19 YRS											
20-34	4	5.3	14	1	1	5	8	10	10	10	
35-49	18	8.3	96	1	1	6	8	25	34	37	
50-64	19	5.3	11	1	1	5	8	10	11	11	
65+	7	4.0	10	1	1	3	5	9	10	10	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	106	7.4	30	2	3	6	9	15	19	27	
35-49	381	8.9	56	2	3	6	11	17	21	42	
50-64	396	10.3	72	2	3	8	12	20	29	44	
65+	204	9.9	58	2	3	8	12	20	24	44	
B. Operated											
0-19 YRS	1	4.0		4	4	4	4	4	4	4	
20-34	24	10.8	39	3	3	9	14	20	25	26	
35-49	131	12.2	136	2	3	8	15	26	34	57	
50-64	178	11.3	85	2	3	9	15	25	30	45	
65+	83	13.0	109	1	2	11	17	27	32	55	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	74	6.6	30	2	2	5	8	14	18	28	
B. Operated	48	6.3	44	1	1	5	8	10	14	37	
2. MULTIPLE DX											
A. Not Operated	1088	9.4	60	2	3	7	12	18	23	44	
B. Operated	417	11.8	103	2	3	9	15	25	31	50	
1. SINGLE DX	122	6.5	36	1	2	5	8	12	17	32	
2. MULTIPLE DX	1505	10.1	73	2	3	8	13	20	27	45	
A. NOT OPERATED	1162	9.3	59	2	3	7	11	18	23	43	
B. OPERATED	465	11.3	100	1	2	8	14	25	30	49	
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4	
20-34	148	7.8	30	3	3	6	9	16	19	26	
35-49	558	9.5	77	2	3	7	12	19	26	49	
50-64	620	10.3	74	2	3	8	12	21	28	44	
65+	299	10.6	73	2	3	8	14	21	27	45	
GRAND TOTAL	1627	9.8	71	2	3	7	12	20	26	44	

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.8	6	2	2	4	6	8	8	8
20-34	11	3.1	4	1	1	3	5	6	6	6
35-49	20	5.5	28	1	1	4	7	8	17	26
50-64	26	6.0	22	1	2	5	7	14	18	18
65+	17	5.1	4	3	3	5	6	8	9	9
B. Operated										
0-19 YRS	26	2.3	3	1	1	2	2	6	7	7
20-34	53	2.2	8	1	1	2	2	3	4	21
35-49	62	3.0	16	1	1	2	3	7	11	24
50-64	60	3.6	19	<1	1	2	4	9	12	21
65+	35	3.3	13	1	1	1	3	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.4	6	1	1	2	5	7	8	9
20-34	33	5.8	16	1	2	5	6	10	14	21
35-49	107	7.3	61	2	3	5	8	14	19	44
50-64	197	8.8	50	2	3	7	11	17	22	38
65+	253	8.8	52	2	3	7	11	16	22	50
B. Operated										
0-19 YRS	38	5.6	38	1	1	4	7	14	17	32
20-34	64	6.6	79	1	1	3	8	21	24	45
35-49	152	6.9	75	1	1	5	8	14	20	58
50-64	245	7.7	78	1	1	5	10	16	24	46
65+	261	9.0	68	1	2	7	12	19	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	5.2	17	1	2	5	7	8	13	24
B. Operated	236	2.9	13	1	1	2	3	7	11	21
2. MULTIPLE DX										
A. Not Operated	610	8.2	51	2	3	6	10	16	20	41
B. Operated	760	7.8	73	1	1	5	10	17	24	45
1. SINGLE DX	314	3.5	15	1	1	2	4	8	11	21
2. MULTIPLE DX	1370	8.0	63	1	2	6	10	16	23	42
A. NOT OPERATED	688	7.9	48	2	2	6	9	15	19	40
B. OPERATED	996	6.6	63	1	1	4	9	15	22	39
TOTAL 0-19 YRS	88	4.0	20	1	1	2	5	8	13	27
20-34	161	4.7	41	1	1	2	5	9	21	38
35-49	341	6.2	59	1	1	4	7	13	19	34
50-64	528	7.6	60	1	1	6	10	16	22	39
65+	566	8.4	58	1	2	6	11	17	23	42
GRAND TOTAL	1684	7.1	57	1	1	5	9	15	21	40

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	4.6	5	2	2	4	6	8	9	11
20-34	106	5.1	17	2	2	4	6	7	10	27
35-49	70	5.3	13	1	1	5	7	9	11	23
50-64	58	5.5	12	1	2	5	7	9	12	19
65+	32	7.1	25	1	2	6	10	14	19	21
B. Operated										
0-19 YRS	10	5.8	12	2	2	5	8	11	12	12
20-34	26	4.2	15	1	1	3	5	10	14	15
35-49	35	5.7	31	<1	1	3	8	12	20	22
50-64	31	6.5	89	1	1	2	9	13	28	46
65+	17	12.4	326	1	1	5	13	36	59	70
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	5.6	48	1	1	4	7	10	12	45
20-34	161	6.1	16	2	2	5	8	11	15	21
35-49	225	7.8	50	2	3	6	9	15	20	43
50-64	339	7.2	30	2	2	6	9	13	18	31
65+	502	8.4	48	2	3	7	10	15	22	35
B. Operated										
0-19 YRS	39	7.7	75	1	1	3	14	23	25	30
20-34	41	7.4	43	1	1	6	10	17	22	28
35-49	129	10.2	105	1	2	8	13	22	34	54
50-64	170	12.2	178	1	2	8	17	27	34	71
65+	172	14.2	180	2	2	10	20	30	38	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	5.4	15	1	2	4	7	9	11	24
B. Operated	119	6.5	86	1	1	3	8	13	22	53
2. MULTIPLE DX										
A. Not Operated	1270	7.6	40	2	3	6	9	14	19	33
B. Operated	551	11.7	149	1	2	8	16	27	34	64
1. SINGLE DX	423	5.7	35	1	2	4	7	10	13	29
2. MULTIPLE DX	1821	8.8	76	2	2	6	11	18	26	44
A. NOT OPERATED	1574	7.2	36	2	2	6	8	13	18	32
B. OPERATED	670	10.8	141	1	1	7	14	25	32	63
TOTAL 0-19 YRS	130	6.0	42	1	1	4	7	12	19	33
20-34	334	5.8	20	1	2	5	7	11	15	24
35-49	459	8.0	61	1	2	6	10	16	22	42
50-64	598	8.4	79	1	2	6	10	18	26	44
65+	723	9.9	91	2	3	7	11	21	28	50
GRAND TOTAL	2244	8.3	70	1	2	6	10	17	24	43

366 Hospitals, Southern Region, January-December 1985

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.9	2	1	1	2	4	5	6	7
20-34	230	2.4	3	<1	1	2	3	4	6	8
35-49	218	2.8	3	1	1	2	4	5	6	9
50-64	209	3.1	4	1	1	3	4	6	7	9
65+	211	4.0	9	1	1	3	5	8	9	15
B. Operated										
0-19 YRS	235	5.4	4	3	3	5	6	8	9	13
20-34	2659	5.5	4	3	3	5	6	8	9	12
35-49	2374	5.9	5	3	4	6	7	8	10	12
50-64	2105	6.5	7	4	4	6	8	9	11	14
65+	1102	7.5	10	4	5	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.0	11	<1	1	3	5	8	12	15
20-34	246	3.0	3	1	1	3	4	5	6	9
35-49	328	3.7	7	1	1	3	5	7	8	13
50-64	631	4.0	8	1	1	3	5	7	9	14
65+	1498	5.9	19	2	2	5	7	10	13	21
B. Operated										
0-19 YRS	204	7.2	10	3	4	6	9	12	14	16
20-34	1983	6.9	13	3	4	6	8	11	13	18
35-49	2774	7.4	15	4	4	7	9	11	14	22
50-64	3617	8.4	20	4	5	7	10	13	16	24
65+	4881	10.8	41	5	6	9	13	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	894	3.1	5	1	1	3	4	6	7	10
B. Operated	8475	6.1	6	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	2749	4.9	15	1	2	4	6	9	11	19
B. Operated	13459	8.8	28	4	5	8	10	14	18	28
1. SINGLE DX	9369	5.8	7	2	3	5	7	9	10	14
2. MULTIPLE DX	16208	8.1	28	3	4	7	10	14	17	27
A. NOT OPERATED	3643	4.4	13	1	1	4	6	8	10	17
B. OPERATED	21934	7.8	21	4	4	7	9	12	15	25
TOTAL										
0-19 YRS	511	5.8	8	2	3	5	7	9	12	15
20-34	5118	5.8	9	2	3	5	7	9	10	15
35-49	5694	6.4	11	2	3	6	8	10	12	18
50-64	6562	7.2	16	2	3	6	9	11	14	21
65+	7692	9.2	36	3	4	8	11	15	19	32
GRAND TOTAL	25577	7.3	21	2	3	6	9	12	15	24

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.4	6	1	1	3	4	6	9	12
20-34	125	3.3	4	1	1	3	4	6	7	9
35-49	139	3.3	3	1	1	3	4	6	7	9
50-64	89	3.6	4	1	1	3	5	6	8	10
65+	84	4.2	5	1	2	4	5	7	9	11
B. Operated										
0-19 YRS	16	5.3	15	1	2	4	6	9	15	18
20-34	238	6.5	9	3	4	6	8	11	12	16
35-49	274	6.2	6	3	4	6	7	9	12	15
50-64	179	6.9	9	3	4	6	8	10	12	18
65+	85	8.4	11	4	5	8	10	12	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.5	18	1	1	2	3	6	15	20
20-34	132	3.8	5	1	1	3	5	7	8	11
35-49	185	4.4	25	1	2	3	5	7	9	16
50-64	245	5.1	12	1	2	4	6	9	12	19
65+	508	6.4	27	2	2	5	8	11	13	22
B. Operated										
0-19 YRS	28	7.6	14	3	4	7	10	12	13	18
20-34	360	7.7	19	3	4	6	9	13	15	25
35-49	540	8.4	23	4	4	7	10	14	17	28
50-64	474	9.6	46	4	5	8	11	15	20	30
65+	573	12.2	50	5	6	10	14	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	457	3.5	4	1	1	3	5	6	7	10
B. Operated	792	6.7	9	3	4	6	8	10	12	17
2. MULTIPLE DX										
A. Not Operated	1089	5.4	21	1	2	4	7	9	12	20
B. Operated	1975	9.7	38	4	5	8	12	16	21	34
1. SINGLE DX	1249	5.5	9	1	2	5	7	9	11	16
2. MULTIPLE DX	3064	8.1	37	2	3	7	10	14	18	31
A. NOT OPERATED	1546	4.8	17	1	2	4	6	9	11	18
B. OPERATED	2767	8.8	32	4	4	7	10	15	18	31
TOTAL 0-19 YRS	83	5.2	16	1	2	4	7	11	13	19
20-34	855	6.1	15	2	2	5	8	11	13	20
35-49	1138	6.6	20	2	2	6	8	11	14	24
50-64	987	7.5	32	2	3	6	9	13	16	26
65+	1250	9.0	44	2	3	8	11	16	21	35
GRAND TOTAL	4313	7.4	30	2	3	6	9	13	16	29

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	2.6	2	<1	<1	3	4	4	4	4
35-49	11	2.6	3	1	1	2	3	5	7	7
50-64	17	4.5	9	<1	1	3	8	9	9	9
65+	17	4.9	4	2	3	5	6	8	9	10
B. Operated										
0-19 YRS	10	6.9	15	2	3	6	8	13	16	16
20-34	80	6.9	16	1	2	7	8	11	13	25
35-49	67	6.8	14	2	2	6	8	11	13	21
50-64	64	7.1	12	1	2	7	9	12	14	15
65+	127	9.0	29	2	2	8	12	16	19	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	1	2	2	4	4	4	4	4
20-34	18	2.7	3	1	1	2	4	5	6	7
35-49	20	5.3	9	2	2	4	7	9	11	14
50-64	46	4.9	8	1	1	5	7	9	10	12
65+	141	6.6	30	2	2	5	7	11	16	36
B. Operated										
0-19 YRS	15	8.1	4	6	6	8	10	11	11	11
20-34	80	8.5	20	3	4	8	10	12	18	26
35-49	103	10.0	22	4	5	9	12	17	20	24
50-64	189	10.6	29	4	5	10	13	17	22	31
65+	642	12.6	56	3	5	11	15	21	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.9	6	<1	1	3	5	8	9	10
B. Operated	348	7.7	20	2	2	7	10	14	16	22
2. MULTIPLE DX										
A. Not Operated	230	5.8	22	1	2	5	7	10	14	29
B. Operated	1029	11.6	46	4	5	10	14	20	23	35
1. SINGLE DX	405	7.2	20	1	2	7	9	13	15	22
2. MULTIPLE DX	1259	10.5	46	2	4	9	13	18	23	34
A. NOT OPERATED	287	5.4	20	1	2	5	7	9	12	27
B. OPERATED	1377	10.6	42	2	4	9	13	18	22	34
TOTAL 0-19 YRS	31	6.8	10	2	3	6	8	11	11	16
20-34	189	6.9	19	1	2	7	8	11	13	26
35-49	201	8.0	21	2	3	7	10	14	18	23
50-64	316	8.7	27	2	3	8	11	15	18	27
65+	927	11.0	53	2	3	10	14	19	23	36
GRAND TOTAL	1664	9.7	42	2	3	8	12	17	21	33

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.4	3	4	4	5	6	8	8	8
20-34	21	3.6	7	1	1	3	4	8	9	11
35-49	17	5.3	16	<1	1	5	6	10	16	18
50-64	23	4.3	6	1	2	4	5	7	10	12
65+	19	5.4	11	1	2	5	7	11	13	13
B. Operated										
0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	23	6.8	17	<1	1	6	9	12	14	17
35-49	23	7.3	65	<1	1	5	9	17	25	36
50-64	25	6.7	35	1	2	4	10	13	22	23
65+	22	7.6	30	1	2	7	11	13	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	8.5	62	1	1	6	13	19	26	31
20-34	32	6.6	59	1	1	5	8	12	20	42
35-49	36	6.2	30	1	2	5	8	12	14	31
50-64	83	5.7	13	1	2	5	7	10	13	19
65+	241	6.6	21	2	2	6	8	11	14	31
B. Operated										
0-19 YRS	17	8.5	39	2	3	7	12	14	23	27
20-34	40	11.7	134	2	3	9	13	25	54	99+
35-49	78	10.6	97	2	2	9	13	22	29	57
50-64	150	12.2	119	2	3	10	15	22	31	76
65+	247	13.8	99	2	4	12	17	25	31	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	4.6	9	1	1	4	6	8	11	16
B. Operated	96	7.1	35	1	2	6	10	13	18	31
2. MULTIPLE DX										
A. Not Operated	412	6.5	25	1	2	5	8	11	14	31
B. Operated	532	12.5	106	2	3	11	15	24	31	65
1. SINGLE DX	181	5.9	24	1	1	5	8	12	14	24
2. MULTIPLE DX	944	9.9	80	2	2	8	13	19	26	44
A. NOT OPERATED	497	6.2	23	1	2	5	8	11	14	31
B. OPERATED	628	11.7	99	2	2	10	15	23	30	64
TOTAL 0-19 YRS	45	7.9	43	1	2	6	11	14	23	31
20-34	116	7.8	75	1	2	6	10	15	23	76
35-49	154	8.5	72	1	2	6	11	18	24	38
50-64	281	9.1	81	2	2	6	12	17	24	42
65+	529	10.0	70	2	3	8	13	19	26	40
GRAND TOTAL	1125	9.2	73	2	2	7	12	18	25	43

366 Hospitals, Southern Region, January-December 1985

219: Diseases of pancrea

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	56	4.1	9	1	1	4	5	7	10	16	
20-34	337	5.3	16	2	2	4	6	9	12	22	
35-49	365	5.3	8	2	2	5	7	9	11	16	
50-64	213	5.5	12	2	2	4	7	9	12	20	
65+	147	6.0	14	2	2	5	7	9	11	20	
B. Operated											
0-19 YRS	11	14.0	128	1	1	10	19	33	35	35	
20-34	36	8.9	92	1	1	5	11	18	34	45	
35-49	79	10.6	93	1	2	8	14	21	26	55	
50-64	52	10.1	39	1	3	9	14	18	21	33	
65+	19	6.5	50	<1	1	5	9	12	23	31	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	44	6.3	24	1	2	5	7	13	16	25	
20-34	856	6.1	19	2	2	5	7	10	13	24	
35-49	1400	6.9	26	2	3	6	8	12	16	27	
50-64	1023	6.6	21	2	3	6	8	11	15	25	
65+	1233	7.4	23	2	3	6	9	13	16	26	
B. Operated											
0-19 YRS	19	16.9	127	3	5	15	27	34	36	37	
20-34	184	15.3	214	2	4	11	17	31	40	86	
35-49	868	16.4	233	3	4	12	19	36	54	77	
50-64	318	14.9	197	2	4	11	17	32	44	92	
65+	355	13.4	120	3	4	10	17	26	39	59	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1118	5.4	12	2	2	5	7	9	11	18	
B. Operated	197	9.9	77	1	2	8	12	20	26	42	
2. MULTIPLE DX											
A. Not Operated	4556	6.8	23	2	3	6	8	12	15	26	
B. Operated	1244	15.0	188	3	4	11	17	32	43	76	
1. SINGLE DX	1315	6.0	25	2	2	5	7	11	15	26	
2. MULTIPLE DX	5800	8.6	70	2	3	6	10	16	23	46	
A. NOT OPERATED	5674	6.5	21	2	3	5	8	11	15	25	
B. OPERATED	1441	14.3	176	2	3	11	17	30	41	74	
TOTAL 0-19 YRS	130	7.6	62	1	1	5	9	17	27	36	
20-34	1413	7.1	56	2	2	5	8	13	19	38	
35-49	2212	8.4	74	2	3	6	9	16	22	53	
50-64	1606	8.2	67	2	3	6	9	15	22	45	
65+	1754	8.5	48	2	3	7	10	15	20	39	
GRAND TOTAL	7115	8.1	62	2	3	6	9	15	21	43	

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	66	2.7	3	<1	1	2	4	5	6	8	
20-34	95	2.9	6	1	1	2	3	6	7	13	
35-49	86	3.4	4	1	1	3	5	6	7	9	
50-64	131	3.9	6	1	1	4	5	7	9	12	
65+	185	4.5	7	1	2	4	6	8	10	12	
B. Operated											
0-19 YRS	8	7.5	39	3	3	5	8	18	22	22	
20-34	10	5.0	7	2	2	4	7	8	9	9	
35-49	10	4.2	4	2	2	4	5	7	8	8	
50-64	20	6.2	23	2	2	5	8	15	17	18	
65+	34	9.0	59	2	3	7	10	15	30	36	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	192	3.6	8	1	1	3	4	7	9	16	
20-34	381	3.8	6	1	1	3	5	7	9	12	
35-49	604	4.4	9	1	2	4	5	8	10	16	
50-64	1145	5.3	13	2	2	5	6	9	12	20	
65+	3716	6.2	21	2	2	5	8	11	14	23	
B. Operated											
0-19 YRS	36	8.9	112	1	2	5	12	25	26	52	
20-34	99	6.9	47	2	2	5	8	14	19	40	
35-49	197	7.7	41	2	3	6	9	15	18	27	
50-64	414	8.3	46	2	3	6	10	17	20	31	
65+	1070	9.3	58	3	3	7	11	18	22	42	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	563	3.7	6	1	1	3	5	7	8	12	
B. Operated	82	7.1	37	2	2	5	8	13	20	34	
2. MULTIPLE DX											
A. Not Operated	6038	5.6	18	2	2	5	7	10	13	21	
B. Operated	1816	8.8	54	2	3	7	11	17	22	38	
1. SINGLE DX	645	4.1	11	1	1	3	5	8	9	16	
2. MULTIPLE DX	7854	6.4	28	2	2	5	8	12	16	26	
A. NOT OPERATED	6601	5.5	17	1	2	5	7	10	13	21	
B. OPERATED	1898	8.7	54	2	3	7	11	17	22	37	
TOTAL 0-19 YRS	302	4.1	23	1	1	3	5	7	12	25	
20-34	585	4.2	15	1	1	3	5	8	10	19	
35-49	897	5.1	18	1	2	4	6	9	12	20	
50-64	1710	5.9	22	2	2	5	7	11	15	25	
65+	5005	6.9	30	2	3	6	8	12	16	28	
GRAND TOTAL	8499	6.2	27	2	2	5	7	11	15	26	

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	4.8	17	1	1	4	5	11	14	21
20-34	5	4.0	7	2	2	3	6	8	8	8
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	7	6.6	31	<1	<1	6	10	15	16	16
65+	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	14	6.1	79	1	1	2	4	21	29	31
20-34	5	5.8	14	1	1	7	8	10	10	10
35-49	4	5.8	14	2	2	5	8	11	11	11
50-64	2	10.0	50	5	5	10	15	15	15	15
65+	2	14.5	113	7	7	14	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	5.6	24	2	2	4	7	12	16	27
20-34	16	4.2	11	2	2	3	5	11	11	11
35-49	27	8.5	54	2	3	6	12	14	19	39
50-64	29	6.5	20	2	2	5	8	14	15	16
65+	43	9.9	42	2	3	8	16	19	21	25
B. Operated										
0-19 YRS	16	10.1	96	2	2	7	22	79	99+	99+
20-34	20	9.6	54	1	2	8	12	23	26	27
35-49	24	12.0	109	3	3	9	15	21	34	51
50-64	26	14.6	83	1	4	13	19	28	33	35
65+	33	16.0	210	2	4	12	22	38	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	4.7	17	1	1	3	5	11	14	20
B. Operated	27	6.9	55	1	1	4	9	19	23	31
2. MULTIPLE DX										
A. Not Operated	194	7.0	34	2	2	5	9	15	18	27
B. Operated	119	13.0	123	2	3	10	19	28	42	99+
1. SINGLE DX	91	5.4	29	1	1	4	7	11	16	27
2. MULTIPLE DX	313	9.3	76	2	2	7	13	20	27	81
A. NOT OPERATED	258	6.4	30	1	2	4	8	14	18	25
B. OPERATED	146	11.9	116	1	2	9	17	27	35	99+
TOTAL 0-19 YRS	154	5.9	36	1	2	4	7	14	22	96
20-34	46	6.7	35	1	2	5	9	12	21	27
35-49	58	9.5	76	2	3	7	12	17	24	50
50-64	64	9.9	61	1	2	8	15	20	26	35
65+	82	12.1	120	2	3	9	18	24	33	90
GRAND TOTAL	404	8.4	68	1	2	6	11	19	25	60

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	5.0	14	1	2	4	7	9	12	20
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	5	3.4	5	2	2	2	5	7	7	7
50-64	7	4.7	3	3	3	4	6	8	8	8
65+	2	7.0	2	6	6	7	8	8	8	8
B. Operated										
0-19 YRS	72	3.0	5	1	2	2	3	6	7	15
20-34	37	3.3	15	1	1	2	3	5	10	23
35-49	28	3.5	17	1	1	2	4	8	15	19
50-64	13	5.0	12	1	1	4	7	10	12	12
65+	8	8.1	84	2	2	4	11	24	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	5.1	18	1	2	4	6	11	13	22
20-34	28	6.6	25	2	2	5	9	11	13	27
35-49	50	5.8	16	1	2	5	7	11	16	17
50-64	58	6.3	16	2	2	5	9	12	14	18
65+	104	7.6	30	2	2	6	9	13	19	30
B. Operated										
0-19 YRS	81	7.6	66	2	2	4	9	18	27	39
20-34	53	4.7	19	1	1	3	6	11	15	19
35-49	65	5.9	38	1	1	3	8	14	22	29
50-64	66	10.1	193	2	2	7	11	22	34	99+
65+	68	9.8	60	2	2	8	13	25	26	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	4.8	12	1	2	4	6	9	11	18
B. Operated	158	3.6	15	1	1	2	4	7	11	23
2. MULTIPLE DX										
A. Not Operated	368	6.2	22	1	2	5	8	12	15	26
B. Operated	333	7.8	80	1	2	5	10	18	26	43
1. SINGLE DX	270	4.1	14	1	2	3	5	8	11	22
2. MULTIPLE DX	701	6.9	50	1	2	5	9	14	20	31
A. NOT OPERATED	480	5.9	20	1	2	5	8	11	14	25
B. OPERATED	491	6.4	63	1	2	3	8	15	23	32
TOTAL 0-19 YRS	374	5.2	27	1	2	3	6	10	15	28
20-34	123	4.7	20	1	2	3	6	10	13	24
35-49	148	5.3	26	1	1	3	7	12	16	24
50-64	144	7.9	100	2	2	5	10	14	20	99
65+	182	8.4	44	2	2	7	11	17	26	30
GRAND TOTAL	971	6.1	42	1	2	4	8	13	18	30

366 Hospitals, Southern Region, January-December 1985

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	5.0	9	1	2	4	8	9	10	12
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49										
50-64	2	6.0	18	3	3	6	9	9	9	9
65+										
B. Operated										
0-19 YRS	6	5.2	8	2	2	4	8	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	5.2	10	2	2	5	7	9	10	19
20-34	11	5.2	11	1	2	4	8	10	11	11
35-49	11	6.1	25	3	3	5	6	13	19	20
50-64	11	5.9	16	1	2	6	7	11	16	16
65+	26	9.6	72	3	4	7	12	18	25	43
B. Operated										
0-19 YRS	5	3.0	2	1	1	3	4	4	4	4
20-34	7	8.1	15	2	2	9	11	13	13	13
35-49	11	13.0	221	2	3	9	14	32	54	56
50-64	17	10.9	54	2	2	12	16	21	23	24
65+	21	11.0	57	2	3	9	13	22	29	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	4.9	9	1	2	4	8	9	10	12
B. Operated	10	5.0	15	<1	1	4	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	110	6.4	29	2	3	5	7	12	18	30
B. Operated	61	10.4	78	2	2	9	13	19	26	53
1. SINGLE DX	60	5.0	9	1	2	4	8	9	10	13
2. MULTIPLE DX	171	7.8	50	2	2	6	9	15	19	40
A. NOT OPERATED	160	6.0	23	2	2	5	7	10	14	21
B. OPERATED	71	9.6	73	2	2	8	13	18	24	51
TOTAL	107	5.0	9	2	2	4	7	9	10	16
20-34	22	5.8	13	1	2	4	9	11	12	13
35-49	24	9.4	121	2	3	6	11	16	31	56
50-64	30	8.7	42	2	2	6	14	18	22	24
65+	48	10.0	65	2	3	8	13	18	28	43
GRAND TOTAL	231	7.1	41	2	2	5	9	14	18	33

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.3	54	<1	<1	2	3	13	25	27
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	5	3.8	2	2	2	4	5	5	5	5
50-64	11	3.5	8	<1	1	2	5	8	9	9
65+	15	4.8	15	<1	1	3	6	11	13	14
B. Operated										
0-19 YRS	27	6.4	43	1	1	4	7	10	20	34
20-34	25	6.1	128	1	2	3	5	9	24	59
35-49	25	4.8	19	1	1	3	6	10	14	20
50-64	45	6.1	31	1	2	3	8	16	18	25
65+	33	5.5	20	1	1	4	8	12	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	8.3	98	1	1	4	11	20	32	50
20-34	67	4.1	12	<1	1	3	5	10	12	14
35-49	102	3.8	9	1	1	3	5	8	10	14
50-64	158	6.2	33	1	2	5	7	13	17	27
65+	330	9.2	67	2	3	7	11	17	22	46
B. Operated										
0-19 YRS	90	15.4	301	2	2	9	19	38	60	82
20-34	220	10.1	96	2	2	7	13	23	34	47
35-49	310	10.9	99	2	2	8	15	24	29	53
50-64	422	9.5	91	1	2	6	12	21	28	49
65+	430	10.3	90	2	2	8	13	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	4.2	21	<1	1	3	5	9	12	27
B. Operated	155	5.8	43	1	2	4	7	12	17	34
2. MULTIPLE DX										
A. Not Operated	718	7.2	53	1	2	5	9	14	20	37
B. Operated	1472	10.5	107	2	2	7	14	23	30	55
1. SINGLE DX	200	5.4	39	1	1	3	7	11	16	30
2. MULTIPLE DX	2190	9.4	92	1	2	7	12	20	28	51
A. NOT OPERATED	763	7.1	52	1	2	5	9	14	20	37
B. OPERATED	1627	10.0	103	2	2	7	13	22	29	54
TOTAL	190	11.1	200	1	1	6	14	26	39	72
20-34	314	8.5	86	1	2	5	10	21	27	47
35-49	442	8.8	83	1	2	5	12	21	27	51
50-64	636	8.3	73	1	2	6	10	18	25	43
65+	808	9.6	77	2	2	7	12	19	28	40
GRAND TOTAL	2390	9.1	89	1	2	6	12	20	27	50

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.5	45	1	1	3	4	18	19	19
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	6	2.7	2	1	1	2	3	5	5	5
50-64	4	2.3	2	2	2	2	3	3	3	3
65+	13	8.2	65	<1	1	6	8	23	27	28
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	8.3	86	2	2	4	15	19	19	19
50-64	6	4.5	16	<1	<1	3	9	10	10	10
65+	6	18.8	376	<1	<1	14	26	51	54	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	6.5	34	<1	1	5	8	13	19	27
20-34	29	5.6	15	<1	2	4	7	11	13	19
35-49	56	5.9	14	1	2	5	8	12	13	14
50-64	146	8.1	46	1	2	7	9	16	21	33
65+	747	10.0	57	2	3	8	12	18	24	50
B. Operated										
0-19 YRS	15	9.6	70	2	2	7	14	23	29	31
20-34	35	12.9	92	2	3	11	18	24	32	43
35-49	67	10.1	58	2	3	8	14	19	32	89
50-64	142	14.7	135	2	3	11	20	30	38	60
65+	332	15.5	120	3	4	13	20	31	41	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	5.3	37	1	1	3	6	12	21	28
B. Operated	16	10.6	188	<1	<1	4	14	25	46	54
2. MULTIPLE DX										
A. Not Operated	1000	9.3	53	2	3	8	12	17	23	46
B. Operated	591	14.4	117	2	4	12	19	30	38	63
1. SINGLE DX	50	7.0	89	<1	1	4	7	19	26	54
2. MULTIPLE DX	1591	11.2	83	2	3	9	14	22	31	51
A. NOT OPERATED	1034	9.2	53	2	3	7	11	17	22	45
B. OPERATED	607	14.3	118	2	4	12	19	29	39	62
TOTAL 0-19 YRS	44	7.4	48	1	1	5	9	16	24	31
20-34	69	9.1	68	2	2	6	12	22	24	41
35-49	132	8.0	42	1	2	7	11	15	20	49
50-64	298	11.1	99	2	2	8	14	24	31	47
65+	1098	11.7	85	2	4	9	15	23	31	53
GRAND TOTAL	1641	11.1	84	2	3	8	14	22	31	52

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	283	3.7	3	2	2	3	4	6	7	9
20-34	428	3.9	3	2	2	4	5	6	7	10
35-49	138	4.2	5	2	2	4	5	6	8	15
50-64	79	4.7	6	1	2	4	6	7	10	12
65+	71	5.1	6	2	2	5	7	8	9	15
B. Operated										
0-19 YRS	26	4.3	3	2	2	4	5	6	7	9
20-34	26	5.1	4	3	3	5	7	7	8	11
35-49	7	4.6	4	1	1	5	6	7	7	7
50-64	3	7.0	12	3	3	9	9	9	9	9
65+	8	5.3	10	1	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	439	4.2	4	2	2	4	5	7	8	11
20-34	876	4.7	6	2	2	4	5	7	9	12
35-49	468	5.2	7	2	3	5	6	8	10	18
50-64	525	6.1	10	2	3	5	8	10	12	15
65+	1402	7.2	20	3	3	6	9	12	15	25
B. Operated										
0-19 YRS	49	5.4	19	2	2	5	6	8	10	32
20-34	123	7.6	36	2	3	6	9	13	18	35
35-49	73	8.0	24	2	4	7	9	14	20	25
50-64	119	9.2	46	4	4	8	10	16	22	39
65+	205	11.8	90	4	5	10	14	22	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	999	4.0	4	2	2	4	5	6	7	11
B. Operated	70	4.8	4	2	3	4	6	7	9	11
2. MULTIPLE DX										
A. Not Operated	3710	5.8	13	2	3	5	7	10	12	19
B. Operated	569	9.3	59	3	4	7	11	17	22	39
1. SINGLE DX	1069	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX	4279	6.3	21	2	3	5	7	11	14	24
A. NOT OPERATED	4709	5.5	12	2	3	5	7	9	11	18
B. OPERATED	639	8.8	55	3	3	7	10	16	22	35
TOTAL 0-19 YRS	797	4.1	5	2	2	4	5	6	8	10
20-34	1453	4.7	8	2	2	4	5	7	9	15
35-49	686	5.3	10	2	3	5	6	9	11	20
50-64	726	6.4	17	2	3	6	8	10	13	22
65+	1686	7.6	31	3	3	6	9	13	17	29
GRAND TOTAL	5348	5.9	18	2	3	5	7	10	13	22

366 Hospitals, Southern Region, January-December 1985

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	282	3.7	3	1	2	3	5	6	7	9	
20-34	429	3.8	3	2	2	4	5	6	7	11	
35-49	128	4.2	4	2	2	4	5	7	8	12	
50-64	82	4.6	5	2	2	4	6	8	10	11	
65+	64	5.3	6	2	3	5	7	9	10	12	
B. Operated											
0-19 YRS	21	5.0	16	1	2	4	6	7	13	21	
20-34	33	5.9	12	2	3	5	7	8	15	18	
35-49	16	5.6	7	2	3	5	7	9	10	11	
50-64	22	8.8	84	1	2	6	10	17	28	44	
65+	12	6.3	16	1	2	5	10	12	14	14	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	376	4.6	7	2	2	4	5	7	10	13	
20-34	679	4.5	6	2	2	4	5	7	8	15	
35-49	382	5.3	9	2	3	5	6	8	10	17	
50-64	350	6.4	18	2	3	5	8	11	14	23	
65+	670	7.1	22	3	3	6	8	12	15	26	
B. Operated											
0-19 YRS	74	7.3	28	2	3	6	8	13	21	29	
20-34	121	7.5	24	3	3	6	9	12	16	28	
35-49	108	9.4	40	2	3	8	13	18	22	31	
50-64	132	10.0	51	2	4	8	12	18	22	38	
65+	191	13.3	106	3	4	10	17	26	33	54	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	985	4.0	4	2	2	4	5	6	7	11	
B. Operated	104	6.3	28	2	2	5	7	11	16	32	
2. MULTIPLE DX											
A. Not Operated	2457	5.6	14	2	3	5	7	10	12	19	
B. Operated	626	10.1	63	3	3	8	13	19	24	42	
1. SINGLE DX	1089	4.2	7	2	2	4	5	7	8	13	
2. MULTIPLE DX	3083	6.5	27	2	3	5	8	12	15	29	
A. NOT OPERATED	3442	5.2	11	2	2	4	6	9	11	16	
B. OPERATED	730	9.6	60	2	3	7	12	18	24	42	
TOTAL 0-19 YRS	753	4.5	9	2	2	4	5	7	10	14	
20-34	1262	4.6	8	2	2	4	5	7	9	16	
35-49	634	5.8	16	2	3	5	7	10	13	23	
50-64	586	7.1	29	2	3	6	8	13	16	28	
65+	937	8.3	45	3	3	7	10	15	20	40	
GRAND TOTAL	4172	5.9	23	2	2	5	7	10	14	26	

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	65	2.3	2	1	1	2	3	4	5	8	
20-34	441	2.0	1	<1	1	2	2	4	5	6	
35-49	626	2.2	3	<1	1	2	3	4	5	7	
50-64	371	2.4	2	1	1	2	3	4	5	7	
65+	124	2.9	2	1	1	2	4	5	6	8	
B. Operated											
0-19 YRS	27	5.4	10	2	2	5	7	9	11	15	
20-34	295	5.7	10	1	2	5	7	9	12	15	
35-49	405	5.8	12	2	2	5	8	10	12	17	
50-64	336	5.9	13	2	2	5	8	11	13	17	
65+	158	6.5	15	2	2	6	8	11	14	20	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	50	2.8	5	1	1	2	3	5	8	11	
20-34	250	2.8	3	1	1	2	4	5	7	9	
35-49	366	2.8	5	1	1	2	3	5	7	11	
50-64	353	3.1	5	1	1	2	4	6	8	11	
65+	314	4.0	10	1	1	3	5	8	10	17	
B. Operated											
0-19 YRS	21	7.5	14	2	3	7	10	12	14	17	
20-34	194	7.8	72	2	2	6	9	12	16	41	
35-49	334	7.6	34	2	2	6	9	14	18	33	
50-64	406	8.7	61	2	3	7	10	16	23	45	
65+	374	8.7	32	2	2	8	11	15	19	28	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1627	2.3	2	1	1	2	3	4	5	7	
B. Operated	1221	5.9	12	2	2	5	8	10	12	17	
2. MULTIPLE DX											
A. Not Operated	1333	3.2	6	1	1	2	4	6	8	13	
B. Operated	1329	8.3	47	2	2	7	10	15	19	38	
1. SINGLE DX	2848	3.8	10	1	1	3	5	8	10	15	
2. MULTIPLE DX	2662	5.7	33	1	1	4	8	11	15	29	
A. NOT OPERATED	2960	2.7	4	1	1	2	3	5	6	10	
B. OPERATED	2550	7.1	32	2	2	6	9	13	16	29	
TOTAL 0-19 YRS	163	3.7	9	1	1	3	5	8	10	15	
20-34	1180	4.0	20	1	1	3	5	8	11	16	
35-49	1731	4.2	16	1	1	3	6	9	11	20	
50-64	1466	5.1	28	1	1	4	6	10	14	27	
65+	970	6.0	24	1	2	5	8	12	15	25	
GRAND TOTAL	5510	4.7	22	1	1	3	6	10	12	21	

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	238	1.8	1	1	1	2	2	3	3	6
20-34	1777	1.8	1	<1	1	1	2	3	4	5
35-49	2232	1.7	1	<1	1	1	2	3	4	5
50-64	1131	2.0	2	<1	1	2	2	3	4	7
65+	381	2.2	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	133	4.0	5	1	2	3	5	7	8	11
20-34	1242	4.0	6	1	2	3	5	7	9	13
35-49	1861	4.3	7	1	2	4	5	8	9	13
50-64	1119	4.6	9	1	2	4	6	8	10	15
65+	433	5.1	11	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.0	1	<1	1	2	3	3	4	5
20-34	613	2.2	2	1	1	2	3	4	5	8
35-49	930	2.2	2	1	1	2	3	4	5	8
50-64	748	2.6	4	1	1	2	3	5	6	9
65+	514	3.1	6	1	1	3	4	6	7	14
B. Operated										
0-19 YRS	55	5.7	14	2	2	5	7	10	12	20
20-34	537	5.0	11	1	2	4	6	9	11	16
35-49	886	5.6	13	2	2	5	7	10	13	18
50-64	1047	6.3	21	2	2	5	8	12	14	21
65+	852	7.2	31	2	2	6	9	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5759	1.8	1	<1	1	2	2	3	4	6
B. Operated	4788	4.3	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	2870	2.5	3	1	1	2	3	4	6	9
B. Operated	3377	6.1	20	2	2	5	8	11	14	21
1. SINGLE DX	10547	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX	6247	4.4	16	1	1	3	6	9	12	18
A. NOT OPERATED	8629	2.0	2	<1	1	2	2	4	5	7
B. OPERATED	8165	5.1	14	1	2	4	6	9	12	18
TOTAL										
0-19 YRS	491	2.9	5	1	1	2	3	6	8	11
20-34	4169	2.9	6	1	1	2	4	6	7	12
35-49	5909	3.2	7	1	1	2	4	7	8	13
50-64	4045	3.9	12	1	1	3	5	8	10	16
65+	2180	5.0	20	1	1	4	6	10	13	21
GRAND TOTAL	16794	3.5	10	1	1	3	4	7	9	15

230: Miscellaneous diseases of kidney and ureter
(588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.2	2	<1	1	2	3	4	5	8
20-34	27	1.8	1	<1	<1	2	2	3	4	4
35-49	30	2.1	2	1	1	2	2	4	5	7
50-64	31	2.3	2	<1	1	2	3	5	6	7
65+	15	5.1	20	1	2	4	6	12	16	17
B. Operated										
0-19 YRS	278	5.9	11	<1	1	6	8	9	11	14
20-34	127	5.2	10	1	1	5	7	9	11	14
35-49	120	4.9	10	1	1	4	7	10	11	14
50-64	112	6.0	22	1	1	5	8	11	15	23
65+	100	5.2	17	<1	1	4	7	9	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	4.4	37	1	1	3	5	8	13	40
20-34	81	3.9	17	1	1	3	5	7	9	27
35-49	76	5.2	35	1	1	4	6	9	11	40
50-64	121	5.1	19	1	1	4	6	11	14	24
65+	258	6.7	32	1	2	5	8	13	17	36
B. Operated										
0-19 YRS	348	7.1	28	<1	1	6	9	14	16	26
20-34	236	7.2	26	1	2	7	9	14	17	28
35-49	303	7.5	38	1	2	6	10	14	18	28
50-64	400	8.2	42	1	2	7	11	17	22	30
65+	558	8.9	67	1	2	7	12	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	2.4	4	<1	1	2	3	4	6	12
B. Operated	737	5.6	13	1	1	5	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	639	5.5	30	1	1	4	7	11	15	34
B. Operated	1845	8.0	45	1	2	7	10	16	21	35
1. SINGLE DX	877	5.1	13	1	1	5	7	9	11	16
2. MULTIPLE DX	2484	7.3	42	1	2	6	9	15	19	34
A. NOT OPERATED	779	4.9	27	1	1	3	6	10	14	30
B. OPERATED	2582	7.3	37	1	2	6	9	14	18	29
TOTAL 0-19 YRS	766	6.1	23	<1	1	6	8	11	14	23
20-34	471	5.8	21	1	1	5	8	11	15	22
35-49	529	6.2	31	1	1	5	8	12	15	25
50-64	664	7.0	35	1	2	5	9	15	19	27
65+	931	7.8	53	1	2	6	10	15	22	39
GRAND TOTAL	3361	6.7	35	1	1	5	9	13	17	30

366 Hospitals, Southern Region, January-December 1985

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.8	1	<1	1	2	2	3	4	4
20-34	64	2.1	2	<1	1	2	2	4	6	7
35-49	76	1.9	1	<1	1	2	2	3	5	6
50-64	56	2.2	2	<1	<1	2	3	4	6	7
65+	12	1.4	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	5	4.6	5	2	2	5	6	8	8	8
20-34	37	4.6	8	1	2	4	6	8	11	12
35-49	36	3.1	4	<1	1	3	4	7	7	8
50-64	47	3.9	11	1	1	3	5	7	8	21
65+	61	4.0	20	<1	1	3	5	8	9	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	32	3.2	6	1	1	2	4	6	10	12
35-49	49	2.8	4	1	1	2	4	6	7	8
50-64	35	3.1	6	1	1	2	3	6	8	13
65+	36	4.0	6	1	1	3	5	7	9	11
B. Operated										
0-19 YRS	13	5.5	41	1	1	3	7	14	22	24
20-34	32	6.3	26	1	2	5	8	14	19	21
35-49	53	5.6	17	1	1	5	7	11	15	18
50-64	99	5.7	19	1	2	5	7	9	15	26
65+	246	6.0	16	1	2	5	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	222	2.0	2	<1	1	2	2	4	5	7
B. Operated	186	3.9	12	1	1	3	5	8	8	18
2. MULTIPLE DX										
A. Not Operated	156	3.2	5	1	1	3	4	6	8	12
B. Operated	443	5.9	18	1	2	5	8	11	14	21
1. SINGLE DX	408	2.9	7	<1	1	2	4	6	7	11
2. MULTIPLE DX	599	5.2	16	1	1	4	7	10	13	21
A. NOT OPERATED	378	2.5	4	<1	1	2	3	5	6	10
B. OPERATED	629	5.3	17	1	2	4	7	10	13	21
TOTAL										
0-19 YRS	36	3.5	18	1	1	2	4	8	10	24
20-34	165	3.7	11	1	1	2	5	8	10	19
35-49	214	3.2	8	1	1	2	4	7	9	16
50-64	237	4.1	13	1	1	3	5	8	9	21
65+	355	5.3	16	1	2	4	7	10	12	20
GRAND TOTAL	1007	4.3	14	1	1	3	6	9	11	19

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.8	3	1	1	2	3	5	7	8
20-34	31	3.2	7	1	1	3	3	6	10	13
35-49	30	3.8	7	<1	1	3	6	7	7	13
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	11	2.9	4	1	1	3	4	6	7	7
B. Operated										
0-19 YRS	47	2.2	2	<1	<1	2	3	4	5	6
20-34	88	2.8	4	<1	1	2	4	5	7	11
35-49	93	2.5	3	<1	<1	2	3	5	6	9
50-64	122	2.9	7	<1	<1	2	3	5	8	16
65+	120	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.1	3	1	1	3	3	5	7	9
20-34	108	4.0	7	1	2	3	5	7	10	14
35-49	77	4.9	44	1	1	3	5	7	12	44
50-64	92	5.3	12	2	2	5	7	9	11	19
65+	286	6.0	16	2	3	5	7	10	13	21
B. Operated										
0-19 YRS	89	3.1	12	<1	1	2	4	6	8	22
20-34	179	4.4	13	1	1	3	6	9	10	21
35-49	218	4.8	25	1	1	4	6	9	14	34
50-64	284	4.7	23	1	1	3	6	9	12	18
65+	651	5.8	25	1	2	4	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	3.2	5	1	1	3	4	6	7	13
B. Operated	470	2.8	5	<1	<1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	626	5.1	17	1	2	4	6	9	11	19
B. Operated	1421	5.1	23	1	1	4	6	10	13	26
1. SINGLE DX	589	2.9	5	<1	1	2	4	5	7	12
2. MULTIPLE DX	2047	5.1	21	1	2	4	6	9	13	25
A. NOT OPERATED	745	4.8	16	1	2	4	6	8	11	16
B. OPERATED	1891	4.5	19	1	1	3	6	9	12	24
TOTAL										
0-19 YRS	237	2.9	6	<1	1	2	3	5	7	10
20-34	406	3.8	9	1	1	3	5	8	10	15
35-49	418	4.2	23	<1	1	3	5	8	11	28
50-64	507	4.4	17	1	1	3	5	9	11	17
65+	1068	5.5	21	1	2	4	7	10	13	26
GRAND TOTAL	2636	4.6	18	1	1	3	6	9	12	22

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	4	2.5		2	2	2	3	3	3	3
65+	8	2.1	4	<1	<1	1	2	6	7	7
B. Operated										
0-19 YRS	275	2.0	6	<1	<1	1	2	3	5	15
20-34	145	2.7	5	1	1	2	3	6	7	12
35-49	127	2.5	4	<1	<1	2	3	5	5	14
50-64	93	2.9	6	<1	1	2	4	6	8	12
65+	105	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	2	<1	<1	2	2	4	5	5
20-34	6	2.3	4	1	1	2	3	6	6	6
35-49	9	4.2	18	1	1	2	7	11	13	13
50-64	7	2.3	2	1	1	2	3	5	5	5
65+	49	4.1	7	1	1	4	6	8	9	11
B. Operated										
0-19 YRS	251	2.3	8	<1	1	2	2	4	7	14
20-34	193	3.5	9	1	1	3	4	7	10	17
35-49	207	3.9	11	1	1	3	5	8	11	15
50-64	290	3.7	10	1	1	3	4	7	9	19
65+	566	4.9	15	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.3	2	<1	<1	2	3	4	6	7
B. Operated	745	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	78	3.6	8	1	1	3	6	7	9	13
B. Operated	1507	3.9	12	1	1	3	5	8	11	17
1. SINGLE DX	763	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	1585	3.9	12	1	1	3	5	8	11	17
A. NOT OPERATED	96	3.4	7	1	1	2	5	7	9	12
B. OPERATED	2252	3.5	10	<1	1	2	4	7	10	16
TOTAL										
0-19 YRS	535	2.2	7	<1	<1	1	2	4	6	14
20-34	345	3.1	7	1	1	2	4	6	9	14
35-49	346	3.4	9	<1	1	2	4	7	10	14
50-64	394	3.5	9	1	1	3	4	6	9	14
65+	728	4.6	13	1	1	4	6	9	12	18
GRAND TOTAL	2348	3.5	10	<1	1	2	4	7	9	16

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	433	2.9	3	1	1	2	4	5	6	9
20-34	241	3.1	4	1	1	3	4	6	7	10
35-49	144	3.5	6	1	1	3	4	6	8	14
50-64	99	3.8	6	1	1	3	5	7	9	14
65+	274	5.0	15	1	2	4	6	8	10	25
B. Operated										
0-19 YRS	273	2.3	4	<1	<1	2	3	5	7	10
20-34	236	3.3	7	<1	1	3	4	6	7	13
35-49	227	3.4	10	<1	1	3	4	7	9	14
50-64	257	3.3	6	<1	1	3	4	6	8	11
65+	320	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1241	4.1	7	1	2	3	5	8	9	13
20-34	948	4.5	14	1	2	4	5	8	10	16
35-49	869	5.2	16	2	2	4	6	9	12	19
50-64	1315	5.8	16	2	2	5	7	10	13	21
65+	5989	7.4	36	2	3	6	9	13	16	30
B. Operated										
0-19 YRS	495	4.8	33	<1	1	3	6	10	16	34
20-34	464	5.2	42	1	1	4	6	10	15	37
35-49	526	5.3	23	1	1	4	7	11	14	23
50-64	932	6.0	32	1	2	4	8	12	15	31
65+	2653	7.9	56	2	2	6	10	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1191	3.6	7	1	1	3	4	7	8	12
B. Operated	1313	3.2	8	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	10362	6.4	28	2	2	5	8	11	14	26
B. Operated	5070	6.7	46	1	2	5	8	13	18	37
1. SINGLE DX										
2. MULTIPLE DX	2504	3.4	7	<1	1	3	4	6	8	13
A. NOT OPERATED	15432	6.5	34	1	2	5	8	12	15	30
B. OPERATED	11553	6.1	26	2	2	5	8	11	14	25
	6383	6.0	40	1	1	4	8	12	16	33
TOTAL 0-19 YRS										
20-34	2442	3.8	12	1	1	3	5	7	9	17
35-49	1889	4.3	19	1	1	3	5	8	10	19
50-64	1766	4.9	17	1	1	4	6	9	12	18
65+	2603	5.5	21	1	2	4	7	10	13	23
	9236	7.4	41	2	3	6	9	13	17	33
GRAND TOTAL	17936	6.0	31	1	2	5	8	11	15	28

366 Hospitals, Southern Region, January-December 1985

235: Hyperplasia of prostate (500)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	13	1.8	1	<1	<1	2	3	3	3	3
65+	17	4.8	21	<1	1	2	8	12	15	16
B. Operated										
0-19 YRS	5	5.6	9	2	2	5	8	10	10	10
20-34	5	3.0	1	2	2	3	4	4	4	4
35-49	77	4.0	5	1	1	4	5	7	8	13
50-64	1228	4.5	5	1	2	4	6	7	8	11
65+	2133	5.0	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	9	3.9	4	1	1	4	5	7	7	7
50-64	83	3.6	6	<1	1	3	5	7	8	11
65+	314	4.9	25	1	1	4	6	9	12	28
B. Operated										
0-19 YRS	10	6.6	2	4	4	7	8	8	8	8
20-34	9	6.1	13	1	1	6	9	11	11	11
35-49	114	5.8	44	2	2	4	6	9	16	71
50-64	2509	5.6	10	2	3	5	6	9	11	17
65+	7810	6.7	18	3	3	6	8	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	32	3.4	13	<1	<1	2	3	9	12	16
B. Operated										
	3448	4.8	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. Not Operated										
	408	4.6	21	1	1	4	6	9	11	23
B. Operated										
	10452	6.4	17	2	3	5	7	10	13	21
1. SINGLE DX										
	3480	4.8	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
	10860	6.3	17	2	3	5	7	10	13	21
A. NOT OPERATED										
	440	4.5	20	1	1	4	6	9	11	21
B. OPERATED										
	13900	6.0	14	2	3	5	7	10	12	20
TOTAL 0-19 YRS										
	15	6.3	4	2	4	7	8	8	10	10
20-34	16	5.2	12	1	2	4	7	11	11	11
35-49	202	5.0	28	1	2	4	5	8	12	48
50-64	3833	5.2	8	2	2	5	6	8	10	16
65+	10274	6.3	16	2	3	5	7	10	13	21
GRAND TOTAL										
	14340	6.0	15	2	3	5	7	10	12	20

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	3	<1	<1	2	4	5	5	5
20-34	52	3.9	3	2	2	3	5	6	7	10
35-49	79	4.0	5	2	2	4	5	7	8	11
50-64	62	4.3	7	2	2	4	5	7	9	15
65+	27	3.8	4	1	2	4	5	6	8	9
B. Operated										
0-19 YRS	7	2.4	3	<1	<1	1	4	5	5	5
20-34	31	2.9	5	<1	<1	2	4	6	6	10
35-49	52	2.8	3	<1	1	2	4	5	6	8
50-64	47	3.3	6	1	1	2	4	7	8	11
65+	25	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.3	13	3	3	4	6	12	13	13
20-34	90	3.9	5	1	2	3	5	7	8	10
35-49	151	4.1	4	1	2	4	5	7	8	9
50-64	209	4.8	8	2	2	4	6	7	9	17
65+	201	5.2	9	2	2	4	7	9	11	15
B. Operated										
0-19 YRS	11	3.2	4	<1	1	3	4	6	8	8
20-34	76	4.3	7	<1	1	4	6	8	9	13
35-49	165	4.3	11	1	1	4	6	8	9	13
50-64	201	4.9	16	1	2	4	6	9	12	18
65+	223	5.7	18	1	2	5	7	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	228	4.0	5	1	2	4	5	7	8	12
B. Operated										
	162	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated										
	658	4.7	7	2	2	4	6	8	9	14
B. Operated										
	676	4.9	15	1	1	4	7	9	12	18
1. SINGLE DX										
	390	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
	1334	4.8	11	1	2	4	6	8	10	16
A. NOT OPERATED										
	886	4.5	7	2	2	4	6	7	9	14
B. OPERATED										
	838	4.6	13	1	1	4	6	8	11	18
TOTAL 0-19 YRS										
	33	3.3	6	<1	<1	3	4	6	8	13
20-34										
	249	3.9	5	1	1	3	5	7	8	11
35-49										
	447	4.0	7	1	1	4	5	7	8	12
50-64										
	519	4.7	11	1	2	4	6	8	10	17
65+										
	476	5.3	13	1	2	4	7	9	12	18
GRAND TOTAL										
	1724	4.5	10	1	2	4	6	8	10	15

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	173	1.5	1	<1	<1	1	2	2	3	5
20-34	72	2.3	2	1	1	2	3	4	5	7
35-49	79	2.1	1	1	1	2	2	3	4	7
50-64	117	2.7	2	1	1	2	3	4	5	8
65+	83	2.7	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.2	4	<1	<1	1	3	6	7	7
20-34										
35-49	3	3.3	6	<1	<1	3	5	6	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	7	2.9	6	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	135	2.1	2	<1	1	2	2	4	4	8
20-34	40	3.2	4	1	2	3	3	6	8	12
35-49	56	3.3	5	1	1	3	4	6	8	10
50-64	140	3.8	11	1	1	3	4	7	9	18
65+	166	4.1	10	1	2	3	5	8	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	<1	<1	2	3	3	3	3
B. Operated	524	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	25	2.5	4	<1	1	2	3	6	7	7
B. Operated	537	3.4	8	1	1	3	4	6	8	14
1. SINGLE DX	530	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	562	3.3	8	1	1	3	4	6	8	14
A. NOT OPERATED	31	2.4	4	<1	<1	2	3	6	7	7
B. OPERATED	1061	2.8	5	<1	1	2	3	5	7	12
TOTAL										
0-19 YRS	325	1.8	1	<1	<1	1	2	3	4	6
20-34	113	2.6	3	1	1	2	3	5	6	10
35-49	138	2.6	3	1	1	2	3	5	6	10
50-64	260	3.3	7	1	1	3	4	5	8	14
65+	256	3.6	8	1	1	3	4	7	9	14
GRAND TOTAL	1092	2.8	5	<1	1	2	3	5	7	12

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	3.5	4	1	1	3	5	6	7	8
20-34	161	3.8	5	1	1	3	5	7	8	11
35-49	111	4.3	5	2	2	4	5	7	8	13
50-64	61	5.2	7	2	3	5	6	8	9	19
65+	44	5.6	5	1	3	6	7	8	10	13
B. Operated										
0-19 YRS	33	3.2	10	1	1	2	4	6	11	15
20-34	47	3.2	4	1	1	3	4	6	7	8
35-49	65	3.1	4	1	1	3	4	5	7	10
50-64	39	3.8	5	1	1	3	5	7	8	9
65+	19	4.3	7	1	2	3	5	7	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.2	6	1	2	3	6	7	9	11
20-34	74	4.5	5	2	2	4	6	8	9	11
35-49	103	5.0	7	2	2	4	6	8	11	15
50-64	118	6.0	8	3	3	5	7	10	12	15
65+	149	6.1	14	3	3	5	7	10	13	21
B. Operated										
0-19 YRS	24	3.9	17	1	1	3	5	6	13	21
20-34	39	5.2	7	1	2	5	7	9	10	11
35-49	59	5.1	15	1	1	4	7	10	12	21
50-64	64	8.6	95	2	2	7	9	15	23	57
65+	128	7.3	28	2	2	6	9	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	462	4.2	6	1	2	4	5	7	8	13
B. Operated	203	3.4	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	483	5.4	10	2	2	5	7	9	11	16
B. Operated	314	6.6	38	1	2	5	8	12	18	30
1. SINGLE DX	665	4.0	6	1	1	4	5	7	8	13
2. MULTIPLE DX	797	5.9	21	2	2	5	7	10	13	21
A. NOT OPERATED	945	4.9	8	1	2	4	6	8	10	15
B. OPERATED	517	5.3	28	1	1	4	7	10	14	24
TOTAL										
0-19 YRS	181	3.7	7	1	1	3	5	7	8	14
20-34	321	4.1	6	1	1	3	5	7	9	11
35-49	338	4.4	8	1	2	4	6	8	10	14
50-64	282	6.1	29	2	2	5	7	10	12	26
65+	340	6.4	18	2	3	5	7	11	15	22
GRAND TOTAL	1462	5.0	15	1	2	4	6	9	11	20

366 Hospitals, Southern Region, January-December 1985

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.3		<1	<1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	527	1.3	1	<1	<1	1	2	2	2	3
20-34	88	1.6	1	<1	<1	1	2	3	3	4
35-49	54	1.6		<1	<1	1	2	2	3	3
50-64	26	2.1	2	<1	1	2	2	3	4	7
65+	17	1.7	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.1		<1	<1	1	1	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	8	4.8	31	<1	<1	2	6	15	17	17
B. Operated										
0-19 YRS	170	1.6	1	<1	<1	1	2	3	3	7
20-34	74	2.0	2	<1	<1	2	2	3	4	9
35-49	105	2.1	3	<1	<1	2	3	4	5	10
50-64	74	2.7	6	1	1	2	3	6	8	13
65+	59	3.7	19	1	1	2	4	7	8	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.6	1	<1	<1	1	2	3	4	4
B. Operated	712	1.4	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	26	2.5	12	<1	<1	1	2	7	11	17
B. Operated	482	2.2	5	<1	<1	2	2	4	6	10
1. SINGLE DX	736	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	508	2.2	5	<1	<1	2	2	4	6	11
A. NOT OPERATED	50	2.1	7	<1	<1	1	2	4	7	17
B. OPERATED	1194	1.7	3	<1	<1	1	2	3	4	8
TOTAL										
0-19 YRS	726	1.4	1	<1	<1	1	2	2	2	4
20-34	165	1.8	1	<1	<1	2	2	3	4	7
35-49	162	1.9	2	<1	<1	2	2	3	4	8
50-64	106	2.5	5	1	1	2	3	6	7	11
65+	85	3.4	17	<1	1	2	4	7	8	27
GRAND TOTAL	1244	1.7	3	<1	<1	1	2	3	4	8

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.1	3	<1	1	1	2	4	7	8
20-34	21	2.5	4	1	1	1	4	5	7	9
35-49	23	2.1	1	<1	1	2	3	3	4	6
50-64	19	2.8	1	<1	1	3	3	5	5	5
65+	9	3.0	4	<1	<1	2	5	6	6	6
B. Operated										
0-19 YRS	523	1.6	1	<1	<1	1	2	3	4	5
20-34	286	2.0	2	<1	1	2	3	4	5	9
35-49	231	2.3	2	<1	1	2	3	4	5	8
50-64	299	3.5	11	1	1	3	4	6	7	17
65+	130	3.5	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.7	3	<1	1	2	3	5	7	9
20-34	40	3.4	8	1	1	3	4	5	6	18
35-49	36	3.5	7	<1	1	3	5	7	8	12
50-64	40	3.1	7	<1	<1	2	3	7	10	11
65+	57	6.0	77	1	1	4	7	9	10	64
B. Operated										
0-19 YRS	230	2.3	3	<1	1	2	3	4	6	9
20-34	209	3.1	6	1	1	2	4	6	8	13
35-49	314	4.0	16	1	1	3	5	8	11	23
50-64	430	4.3	15	1	2	3	5	7	9	19
65+	354	5.2	53	2	2	4	5	8	11	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.4	3	<1	1	2	3	5	6	9
B. Operated	1469	2.4	4	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	208	3.9	27	<1	1	3	5	7	9	18
B. Operated	1537	4.0	22	1	1	3	5	7	9	24
1. SINGLE DX	1568	2.4	4	<1	1	2	3	4	5	8
2. MULTIPLE DX	1745	4.0	22	1	1	3	5	7	9	22
A. NOT OPERATED	307	3.4	20	<1	1	3	4	7	8	14
B. OPERATED	3006	3.2	14	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	815	1.9	2	<1	1	1	2	3	4	7
20-34	556	2.6	4	<1	1	2	3	5	7	11
35-49	604	3.3	10	<1	1	2	4	6	8	15
50-64	788	3.9	13	1	1	3	5	6	8	17
65+	550	4.9	44	1	2	3	5	8	10	36
GRAND TOTAL	3313	3.2	15	<1	1	2	4	6	8	15

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	8	2.5	2	1	1	2	3	4	5	5
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	38	1.8	1	<1	<1	2	2	3	4	5
20-34	331	2.1	1	<1	<1	2	3	4	4	7
35-49	1018	2.2	3	<1	<1	2	2	4	5	8
50-64	667	2.1	1	<1	<1	2	2	3	4	6
65+	264	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	4.3	1	3	3	4	5	5	5	5
35-49	12	2.2	2	<1	<1	2	3	4	5	5
50-64	16	3.3	10	<1	1	2	5	9	10	11
65+	5	2.2	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	18	2.3	5	<1	<1	2	2	5	6	10
20-34	193	3.1	5	<1	1	2	4	6	7	13
35-49	805	3.0	4	1	1	2	4	6	7	10
50-64	565	2.9	4	1	1	2	3	5	6	11
65+	389	3.0	5	1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.8	1	<1	<1	1	3	3	4	5
B. Operated	2318	2.1	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	39	2.9	5	<1	1	2	4	5	8	11
B. Operated	1970	3.0	5	1	1	2	4	6	7	11
1. SINGLE DX	2335	2.1	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX	2009	3.0	5	1	1	2	4	6	7	11
A. NOT OPERATED	56	2.6	4	<1	<1	2	3	5	6	11
B. OPERATED	4288	2.5	3	<1	<1	2	3	5	6	9
TOTAL 0-19 YRS										
20-34	531	2.4	3	<1	<1	2	3	5	6	8
35-49	1843	2.5	4	<1	<1	2	3	5	6	9
50-64	1251	2.5	3	<1	1	2	3	4	5	9
65+	661	2.6	4	<1	1	2	3	4	6	10
GRAND TOTAL	4344	2.5	3	<1	<1	2	3	5	6	9

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.3	5	1	2	2	4	6	8	10
20-34	46	3.5	5	1	1	3	4	6	9	10
35-49	10	3.8	7	<1	<1	3	6	7	8	8
50-64	9	2.0	1	<1	<1	2	3	4	4	4
65+	6	1.5	1	<1	<1	1	2	3	3	3
B. Operated										
0-19 YRS	245	2.5	2	<1	1	2	3	4	5	7
20-34	442	2.9	2	<1	1	3	4	5	5	7
35-49	344	2.8	3	<1	1	2	4	5	6	10
50-64	226	2.6	3	<1	<1	2	3	4	5	10
65+	127	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.5	2	<1	<1	2	3	5	5	5
20-34	45	3.5	6	<1	1	3	5	7	10	11
35-49	41	3.4	5	<1	<1	3	4	7	8	10
50-64	34	4.3	15	<1	<1	3	7	11	13	15
65+	34	3.2	9	<1	1	2	5	8	10	13
B. Operated										
0-19 YRS	92	3.0	2	1	1	3	4	4	5	10
20-34	266	3.7	9	1	1	3	4	6	8	13
35-49	366	3.4	5	1	1	3	4	6	7	10
50-64	313	3.7	6	1	1	3	5	6	8	14
65+	180	3.9	11	1	1	3	5	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.2	5	<1	1	3	4	6	8	10
B. Operated	1384	2.7	2	<1	1	2	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	160	3.6	8	<1	<1	3	5	8	10	13
B. Operated	1217	3.6	7	1	1	3	4	6	8	13
1. SINGLE DX	1490	2.7	3	<1	1	2	4	5	5	9
2. MULTIPLE DX	1377	3.6	7	1	1	3	4	6	8	13
A. NOT OPERATED	256	3.4	7	<1	1	3	4	7	9	13
B. OPERATED	2601	3.1	5	<1	1	3	4	5	6	11
TOTAL										
0-19 YRS	368	2.7	2	1	1	2	3	4	5	10
20-34	799	3.2	5	1	1	3	4	5	6	11
35-49	761	3.2	5	<1	1	3	4	5	7	10
50-64	582	3.3	5	<1	1	3	4	6	8	13
65+	347	3.2	8	<1	1	2	4	6	9	13
GRAND TOTAL	2857	3.1	5	<1	1	3	4	5	7	11

366 Hospitals, Southern Region, January-December 1985

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	243	2.0	1	<1	1	2	2	4	4	6	
20-34	393	2.3	3	1	1	2	3	4	5	9	
35-49	118	2.6	3	1	1	2	3	5	6	11	
50-64	1	1.0	<1	<1	<1	<1	<1	<1	<1	<1	
65+	4	2.0	1	1	1	2	3	3	3	3	
B. Operated											
0-19 YRS	303	3.8	3	1	2	4	5	6	7	8	
20-34	897	4.1	5	1	1	4	5	6	8	11	
35-49	308	5.0	4	2	2	5	6	7	8	11	
50-64	42	6.0	5	2	4	6	7	8	10	13	
65+	14	7.2	11	2	3	7	9	11	14	15	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	185	3.0	44	1	1	2	3	5	6	8	
20-34	393	2.9	4	<1	1	2	4	5	6	10	
35-49	137	3.5	6	1	1	3	4	6	9	12	
50-64	14	5.0	9	1	2	4	6	8	12	13	
65+	9	7.9	58	2	2	5	9	20	27	27	
B. Operated											
0-19 YRS	296	4.6	7	1	2	4	6	8	9	12	
20-34	2067	5.3	6	1	2	5	6	8	10	13	
35-49	1119	6.3	9	2	4	6	7	9	11	16	
50-64	138	7.1	8	4	4	7	8	11	12	17	
65+	84	8.1	16	4	5	7	9	11	13	29	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	759	2.3	2	1	1	2	3	4	5	8	
B. Operated	1564	4.3	4	1	2	4	6	7	8	11	
2. MULTIPLE DX											
A. Not Operated	738	3.1	15	1	1	3	4	5	7	11	
B. Operated	3704	5.7	8	1	3	5	7	9	10	15	
1. SINGLE DX	2323	3.7	5	1	1	3	5	6	7	10	
2. MULTIPLE DX	4442	5.2	10	1	2	5	7	8	10	14	
A. NOT OPERATED	1497	2.7	9	1	1	2	3	5	6	10	
B. OPERATED	5268	5.3	7	1	2	5	6	8	10	14	
TOTAL											
0-19 YRS	1027	3.5	12	1	1	3	5	6	7	10	
20-34	3750	4.4	6	1	1	4	6	7	9	12	
35-49	1682	5.6	9	1	2	5	7	9	10	15	
50-64	195	6.7	8	3	4	6	8	10	12	16	
65+	111	7.7	19	3	4	7	9	11	14	31	
GRAND TOTAL	6765	4.7	9	1	1	5	6	8	9	13	

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	748	4.0	4	2	2	4	5	6	8	12	
20-34	1799	3.9	4	1	2	4	5	6	7	10	
35-49	204	4.5	6	2	2	4	5	8	9	14	
50-64	13	4.2	3	2	2	4	5	7	8	8	
65+	6	5.2	12	3	3	4	5	11	12	12	
B. Operated											
0-19 YRS	133	4.9	6	1	2	5	6	8	9	13	
20-34	662	5.0	7	1	2	5	6	8	9	14	
35-49	243	5.3	7	1	2	5	6	8	10	13	
50-64	36	7.1	21	2	2	6	8	14	17	23	
65+	4	10.5	9	9	9	9	12	15	15	15	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	552	4.6	6	2	2	4	5	7	10	12	
20-34	1503	4.5	5	2	2	4	5	7	9	13	
35-49	313	5.2	9	2	2	5	7	9	10	13	
50-64	51	6.1	14	2	3	5	8	11	14	19	
65+	22	7.8	74	2	2	5	8	18	31	38	
B. Operated											
0-19 YRS	283	6.0	11	1	2	6	7	10	12	15	
20-34	2686	5.8	10	1	2	5	7	9	11	16	
35-49	1149	6.8	12	2	4	6	8	11	14	20	
50-64	137	9.3	32	2	5	7	11	18	20	27	
65+	45	11.8	232	1	2	8	11	22	40	93	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2770	4.0	4	1	2	4	5	6	8	11	
B. Operated	1078	5.1	7	1	2	5	6	8	10	15	
2. MULTIPLE DX											
A. Not Operated	2441	4.7	7	2	2	4	6	8	9	13	
B. Operated	4300	6.2	14	1	3	6	7	10	13	19	
1. SINGLE DX	3848	4.3	5	1	2	4	5	7	8	12	
2. MULTIPLE DX	6741	5.7	12	2	2	5	7	9	11	17	
A. NOT OPERATED	5211	4.3	6	2	2	4	5	7	8	12	
B. OPERATED	5378	6.0	13	1	2	6	7	9	12	18	
TOTAL											
0-19 YRS	1716	4.6	6	2	2	4	6	8	9	13	
20-34	6650	4.9	8	1	2	5	6	8	9	15	
35-49	1909	6.1	11	2	3	6	7	10	12	19	
50-64	237	8.0	27	2	3	7	9	15	19	23	
65+	77	10.1	161	2	2	7	11	17	36	80	
GRAND TOTAL	10589	5.2	10	2	2	5	6	8	10	16	

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.0	6	<1	<1	4	6	8	8	8
20-34	26	2.9	3	<1	1	3	4	5	7	7
35-49	12	2.6	2	<1	<1	2	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	25	2.9	3	<1	1	2	4	5	6	6
20-34	612	4.5	5	1	1	5	6	7	8	10
35-49	429	5.5	3	2	4	6	6	7	8	10
50-64	24	5.6	2	2	4	6	6	7	8	9
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	89	3.5	5	1	1	3	5	6	9	11
35-49	23	2.9	3	<1	<1	2	4	5	6	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. Operated										
0-19 YRS	51	3.8	4	1	1	4	5	7	8	9
20-34	2886	5.4	5	1	2	5	6	8	9	12
35-49	3250	6.2	4	4	4	6	7	8	9	13
50-64	279	7.3	9	5	5	7	8	10	12	19
65+	46	8.1	12	5	5	7	9	12	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	45	3.0	3	<1	1	3	4	5	7	8
B. Operated										
	1091	4.9	4	1	1	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
	118	3.3	4	1	1	3	4	6	7	11
B. Operated										
	6512	5.9	5	2	4	6	7	8	9	13
1. SINGLE DX										
	1136	4.8	4	1	1	5	6	7	8	10
2. MULTIPLE DX										
	6630	5.8	5	2	4	6	7	8	9	13
A. NOT OPERATED										
	163	3.2	4	<1	1	3	4	6	7	11
B. OPERATED										
	7603	5.7	5	2	3	6	7	8	9	13
TOTAL 0-19 YRS										
	88	3.5	4	<1	1	4	5	6	7	9
20-34	3613	5.2	5	1	2	5	6	7	8	11
35-49	3714	6.1	4	3	4	6	7	8	9	13
50-64	304	7.1	9	5	5	6	8	10	12	18
65+	47	8.0	13	4	5	7	9	12	13	26
GRAND TOTAL										
	7766	5.7	5	1	3	6	7	8	9	13

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	37	4.0	10	<1	1	3	5	7	12	15
35-49	31	4.4	5	<1	1	5	6	7	8	8
50-64	11	3.9	21	<1	<1	2	3	13	14	14
65+	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	4	4.3	12	<1	<1	3	6	9	9	9
35-49	4	6.3	25	1	1	5	9	13	13	13
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	10	6.5	152	<1	<1	2	5	24	41	41
20-34	299	5.0	8	1	2	5	6	7	9	16
35-49	235	5.5	6	1	2	6	7	8	9	13
50-64	72	5.4	16	1	1	5	7	10	14	21
65+	28	4.5	12	1	1	4	6	8	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	1	3	3	3	5	5	5	5
B. Operated	83	4.0	9	<1	1	3	6	7	10	15
2. MULTIPLE DX										
A. Not Operated	15	4.8	11	<1	1	4	7	9	12	13
B. Operated	644	5.2	11	1	2	5	6	8	9	17
1. SINGLE DX	86	4.0	9	<1	1	3	6	7	9	15
2. MULTIPLE DX	659	5.2	11	1	2	5	6	8	9	17
A. NOT OPERATED	18	4.6	9	<1	1	4	6	9	11	13
B. OPERATED	727	5.1	11	1	2	5	6	8	9	17
TOTAL 0-19 YRS	14	5.4	108	<1	<1	2	5	10	34	41
20-34	342	4.9	8	1	2	5	6	7	9	15
35-49	271	5.4	7	1	2	6	7	8	9	13
50-64	85	5.2	17	1	1	5	7	10	14	20
65+	33	4.2	11	1	1	3	6	7	13	14
GRAND TOTAL	745	5.1	11	1	2	5	6	8	9	17

366 Hospitals, Southern Region, January-December 1985

**247: Inflammatory disease of vulva, vagina, and uterus, except cervix
(615; 616.1-616.9)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.0	2	1	1	3	4	5	5	5
20-34	95	3.6	5	1	1	3	4	6	8	13
35-49	18	3.3	2	1	2	3	4	5	6	6
50-64	5	4.0	2	2	2	4	5	6	6	6
65+	3	6.7	2	5	5	7	8	8	8	8
B. Operated										
0-19 YRS	38	2.0	2	<1	1	2	3	4	4	6
20-34	246	2.3	3	<1	1	2	3	4	5	9
35-49	126	2.1	2	<1	1	2	2	4	5	8
50-64	49	3.0	10	<1	1	2	3	5	7	18
65+	11	3.4	16	<1	<1	2	3	9	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.7	4	1	1	3	4	6	9	10
20-34	178	4.3	5	1	2	4	5	7	9	11
35-49	47	4.6	8	2	2	4	6	7	11	16
50-64	23	6.9	29	2	3	6	8	10	18	29
65+	28	8.2	53	1	2	7	10	14	26	35
B. Operated										
0-19 YRS	44	2.9	5	<1	1	2	4	6	8	9
20-34	225	4.1	9	1	1	4	6	7	8	16
35-49	141	4.4	8	1	1	4	6	8	9	14
50-64	62	7.0	63	1	1	4	8	14	25	42
65+	47	6.9	94	1	2	4	7	13	21	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	3.5	4	1	1	3	4	6	7	12
B. Operated	470	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	324	4.8	12	1	2	4	6	8	10	18
B. Operated	519	4.7	24	1	1	4	6	8	11	27
1. SINGLE DX	624	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	843	4.7	19	1	1	4	6	8	10	25
A. NOT OPERATED	478	4.4	10	1	2	4	5	8	10	14
B. OPERATED	989	3.6	16	<1	1	2	5	7	9	19
TOTAL 0-19 YRS	163	3.0	4	1	1	3	4	5	6	9
20-34	744	3.5	6	1	1	3	5	6	8	12
35-49	332	3.5	6	1	1	3	5	7	8	13
50-64	139	5.5	40	1	1	3	6	11	17	33
65+	89	6.9	69	1	1	5	8	13	19	50
GRAND TOTAL	1467	3.8	14	1	1	3	5	7	9	16

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	4	4.5	16	<1	<1	4	8	8	8	8
65+	7	4.4	6	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	5	4.0	3	2	2	4	5	6	6	6
20-34	275	5.6	4	3	3	5	7	8	9	12
35-49	466	5.7	4	3	4	5	7	8	9	12
50-64	682	6.3	4	3	4	6	7	9	10	13
65+	536	6.4	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	1.8	2	<1	<1	1	3	3	5	5
35-49	31	2.0	2	<1	<1	1	3	4	5	7
50-64	31	2.2	4	<1	<1	1	3	5	8	8
65+	56	3.6	8	1	1	3	5	7	8	15
B. Operated										
0-19 YRS	9	6.0	11	2	2	6	8	56	99+	99+
20-34	1411	5.8	4	3	4	6	7	8	9	13
35-49	2345	6.5	5	4	4	6	7	9	10	14
50-64	1782	7.2	7	4	5	7	8	10	12	17
65+	1758	7.6	9	4	5	7	9	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.7	8	<1	1	3	6	8	8	8
B. Operated	1964	6.1	4	3	4	6	7	9	9	13
2. MULTIPLE DX										
A. Not Operated	133	2.7	6	<1	<1	2	4	6	8	13
B. Operated	7305	6.8	7	4	4	6	8	10	11	16
1. SINGLE DX	1981	6.0	5	3	4	6	7	8	9	13
2. MULTIPLE DX	7438	6.7	7	4	4	6	8	10	11	16
A. NOT OPERATED	150	2.8	6	<1	1	2	4	6	8	13
B. OPERATED	9269	6.6	6	4	4	6	8	9	11	15
TOTAL 0-19 YRS	16	5.0	8	1	2	5	7	12	69	99+
20-34	1702	5.7	4	3	4	5	7	8	9	13
35-49	2845	6.3	5	3	4	6	7	9	10	14
50-64	2499	6.8	7	3	4	7	8	10	11	16
65+	2357	7.3	9	4	4	7	8	10	12	17
GRAND TOTAL	9419	6.6	6	3	4	6	8	9	11	15

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	1.7	1	<1	<1	1	2	4	4	5
35-49	31	1.6	1	<1	<1	1	2	3	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	5	3.0	2	2	2	2	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	8	2.9	3	1	1	3	4	5	6	6
20-34	84	4.2	5	<1	1	5	6	7	8	10
35-49	95	4.7	9	<1	1	5	6	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	5	2.2	2	1	1	2	3	4	4	4
B. Operated										
	74	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
	13	2.8	3	1	1	2	4	5	7	7
B. Operated										
	187	4.4	7	<1	1	5	6	7	8	11
1. SINGLE DX	79	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX	200	4.3	7	<1	1	4	6	7	8	11
A. NOT OPERATED	18	2.6	3	1	1	2	4	5	6	7
B. OPERATED	261	3.6	7	<1	<1	3	6	7	8	10
TOTAL										
0-19 YRS	13	2.5	3	1	1	2	4	5	6	6
20-34	135	3.3	5	<1	<1	2	5	6	7	9
35-49	131	3.9	9	<1	<1	3	6	7	8	13
50-64										
65+										
GRAND TOTAL	279	3.6	7	<1	<1	3	6	7	8	10

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	1.7	1	<1	1	1	2	3	4	4
20-34	90	1.8	1	<1	<1	1	2	3	4	7
35-49	40	1.9	4	<1	<1	1	2	3	6	11
50-64										
65+										
B. Operated										
0-19 YRS	85	1.7	1	1	1	2	2	3	3	5
20-34	932	2.4	3	<1	<1	2	3	5	6	8
35-49	918	2.8	6	<1	<1	2	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	2.4	2	1	1	2	3	5	5	8
20-34	172	2.6	5	<1	1	2	3	4	6	14
35-49	133	2.4	4	<1	<1	2	3	5	6	10
50-64										
65+										
B. Operated										
0-19 YRS	129	3.3	12	1	1	2	5	6	7	20
20-34	2618	4.7	6	1	1	5	6	7	8	12
35-49	3924	5.1	7	1	1	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	175	1.8	2	<1	<1	1	2	3	4	8
B. Operated										
	1935	2.5	4	<1	<1	2	4	6	6	9
2. MULTIPLE DX										
A. Not Operated										
	376	2.5	4	<1	1	2	3	4	6	11
B. Operated										
	6671	4.9	7	1	1	5	6	8	9	12
1. SINGLE DX	2110	2.5	4	<1	<1	2	3	6	6	9
2. MULTIPLE DX	7047	4.8	7	1	1	5	6	7	8	12
A. NOT OPERATED	551	2.3	3	<1	<1	2	3	4	5	10
B. OPERATED	8606	4.4	7	<1	1	5	6	7	8	12
TOTAL										
0-19 YRS	330	2.5	6	1	1	2	3	5	6	9
20-34	3812	4.0	7	<1	1	4	6	7	8	11
35-49	5015	4.6	7	<1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	9157	4.2	7	<1	1	5	6	7	8	12

366 Hospitals, Southern Region, January-December 1985

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	11.7	310	1	1	2	24	32	32	32
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	4	2.5	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS										
20-34	5	1.8	3	<1	<1	<1	2	5	5	5
35-49	79	1.7	2	<1	<1	1	2	4	6	7
50-64	322	2.0	3	<1	<1	1	2	4	6	9
65+	148	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	19	3.8	6	<1	1	3	5	7	3	10
50-64	26	3.3	6	<1	<1	3	5	7	8	9
65+	36	3.9	10	1	1	3	4	8	10	17
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	4.7	4	1	2	5	6	7	8	8
35-49	150	3.7	6	<1	1	3	6	7	8	10
50-64	674	3.6	8	1	1	2	6	7	9	12
65+	498	3.8	12	1	1	2	5	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.7	83	1	1	2	3	16	31	32
B. Operated	554	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	81	3.7	8	<1	1	3	5	7	9	15
B. Operated	1342	3.7	9	1	1	2	5	7	9	13
1. SINGLE DX	565	1.9	4	<1	<1	1	2	3	5	8
2. MULTIPLE DX	1423	3.7	9	1	1	2	5	7	9	13
A. NOT OPERATED	92	3.8	16	<1	1	3	5	7	9	26
B. OPERATED	1896	3.1	8	<1	1	2	4	7	8	12
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	24	4.1	5	<1	<1	5	6	6	7	8
35-49	251	3.2	9	<1	<1	2	5	7	7	10
50-64	1026	3.1	7	<1	<1	2	5	7	8	11
65+	686	3.3	10	<1	1	2	4	7	9	15
GRAND TOTAL	1988	3.2	8	<1	1	2	4	7	8	12

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.3	3	<1	1	2	3	6	6	6
20-34	70	2.3	2	<1	1	2	3	4	4	8
35-49	30	2.7	4	<1	1	2	3	7	7	8
50-64	8	2.9	5	1	1	2	3	7	8	8
65+	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	95	2.5	3	<1	<1	2	3	4	6	9
20-34	1040	3.2	4	<1	1	3	5	6	7	9
35-49	542	3.5	6	<1	<1	3	5	6	7	11
50-64	242	3.4	7	<1	<1	2	5	7	8	11
65+	96	3.7	13	<1	<1	2	5	7	8	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.8	8	<1	<1	2	3	6	9	14
20-34	90	2.6	4	<1	<1	2	3	6	7	8
35-49	56	3.1	7	<1	<1	2	4	6	7	13
50-64	40	3.7	10	1	1	2	5	9	10	14
65+	58	4.8	10	1	1	4	7	10	10	13
B. Operated										
0-19 YRS	113	4.0	10	1	1	3	5	8	11	15
20-34	1568	4.7	7	1	1	5	6	7	8	14
35-49	1669	5.4	8	1	2	6	7	8	9	14
50-64	812	5.7	13	1	2	6	7	9	11	19
65+	512	6.7	59	1	2	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	2.4	3	<1	1	2	3	5	6	8
B. Operated	2015	3.3	6	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	269	3.3	8	<1	1	2	4	7	10	13
B. Operated	4674	5.3	15	1	1	5	7	8	10	18
1. SINGLE DX	2152	3.2	5	<1	1	2	5	6	7	10
2. MULTIPLE DX	4943	5.2	14	1	1	5	7	8	10	17
A. NOT OPERATED	406	3.0	6	<1	1	2	4	7	8	13
B. OPERATED	6689	4.7	13	1	1	5	6	8	9	16
TOTAL 0-19 YRS	259	3.2	7	<1	1	2	4	6	8	14
20-34	2768	4.0	7	<1	1	4	6	7	8	11
35-49	2297	4.9	8	<1	1	5	6	8	9	14
50-64	1102	5.1	13	1	1	5	7	9	10	18
65+	669	6.1	49	1	1	5	8	12	16	28
GRAND TOTAL	7095	4.6	13	<1	1	5	6	8	9	16

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	2.0	4	<1	1	2	2	3	4	13
20-34	198	2.3	6	<1	1	2	3	4	5	17
35-49	37	2.3	2	<1	1	2	3	4	4	7
50-64	7	3.7	8	1	1	2	6	8	8	8
65+	4	2.5	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	58	2.6	2	<1	1	2	3	4	5	7
20-34	561	3.6	5	<1	1	4	5	6	7	10
35-49	427	5.5	6	1	2	6	7	8	9	13
50-64	314	6.5	5	3	4	6	8	9	11	13
65+	128	6.9	6	3	4	7	8	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	2.3	4	<1	1	2	3	4	5	11
20-34	294	2.7	5	<1	1	2	4	5	6	10
35-49	110	3.1	8	<1	<1	2	4	6	8	15
50-64	24	2.7	4	<1	<1	2	4	5	6	7
65+	20	3.6	7	<1	<1	3	5	8	9	10
B. Operated										
0-19 YRS	96	3.8	11	<1	1	3	5	7	10	20
20-34	2398	4.9	6	1	1	5	6	7	8	11
35-49	1703	6.2	6	2	4	6	7	9	10	15
50-64	480	7.7	13	4	5	7	9	11	14	18
65+	326	8.0	13	3	5	7	9	13	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	362	2.2	5	<1	1	2	3	4	5	15
B. Operated	1488	5.0	7	1	1	5	7	8	9	13
2. MULTIPLE DX										
A. Not Operated	554	2.7	5	<1	1	2	3	5	6	10
B. Operated	5003	5.8	8	1	2	6	7	9	10	15
1. SINGLE DX	1850	4.5	8	1	1	4	6	8	9	13
2. MULTIPLE DX	5537	5.5	9	1	2	5	7	8	10	15
A. NOT OPERATED	916	2.5	5	<1	1	2	3	5	6	11
B. OPERATED	6491	5.6	8	1	2	6	7	9	10	15
TOTAL 0-19 YRS	376	2.6	6	<1	1	2	3	5	6	16
20-34	3451	4.3	6	1	1	5	6	7	8	11
35-49	2277	5.9	7	1	2	6	7	8	10	14
50-64	825	7.1	10	3	4	7	8	10	12	17
65+	478	7.5	11	3	4	7	9	11	14	18
GRAND TOTAL	7407	5.2	9	1	1	5	7	8	10	15

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	28	2.3	11	<1	<1	1	2	4	6	18
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	110	4.4	2	3	3	4	5	6	7	11
20-34	1223	4.3	2	2	3	4	5	6	6	8
35-49	136	4.5	2	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	3.3	5	<1	1	3	5	7	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	95	4.7	4	2	3	4	5	6	8	12
20-34	1398	4.8	3	3	3	5	5	7	8	10
35-49	205	5.5	5	3	4	5	6	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.2	8	<1	<1	1	2	4	5	18
B. Operated	1469	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	22	3.0	5	<1	1	2	5	7	7	7
B. Operated	1698	4.8	3	3	3	5	5	7	8	11
1. SINGLE DX	1505	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1720	4.8	3	3	3	5	5	7	8	11
A. NOT OPERATED	58	2.5	7	<1	1	2	3	5	7	17
B. OPERATED	3167	4.6	3	3	3	4	5	6	7	10
TOTAL 0-19 YRS	213	4.4	3	2	3	4	5	6	7	12
20-34	2667	4.5	3	2	3	4	5	6	7	9
35-49	345	5.0	4	3	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	3225	4.6	3	2	3	4	5	6	7	10

366 Hospitals, Southern Region, January-December 1985

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	15	2.9	11	1	1	2	2	11	11	11	
20-34	37	1.6		1	1	2	2	2	3	3	
35-49	8	2.0	1	1	1	2	3	3	3	3	
50-64											
65+											
B. Operated											
0-19 YRS	163	1.5	1	<1	<1	1	2	2	3	4	
20-34	394	1.5	1	<1	<1	1	2	3	3	5	
35-49	65	1.2		<1	<1	<1	1	2	2	3	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	11	2.5	4	1	1	1	4	6	6	6	
20-34	40	2.5	3	<1	1	2	4	5	6	7	
35-49	7	2.7	8	1	1	2	2	8	9	9	
50-64											
65+											
B. Operated											
0-19 YRS	61	2.5	5	<1	<1	2	3	5	7	14	
20-34	301	3.1	16	<1	<1	2	4	6	8	18	
35-49	82	2.5	9	<1	<1	1	3	6	7	17	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	60	2.0	3	1	1	2	2	3	3	11	
B. Operated	622	1.5	1	<1	<1	1	2	2	3	5	
2. MULTIPLE DX											
A. Not Operated	58	2.5	3	1	1	2	4	5	6	9	
B. Operated	444	2.9	13	<1	<1	2	4	6	8	18	
1. SINGLE DX	682	1.5	1	<1	<1	1	2	2	3	5	
2. MULTIPLE DX	502	2.9	12	<1	<1	2	4	6	7	17	
A. NOT OPERATED	118	2.3	3	1	1	2	3	4	6	11	
B. OPERATED	1066	2.1	6	<1	<1	1	2	4	6	10	
TOTAL 0-19 YRS	250	1.9	3	<1	<1	1	2	3	5	11	
20-34	772	2.2	7	<1	<1	1	2	4	6	10	
35-49	162	2.0	5	<1	<1	1	2	4	7	9	
50-64											
65+											
GRAND TOTAL	1184	2.1	6	<1	<1	1	2	4	6	10	

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4	
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	1	5.0		5	5	5	5	5	5	5	
20-34	1	3.0		3	3	3	3	3	3	3	
35-49											
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
B. Operated	3	2.7	2	1	1	3	4	4	4	4	
2. MULTIPLE DX											
A. Not Operated											
B. Operated	2	4.0	2	3	3	4	5	5	5	5	
1. SINGLE DX	3	2.7	2	1	1	3	4	4	4	4	
2. MULTIPLE DX	2	4.0	2	3	3	4	5	5	5	5	
A. NOT OPERATED											
B. OPERATED	5	3.2	2	1	1	3	4	5	5	5	
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5	
20-34	4	2.8	2	1	1	3	4	4	4	4	
35-49											
50-64											
65+											
GRAND TOTAL	5	3.2	2	1	1	3	4	5	5	5	

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	1.6	1	<1	<1	1	2	3	4	5
20-34	437	1.6	1	<1	<1	1	2	3	3	5
35-49	30	1.4	1	<1	<1	1	2	2	4	4
50-64										
65+										
B. Operated										
0-19 YRS	1068	1.4	1	<1	<1	1	2	2	3	5
20-34	4810	1.4	1	<1	<1	1	1	2	3	5
35-49	611	1.3		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	2.3	2	1	1	2	3	4	6	8
20-34	156	2.7	6	<1	1	2	3	6	7	11
35-49	13	3.5	11	<1	<1	2	5	9	11	12
50-64										
65+										
B. Operated										
0-19 YRS	215	2.2	4	1	1	2	3	4	6	13
20-34	1018	2.2	4	<1	1	1	3	4	5	10
35-49	204	2.2	4	<1	1	1	3	5	6	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	644	1.6	1	<1	<1	1	2	3	3	5
B. Operated	6489	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	224	2.6	5	<1	1	2	3	5	7	11
B. Operated	1437	2.2	4	<1	1	1	3	4	6	11
1. SINGLE DX	7133	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1661	2.2	4	<1	1	2	3	4	6	11
A. NOT OPERATED	868	1.9	2	<1	<1	1	2	3	4	8
B. OPERATED	7926	1.5	2	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	1515	1.6	1	<1	<1	1	2	3	3	6
20-34	6421	1.5	2	<1	<1	1	2	3	4	6
35-49	858	1.5	2	<1	<1	1	2	2	4	7
50-64										
65+										
GRAND TOTAL	8794	1.5	2	<1	<1	1	2	3	4	6

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.6	2	1	1	2	4	5	5	7
20-34	163	2.3	3	<1	1	2	3	4	6	8
35-49	24	2.2	3	<1	1	2	2	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS	133	2.0	2	1	1	2	2	3	4	9
20-34	932	1.5	1	<1	<1	1	2	2	3	5
35-49	123	1.5	1	<1	<1	1	2	2	4	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.7	6	1	1	3	5	7	7	12
20-34	56	3.0	9	1	1	2	3	6	9	19
35-49	10	2.8	3	<1	<1	3	4	5	6	6
50-64										
65+										
B. Operated										
0-19 YRS	46	2.3	2	1	1	2	3	5	5	7
20-34	354	3.1	18	<1	1	2	4	6	8	14
35-49	51	2.5	3	1	1	2	3	5	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	2.3	3	<1	1	2	3	5	6	7
B. Operated	1188	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	95	3.2	8	1	1	3	4	6	7	16
B. Operated	451	3.0	15	<1	1	2	4	6	8	13
1. SINGLE DX	1415	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	546	3.0	14	<1	1	2	4	6	8	13
A. NOT OPERATED	322	2.6	4	1	1	2	3	5	6	12
B. OPERATED	1639	1.9	5	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	248	2.4	3	1	1	2	3	5	5	9
20-34	1505	2.0	6	<1	<1	1	2	4	5	11
35-49	208	1.9	2	<1	<1	1	2	4	6	8
50-64										
65+										
GRAND TOTAL	1961	2.0	5	<1	<1	1	2	4	5	10

366 Hospitals, Southern Region, January-December 1985

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	1.8	1	<1	1	2	2	3	4	6
20-34	744	2.2	3	<1	1	2	3	4	5	7
35-49	51	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
B. Operated										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	23	2.1	2	<1	<1	2	3	3	5	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	3.1	6	<1	1	2	4	6	9	12
20-34	199	3.0	7	1	1	2	4	6	7	12
35-49	12	2.8	3	1	1	2	4	5	6	6
50-64										
65+										
B. Operated										
0-19 YRS	7	3.9	6	1	1	4	5	7	8	8
20-34	20	3.2	6	1	1	3	4	5	9	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	929	2.1	3	<1	1	2	3	4	4	7
B. Operated	27	2.0	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	250	3.0	6	1	1	2	4	6	7	12
B. Operated	28	3.4	6	1	1	3	4	6	8	12
1. SINGLE DX	956	2.1	3	<1	1	2	3	4	4	7
2. MULTIPLE DX	278	3.0	6	1	1	2	4	6	7	12
A. NOT OPERATED	1179	2.3	4	<1	1	2	3	4	5	9
B. OPERATED	55	2.7	4	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	184	2.2	3	<1	1	2	3	4	5	9
20-34	986	2.3	4	<1	1	2	3	4	5	9
35-49	64	2.1	1	<1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	1234	2.3	4	<1	1	2	3	4	5	9

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	1	1	2	2	3	3	3
20-34	39	1.8	1	<1	<1	1	2	4	5	5
35-49	4	5.0	11	1	1	5	7	9	9	9
50-64										
65+										
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	19	3.3	20	<1	1	2	3	6	15	21
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.0	3	<1	1	1	2	4	5	9
B. Operated	3	3.0	3	1	1	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	25	3.2	16	<1	1	2	3	5	10	21
B. Operated	4	3.5	4	1	1	3	5	6	6	6
1. SINGLE DX	54	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	29	3.2	14	1	1	2	3	6	8	21
A. NOT OPERATED	76	2.4	7	<1	1	2	3	4	6	18
B. OPERATED	7	3.3	3	1	1	4	4	6	6	6
TOTAL 0-19 YRS	14	1.9	1	1	1	2	3	3	3	3
20-34	62	2.5	8	<1	1	2	3	4	6	19
35-49	7	4.0	9	1	1	4	6	8	9	9
50-64										
65+										
GRAND TOTAL	83	2.5	7	<1	1	2	3	4	6	17

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	235	3.2	6	1	1	3	4	5	7	13
20-34	1035	3.2	7	1	1	3	4	5	7	13
35-49	87	3.3	3	1	2	3	4	5	8	10
50-64										
65+										
B. Operated										
0-19 YRS	17	3.6	7	1	1	3	4	7	10	12
20-34	48	3.8	7	<1	1	3	5	8	9	13
35-49	7	3.6	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	3.4	7	1	1	3	4	6	10	15
20-34	335	3.7	18	1	1	3	4	6	8	18
35-49	50	4.5	12	1	1	3	6	9	11	16
50-64										
65+										
B. Operated										
0-19 YRS	11	2.9	6	<1	<1	3	3	6	10	10
20-34	44	3.9	20	<1	<1	3	4	8	11	26
35-49	6	5.5	26	1	1	4	10	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1357	3.2	7	1	1	3	4	5	7	13
B. Operated	72	3.8	6	<1	1	3	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	458	3.7	16	1	1	3	4	7	9	16
B. Operated	61	3.9	18	<1	<1	3	4	9	11	25
1. SINGLE DX	1429	3.2	7	1	1	3	4	5	7	13
2. MULTIPLE DX	519	3.7	16	<1	1	3	4	7	10	17
A. NOT OPERATED	1815	3.3	9	1	1	3	4	6	8	14
B. OPERATED	133	3.8	11	<1	1	3	4	8	10	18
TOTAL 0-19 YRS	336	3.3	6	1	1	3	4	6	8	13
20-34	1462	3.3	10	1	1	3	4	6	8	14
35-49	150	3.8	7	1	1	3	4	8	10	14
50-64										
65+										
GRAND TOTAL	1948	3.4	9	1	1	3	4	6	8	14

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	3.5	6	1	2	3	4	6	9	12
20-34	1388	3.7	7	1	2	3	4	6	8	13
35-49	42	4.3	8	1	2	3	6	7	9	17
50-64										
65+										
B. Operated										
0-19 YRS	3	14.3	494	1	1	2	30	40	40	40
20-34	9	9.0	61	1	1	7	13	22	22	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	3.7	18	1	2	3	4	6	8	19
20-34	707	3.8	7	1	2	3	5	7	8	13
35-49	21	4.0	5	1	1	3	6	7	8	8
50-64										
65+										
B. Operated										
0-19 YRS	5	4.2	8	1	1	4	7	7	7	7
20-34	31	9.1	73	1	2	6	14	17	21	43
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1682	3.7	7	1	2	3	4	6	8	13
B. Operated	12	10.3	140	1	1	6	16	27	38	40
2. MULTIPLE DX										
A. Not Operated	881	3.8	9	1	2	3	5	7	8	13
B. Operated	37	8.3	65	1	2	6	13	16	20	43
1. SINGLE DX	1694	3.7	8	1	2	3	4	6	8	14
2. MULTIPLE DX	918	4.0	12	1	2	3	5	7	9	16
A. NOT OPERATED	2563	3.7	7	1	2	3	4	6	8	13
B. OPERATED	49	8.8	82	1	1	6	13	20	23	43
TOTAL 0-19 YRS	413	3.7	14	1	2	3	4	6	9	17
20-34	2135	3.8	9	1	2	3	4	6	8	15
35-49	64	4.2	7	1	2	3	6	7	8	16
50-64										
65+										
GRAND TOTAL	2612	3.9	9	1	2	3	4	6	8	15

366 Hospitals, Southern Region, January-December 1985

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	589	1.2		<1	<1	1	1	2	2	5
20-34	2190	1.2	3	<1	<1	1	1	2	2	4
35-49	118	1.4	10	<1	<1	1	1	2	2	13
50-64										
65+										
B. Operated										
0-19 YRS	61	1.1		<1	<1	<1	1	1	2	4
20-34	205	1.3	2	<1	<1	<1	1	1	3	8
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	2.1	8	<1	<1	1	2	4	5	15
20-34	386	1.8	3	<1	<1	1	2	3	4	11
35-49	24	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	23	2.3	12	<1	<1	1	2	5	12	15
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2897	1.2	3	<1	<1	1	1	2	2	4
B. Operated	272	1.3	1	<1	<1	<1	1	1	3	7
2. MULTIPLE DX										
A. Not Operated	519	1.9	4	<1	<1	1	2	3	5	10
B. Operated	29	2.2	10	<1	<1	1	2	3	11	15
1. SINGLE DX	3169	1.2	3	<1	<1	1	1	2	2	4
2. MULTIPLE DX	548	1.9	4	<1	<1	1	2	3	5	11
A. NOT OPERATED	3416	1.3	3	<1	<1	1	1	2	3	5
B. OPERATED	301	1.3	2	<1	<1	<1	1	2	3	10
TOTAL										
0-19 YRS	764	1.3	2	<1	<1	1	1	2	3	5
20-34	2804	1.3	3	<1	<1	1	1	2	3	5
35-49	149	1.4	8	<1	<1	1	1	2	2	4
50-64										
65+										
GRAND TOTAL	3717	1.3	3	<1	<1	1	1	2	3	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.7	33	1	1	2	3	5	17	30
20-34	314	3.4	15	1	1	2	4	6	10	20
35-49	24	3.5	15	<1	1	2	4	7	15	16
50-64										
65+										
B. Operated										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	23	2.7	2	1	1	2	3	5	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.3	97	<1	1	3	6	15	33	42
20-34	111	5.5	62	1	1	3	5	12	27	42
35-49	9	5.8	33	1	1	3	9	16	16	16
50-64										
65+										
B. Operated										
0-19 YRS	14	4.1	6	1	2	4	6	8	9	9
20-34	1	21.0		21	21	21	21	21	21	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	370	3.4	17	1	1	2	4	6	11	21
B. Operated	26	2.6	2	<1	1	2	3	5	5	6
2. MULTIPLE DX										
A. Not Operated	138	5.6	64	1	1	3	5	14	24	43
B. Operated	15	5.3	24	1	2	4	6	9	18	21
1. SINGLE DX	396	3.4	16	1	1	2	4	6	10	20
2. MULTIPLE DX	153	5.6	60	1	1	3	5	13	21	42
A. NOT OPERATED	508	4.0	30	1	1	2	4	7	14	31
B. OPERATED	41	3.6	11	1	1	3	5	6	8	21
TOTAL										
0-19 YRS	53	4.5	53	<1	1	2	4	7	19	42
20-34	462	3.9	26	1	1	2	4	7	13	31
35-49	34	4.6	28	<1	1	3	4	15	16	21
50-64										
65+										
GRAND TOTAL	549	4.0	29	1	1	2	4	7	14	31

**265: Other antepartum hemorrhage without delivery
(641.2-641.9 with 5th digit 3)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	2.2	5	<1	<1	1	3	4	6	13
20-34	362	2.3	6	<1	<1	2	3	4	6	16
35-49	23	4.0	83	<1	<1	2	2	6	22	45
50-64										
65+										
B. Operated										
0-19 YRS	9	1.8		<1	<1	2	2	3	3	3
20-34	27	1.9	1	<1	<1	1	2	4	4	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.1	11	<1	1	2	3	6	9	19
20-34	145	2.5	4	1	1	2	3	4	6	13
35-49	7	2.6	4	1	1	2	3	6	7	7
50-64										
65+										
B. Operated										
0-19 YRS	5	2.6	6	<1	<1	2	3	7	7	7
20-34	14	5.0	67	<1	1	3	4	8	27	33
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	468	2.4	9	<1	<1	2	3	4	6	16
B. Operated	38	1.9	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. Not Operated	190	2.6	6	1	1	2	3	5	7	15
B. Operated	20	4.5	48	<1	<1	2	5	6	20	33
1. SINGLE DX	506	2.3	9	<1	<1	2	3	4	5	15
2. MULTIPLE DX	210	2.8	10	1	1	2	3	5	7	17
A. NOT OPERATED	658	2.4	8	<1	1	2	3	4	6	16
B. OPERATED	58	2.8	18	<1	<1	2	3	5	6	31
TOTAL 0-19 YRS	135	2.5	7	<1	<1	2	3	4	7	14
20-34	548	2.4	7	<1	1	2	3	4	6	16
35-49	33	3.6	59	<1	1	2	3	6	9	45
50-64										
65+										
GRAND TOTAL	716	2.5	9	<1	<1	2	3	4	6	16

**266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64;
658.40; 658.43; 659.20; 659.23; 659.33)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	3.1	5	1	1	3	4	5	6	7
20-34	569	3.1	2	<1	1	3	4	5	6	7
35-49	10	2.7	2	<1	<1	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	8	2.8	6	1	1	1	5	6	6	6
20-34	23	2.9	6	<1	<1	2	4	5	7	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	400	3.7	3	1	2	3	4	6	7	11
20-34	782	3.6	4	1	1	3	5	6	7	10
35-49	24	3.9	5	1	1	4	5	7	8	9
50-64										
65+										
B. Operated										
0-19 YRS	17	4.5	6	1	1	4	5	9	10	10
20-34	40	4.8	10	<1	1	4	7	9	11	12
35-49	2	10.0	18	7	7	10	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	869	3.1	3	1	1	3	4	5	6	7
B. Operated	32	2.8	6	<1	<1	2	4	5	6	12
2. MULTIPLE DX										
A. Not Operated	1206	3.6	4	1	2	3	4	6	7	10
B. Operated	59	4.9	10	<1	1	4	7	10	11	13
1. SINGLE DX	901	3.0	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	1265	3.7	4	1	1	3	5	6	7	11
A. NOT OPERATED	2075	3.4	4	1	1	3	4	5	6	9
B. OPERATED	91	4.1	9	<1	1	3	6	9	10	13
TOTAL 0-19 YRS	715	3.4	4	1	1	3	4	5	6	9
20-34	1414	3.4	4	1	1	3	4	5	7	10
35-49	37	3.8	7	<1	1	3	5	7	9	13
50-64										
65+										
GRAND TOTAL	2166	3.4	4	1	1	3	4	5	7	10

366 Hospitals, Southern Region, January-December 1985

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	3.9	11	1	1	3	4	8	11	18
20-34	486	3.7	9	1	1	3	4	7	9	16
35-49	62	4.4	8	1	2	3	5	8	11	14
50-64										
65+										
B. Operated										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	23	3.7	9	1	1	3	5	7	10	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	303	3.6	11	1	1	3	4	7	9	17
20-34	1485	4.0	14	1	1	3	5	8	10	19
35-49	155	4.9	17	1	1	4	7	9	12	20
50-64										
65+										
B. Operated										
0-19 YRS	22	3.0	3	<1	1	3	4	5	6	7
20-34	143	5.0	20	1	1	4	7	10	16	20
35-49	16	5.9	11	<1	1	6	7	9	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	622	3.8	9	1	1	3	4	7	10	16
B. Operated	26	3.9	8	1	1	3	5	7	10	13
2. MULTIPLE DX										
A. Not Operated	1943	4.0	14	1	1	3	5	8	10	19
B. Operated	181	4.8	18	1	1	4	6	10	15	19
1. SINGLE DX	648	3.8	9	1	1	3	5	7	10	16
2. MULTIPLE DX	2124	4.1	14	1	1	3	5	8	10	19
A. NOT OPERATED	2565	3.9	12	1	1	3	5	8	10	18
B. OPERATED	207	4.7	17	1	1	4	6	9	14	19
TOTAL 0-19 YRS	402	3.7	10	1	1	3	4	7	9	17
20-34	2137	4.0	13	1	1	3	5	8	10	18
35-49	233	4.8	14	1	1	4	7	9	12	18
50-64										
65+										
GRAND TOTAL	2772	4.0	13	1	1	3	5	8	10	18

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	772	2.8	13	<1	<1	2	3	5	8	20
20-34	2607	2.6	15	<1	<1	2	3	5	7	17
35-49	142	3.4	21	<1	<1	2	3	7	12	28
50-64										
65+										
B. Operated										
0-19 YRS	133	2.5	9	<1	<1	2	3	4	6	16
20-34	892	2.6	11	<1	<1	2	3	4	6	12
35-49	78	2.6	3	<1	1	2	3	4	5	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	398	3.9	29	<1	1	2	4	8	12	31
20-34	1480	3.8	30	<1	1	2	4	7	12	28
35-49	107	3.4	16	<1	1	2	4	7	11	58
50-64										
65+										
B. Operated										
0-19 YRS	80	3.9	32	<1	<1	2	4	7	14	34
20-34	418	3.8	22	<1	<1	3	4	7	11	26
35-49	42	3.5	17	<1	<1	2	3	8	14	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3521	2.7	15	<1	<1	2	3	5	7	19
B. Operated	1103	2.6	10	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	1985	3.8	29	<1	1	2	4	7	12	29
B. Operated	540	3.8	23	<1	<1	3	4	7	12	24
1. SINGLE DX	4624	2.7	14	<1	<1	2	3	5	7	17
2. MULTIPLE DX	2525	3.8	28	<1	1	2	4	7	12	28
A. NOT OPERATED	5506	3.1	20	<1	<1	2	3	6	9	23
B. OPERATED	1643	3.0	15	<1	<1	2	3	5	7	19
TOTAL 0-19 YRS	1383	3.1	19	<1	<1	2	3	6	9	24
20-34	5397	3.1	19	<1	<1	2	3	6	8	21
35-49	369	3.2	15	<1	<1	2	3	6	10	26
50-64										
65+										
GRAND TOTAL	7149	3.1	19	<1	<1	2	3	6	8	23

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	2.5	1	1	1	2	3	3	4	7
20-34	376	2.6	2	1	2	2	3	4	4	7
35-49	34	3.1	5	1	2	3	4	4	5	14
50-64										
65+										
B. Operated										
0-19 YRS	42	3.3	2	1	2	3	4	6	6	7
20-34	242	4.1	7	1	2	4	5	6	7	15
35-49	22	4.0	3	2	2	4	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	2.9	6	1	2	3	3	4	4	13
20-34	572	2.8	3	1	2	2	3	4	5	9
35-49	42	3.6	33	1	1	3	3	4	8	39
50-64										
65+										
B. Operated										
0-19 YRS	174	4.3	20	2	2	3	5	7	10	32
20-34	1428	4.6	20	2	2	4	5	7	10	25
35-49	162	4.8	22	2	2	4	5	7	10	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	502	2.6	2	1	2	2	3	4	4	7
B. Operated	306	4.0	6	1	2	4	5	6	7	13
2. MULTIPLE DX										
A. Not Operated	779	2.9	5	1	2	3	3	4	5	9
B. Operated	1764	4.6	20	2	2	4	5	7	10	26
1. SINGLE DX	808	3.1	4	1	2	3	4	5	6	11
2. MULTIPLE DX	2543	4.1	16	2	2	3	5	6	8	22
A. NOT OPERATED	1281	2.8	4	1	2	2	3	4	5	9
B. OPERATED	2070	4.5	18	2	2	4	5	7	9	24
TOTAL 0-19 YRS	473	3.4	10	1	2	3	3	5	7	17
20-34	2618	3.9	13	2	2	3	4	6	8	18
35-49	260	4.3	20	1	2	4	5	6	9	25
50-64										
65+										
GRAND TOTAL	3351	3.8	13	2	2	3	4	6	8	18

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6158	2.4	1	1	1	2	3	3	4	5
20-34	25433	2.4	1	1	1	2	3	3	4	5
35-49	1220	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
B. Operated										
0-19 YRS	1094	2.4	1	1	1	2	3	3	4	5
20-34	4496	2.5	1	1	1	2	3	3	4	5
35-49	197	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	2.8	1	1	2	3	3	4	5	7
20-34	1057	2.8	2	1	2	3	3	4	5	7
35-49	56	3.4	13	1	2	3	3	5	5	27
50-64										
65+										
B. Operated										
0-19 YRS	202	2.8	1	1	2	3	3	4	5	6
20-34	5750	3.0	1	2	2	3	3	4	5	6
35-49	600	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32811	2.4	1	1	1	2	3	3	4	5
B. Operated	5787	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1417	2.8	2	1	2	3	3	4	5	7
B. Operated	6552	3.0	1	2	2	3	3	4	5	6
1. SINGLE DX	38598	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	7969	3.0	1	2	2	3	3	4	5	6
A. NOT OPERATED	34228	2.4	1	1	1	2	3	3	4	5
B. OPERATED	12339	2.7	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	7758	2.4	1	1	1	2	3	3	4	5
20-34	36736	2.5	1	1	1	2	3	4	4	5
35-49	2073	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	46567	2.5	1	1	1	2	3	4	4	5

366 Hospitals, Southern Region, January-December 1985

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	18	1.9		1	1	2	2	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	12	9.2	268	3	3	4	5	24	56	61
20-34	122	6.2	29	3	3	5	6	9	15	38
35-49	16	6.4	20	4	4	5	6	14	18	20
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	4	2	2	3	4	7	7	7
20-34	17	3.1	7	1	2	2	3	4	10	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	30	6.9	96	1	2	5	7	10	11	57
20-34	320	10.2	181	3	3	5	8	25	42	77
35-49	41	11.0	240	3	4	6	12	17	34	95
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.9		1	1	2	2	3	3	3
B. Operated	150	6.5	46	3	4	5	6	9	17	44
2. MULTIPLE DX										
A. Not Operated	24	3.3	6	1	2	3	4	5	9	13
B. Operated	391	10.0	181	3	3	5	8	24	42	80
1. SINGLE DX	171	5.9	43	2	2	5	6	8	15	42
2. MULTIPLE DX	415	9.6	173	2	3	5	8	23	39	78
A. NOT OPERATED	45	2.6	4	1	1	2	3	4	5	13
B. OPERATED	541	9.0	146	3	3	5	7	19	34	74
TOTAL 0-19 YRS	51	6.7	119	1	2	4	5	9	11	61
20-34	477	8.6	135	2	3	5	7	20	34	73
35-49	58	9.6	178	4	4	6	8	16	22	91
50-64										
65+										
GRAND TOTAL	586	8.5	138	2	3	5	7	17	32	73

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.3	1	1	1	2	3	4	5	5
20-34	96	2.8	5	1	1	2	3	4	5	15
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	35	3.7	3	1	1	4	5	5	6	8
20-34	147	3.8	2	2	2	4	5	6	6	8
35-49	10	3.7	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.6	2	1	1	2	3	5	5	6
20-34	124	3.0	5	1	2	3	3	4	5	14
35-49	11	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	103	4.8	18	1	2	4	6	7	9	31
20-34	511	5.1	28	2	2	4	5	7	10	26
35-49	44	4.6	3	2	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	2.7	5	1	1	2	3	4	5	13
B. Operated	192	3.8	2	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	165	2.9	4	1	1	3	3	4	5	12
B. Operated	658	5.0	25	2	2	4	6	7	9	28
1. SINGLE DX	311	3.4	3	1	1	3	4	5	6	8
2. MULTIPLE DX	823	4.6	21	2	2	4	5	7	8	23
A. NOT OPERATED	284	2.8	4	1	1	2	3	4	5	11
B. OPERATED	850	4.8	20	2	2	4	5	7	8	22
TOTAL 0-19 YRS	185	4.0	12	1	1	4	5	6	8	22
20-34	878	4.3	19	1	2	4	5	6	8	22
35-49	71	4.0	3	1	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	1134	4.3	17	1	2	4	5	6	8	21

273: Retained placenta (666.00; 666.02; 666.04;
667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	25	2.4	2	<1	1	2	3	4	5	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	51	2.4	1	1	2	2	3	3	4	4
20-34	214	2.5	1	1	1	2	3	4	4	7
35-49	14	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.4	1	1	1	2	3	4	4	4
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	30	2.5	2	1	1	2	3	4	6	6
20-34	187	3.0	2	1	2	3	4	5	6	7
35-49	29	3.7	2	2	2	3	4	6	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.3	2	1	1	2	3	4	5	7
B. Operated	279	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	14	2.4	1	1	1	2	3	3	4	4
B. Operated	246	3.0	2	1	2	3	4	5	6	7
1. SINGLE DX	311	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX	260	3.0	2	1	2	3	4	5	6	7
A. NOT OPERATED	46	2.4	1	1	1	2	3	4	4	7
B. OPERATED	525	2.8	1	1	1	3	3	4	5	7
TOTAL 0-19 YRS	88	2.5	1	1	1	2	3	4	4	6
20-34	437	2.7	1	1	1	3	3	4	5	7
35-49	46	3.4	2	1	2	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	571	2.7	1	1	1	3	3	4	5	7

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14;
666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.6		1	2	3	3	3	3	4
20-34	103	2.5	1	1	1	2	3	4	4	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	11	3.3	2	2	2	3	4	5	6	6
20-34	55	2.8	2	1	1	3	3	4	4	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.0	2	1	1	3	3	5	6	7
20-34	55	2.9	1	1	2	3	3	4	5	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	24	3.7	4	2	2	3	4	5	8	12
20-34	133	3.5	4	2	2	3	4	5	6	15
35-49	9	3.0	1	2	2	3	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	2.5	1	1	2	3	3	3	4	5
B. Operated	68	2.8	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	77	2.9	1	1	2	3	3	4	5	8
B. Operated	166	3.5	3	2	2	3	4	5	6	15
1. SINGLE DX	207	2.6	1	1	2	3	3	4	4	6
2. MULTIPLE DX	243	3.3	3	2	2	3	4	5	6	12
A. NOT OPERATED	216	2.6	1	1	2	3	3	4	4	6
B. OPERATED	234	3.3	3	1	2	3	4	5	6	12
TOTAL 0-19 YRS	89	3.0	2	2	2	3	3	5	5	10
20-34	346	3.0	2	1	2	3	3	4	5	8
35-49	15	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
GRAND TOTAL	450	3.0	2	1	2	3	3	4	5	8

366 Hospitals, Southern Region, January-December 1985

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	60	3.6	17	2	2	3	4	4	5	31
35-49	6	2.8	5	1	1	2	3	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	5	4.2	3	3	3	3	5	7	7	7
20-34	52	6.0	94	2	2	4	5	6	29	54
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.6	6	<1	1	3	4	6	10	11
20-34	63	4.4	26	1	2	3	5	7	9	32
35-49	7	2.9	1	1	1	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	45	5.4	56	2	2	4	5	8	9	53
20-34	583	6.0	40	2	3	5	6	8	12	41
35-49	57	5.8	21	2	3	5	6	9	12	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	3.5	15	1	2	3	3	4	6	28
B. Operated	57	5.9	86	2	2	4	5	6	23	53
2. MULTIPLE DX										
A. Not Operated	84	4.1	21	1	1	3	4	7	8	31
B. Operated	685	5.9	40	2	3	5	6	8	12	40
1. SINGLE DX	128	4.5	47	2	2	3	4	5	7	47
2. MULTIPLE DX	769	5.7	38	2	3	5	6	8	12	34
A. NOT OPERATED	155	3.8	18	1	2	3	4	5	8	32
B. OPERATED	742	5.9	43	2	3	5	6	8	12	45
TOTAL 0-19 YRS	69	4.8	39	2	2	3	5	8	9	45
20-34	758	5.7	41	2	2	4	6	8	12	43
35-49	70	5.2	19	2	2	4	6	8	11	29
50-64										
65+										
GRAND TOTAL	897	5.6	39	2	2	4	6	8	11	39

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.2		1	1	2	3	3	3	3
20-34	89	2.3	1	1	1	2	3	3	4	6
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	212	4.2	2	2	3	4	5	6	6	9
20-34	1210	4.3	2	2	3	4	5	6	6	7
35-49	67	4.6	4	2	3	5	5	6	7	85
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.1	7	1	1	3	3	7	10	10
20-34	44	2.8	3	1	1	2	3	6	6	8
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	218	5.0	7	2	3	5	5	7	9	18
20-34	1586	4.9	5	2	3	5	5	7	8	13
35-49	156	5.0	4	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.3	1	1	1	2	3	3	4	6
B. Operated	1489	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	57	2.8	3	1	1	2	3	6	6	10
B. Operated	1960	4.9	5	2	3	5	6	7	8	13
1. SINGLE DX	1595	4.2	2	2	2	4	5	6	6	8
2. MULTIPLE DX	2017	4.8	5	2	3	5	5	7	8	13
A. NOT OPERATED	163	2.5	2	1	1	2	3	4	5	8
B. OPERATED	3449	4.7	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	455	4.5	5	2	2	4	5	6	8	13
20-34	2929	4.5	3	2	3	4	5	6	7	10
35-49	228	4.8	4	2	3	5	6	7	7	17
50-64										
65+										
GRAND TOTAL	3612	4.6	4	2	3	4	5	6	7	11

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	46	2.6	1	1	2	3	3	4	4	5	
20-34	251	2.6	1	1	2	3	3	4	4	5	
35-49	11	2.6	1	1	1	3	3	4	4	4	
50-64											
65+											
B. Operated											
0-19 YRS	141	3.7	8	2	2	3	4	6	6	12	
20-34	719	3.7	2	2	2	4	5	5	6	7	
35-49	35	3.6	2	1	2	3	5	5	6	8	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	34	2.9	2	1	2	3	3	4	6	7	
20-34	132	2.7	1	1	1	3	3	4	5	6	
35-49	8	3.4	3	1	1	3	4	6	6	6	
50-64											
65+											
B. Operated											
0-19 YRS	346	4.2	4	2	2	4	5	6	8	13	
20-34	2262	4.3	6	2	2	4	5	6	7	10	
35-49	219	5.0	17	2	3	5	5	7	8	14	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	308	2.6	1	1	2	3	3	4	4	5	
B. Operated	895	3.7	3	2	2	3	4	5	6	7	
2. MULTIPLE DX											
A. Not Operated	174	2.8	1	1	2	3	3	4	5	7	
B. Operated	2827	4.3	7	2	2	4	5	6	7	11	
1. SINGLE DX	1203	3.4	3	2	2	3	4	5	6	7	
2. MULTIPLE DX	3001	4.2	7	2	2	4	5	6	7	11	
A. NOT OPERATED	482	2.7	1	1	2	3	3	4	4	6	
B. OPERATED	3722	4.2	6	2	2	4	5	6	7	10	
TOTAL 0-19 YRS	567	3.9	5	2	2	3	5	6	7	12	
20-34	3364	4.0	5	2	2	4	5	6	6	10	
35-49	273	4.7	14	2	2	4	5	6	7	12	
50-64											
65+											
GRAND TOTAL	4204	4.0	6	2	2	4	5	6	7	10	

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	21	3.3	2	1	2	3	4	5	6	6
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	492	4.7	1	3	3	5	5	6	7	9
20-34	2074	4.7	1	3	4	5	5	6	6	8
35-49	78	4.8	1	4	4	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	23	4.5	4	2	2	4	6	7	9	10
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1026	5.4	5	3	4	5	6	8	9	14
20-34	4422	5.1	3	3	4	5	6	7	8	11
35-49	261	5.7	20	4	4	5	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.4	2	1	2	3	5	6	6	6
B. Operated	2644	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	26	4.3	4	2	2	4	5	7	8	10
B. Operated	5709	5.2	4	3	4	5	6	7	8	12
1. SINGLE DX	2671	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX	5735	5.2	4	3	4	5	6	7	8	12
A. NOT OPERATED	53	3.9	3	2	2	4	5	6	7	10
B. OPERATED	8353	5.1	3	3	4	5	6	6	7	11
TOTAL 0-19 YRS	1525	5.2	4	3	4	5	6	7	9	12
20-34	6540	5.0	2	3	4	5	6	6	7	10
35-49	341	5.5	16	4	4	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	8406	5.0	3	3	4	5	6	6	7	11

366 Hospitals, Southern Region, January-December 1985

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1;
662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	97	2.7	1	2	2	3	3	4	4	6	
20-34	385	2.6	1	1	2	3	3	4	4	5	
35-49	14	2.6	1	1	1	2	3	4	5	5	
50-64											
65+											
B. Operated											
0-19 YRS	159	4.0	2	2	2	4	5	6	7	10	
20-34	803	4.0	2	2	2	4	5	6	6	7	
35-49	41	4.2	3	1	2	4	6	7	8	9	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	96	3.0	3	1	2	3	3	4	5	11	
20-34	299	2.9	1	1	2	3	3	4	5	7	
35-49	16	3.3	1	2	2	3	4	5	5	5	
50-64											
65+											
B. Operated											
0-19 YRS	518	4.4	6	2	2	4	5	7	8	17	
20-34	2412	4.5	6	2	2	4	5	6	8	12	
35-49	185	4.8	6	2	3	5	6	7	7	18	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	496	2.6	1	1	2	3	3	4	4	5	
B. Operated	1003	4.0	2	2	2	4	5	6	6	8	
2. MULTIPLE DX											
A. Not Operated	411	2.9	2	1	2	3	3	4	5	7	
B. Operated	3115	4.5	6	2	2	4	5	6	8	12	
1. SINGLE DX	1499	3.6	2	2	2	3	5	5	6	7	
2. MULTIPLE DX	3526	4.3	6	2	2	4	5	6	8	12	
A. NOT OPERATED	907	2.8	1	1	2	3	3	4	4	6	
B. OPERATED	4118	4.4	5	2	2	4	5	6	7	11	
TOTAL 0-19 YRS	870	4.0	5	2	2	4	5	6	7	12	
20-34	3899	4.1	5	2	2	4	5	6	7	10	
35-49	256	4.5	5	2	2	4	6	6	7	12	
50-64											
65+											
GRAND TOTAL	5025	4.1	5	2	2	4	5	6	7	10	

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit
0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	14	2.9	1	2	2	3	3	4	5	6	
20-34	68	3.0	24	1	1	2	3	3	4	35	
35-49	8	2.5		2	2	2	3	3	3	3	
50-64											
65+											
B. Operated											
0-19 YRS	52	4.5	2	2	2	5	5	6	7	8	
20-34	293	4.1	3	2	2	4	5	6	6	9	
35-49	22	4.0	3	1	2	4	5	6	8	10	
50-64											
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	16	3.3	12	1	1	2	3	8	12	14	
20-34	72	2.8	2	1	1	3	3	4	6	9	
35-49	3	3.3		3	3	3	4	4	4	4	
50-64											
65+											
B. Operated											
0-19 YRS	98	5.0	3	2	3	5	6	8	8	10	
20-34	809	4.7	5	2	3	5	5	7	7	11	
35-49	92	5.1	5	2	3	5	6	7	8	16	
50-64											
65+											
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	90	3.0	18	1	2	2	3	3	4	28	
B. Operated	367	4.2	3	2	2	4	5	6	6	9	
2. MULTIPLE DX											
A. Not Operated	91	2.9	4	1	1	3	3	5	6	12	
B. Operated	999	4.8	5	2	3	5	6	7	8	11	
1. SINGLE DX	457	3.9	6	2	2	4	5	6	6	9	
2. MULTIPLE DX	1090	4.6	5	2	2	4	5	7	8	11	
A. NOT OPERATED	181	2.9	11	1	1	3	3	4	5	13	
B. OPERATED	1366	4.6	5	2	3	5	5	6	7	10	
TOTAL 0-19 YRS	180	4.6	4	2	2	4	6	7	8	10	
20-34	1242	4.4	6	2	2	4	5	6	7	10	
35-49	125	4.7	5	2	3	4	6	7	8	15	
50-64											
65+											
GRAND TOTAL	1547	4.4	6	2	2	4	5	6	7	10	

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.0	3	1	1	2	4	6	6	6
20-34	93	2.6	1	1	1	2	3	4	5	6
35-49	11	2.9	2	1	1	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	327	4.6	1	3	3	5	5	6	6	7
20-34	4363	4.8	1	3	3	5	5	6	7	8
35-49	272	5.1	1	3	4	5	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.0	4	<1	1	2	4	6	7	7
20-34	45	3.6	4	1	2	3	5	7	7	8
35-49	8	3.0	3	<1	<1	3	4	5	6	6
50-64										
65+										
B. Operated										
0-19 YRS	324	5.0	2	3	3	5	6	6	7	10
20-34	6348	5.0	4	3	4	5	6	6	7	10
35-49	620	5.3	3	3	4	5	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	2.7	1	1	1	2	3	4	5	6
B. Operated	4962	4.8	1	3	3	5	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	62	3.5	4	1	1	3	5	6	7	8
B. Operated	7292	5.0	3	3	4	5	6	6	7	10
1. SINGLE DX	5073	4.7	1	3	3	5	5	6	7	7
2. MULTIPLE DX	7354	5.0	3	3	4	5	6	6	7	10
A. NOT OPERATED	173	2.9	2	1	1	3	4	5	6	7
B. OPERATED	12254	4.9	3	3	4	5	6	6	7	9
TOTAL 0-19 YRS	667	4.7	2	3	3	5	5	6	7	9
20-34	10849	4.9	3	3	3	5	6	6	7	9
35-49	911	5.2	2	3	4	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	12427	4.9	3	3	3	5	6	6	7	9

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	148	2.8	1	1	2	3	3	4	5	7
20-34	734	2.9	2	1	2	3	3	4	5	7
35-49	50	2.9	1	1	2	3	4	4	4	5
50-64										
65+										
B. Operated										
0-19 YRS	106	3.0	2	1	2	3	3	5	6	7
20-34	630	3.1	2	1	2	3	4	5	5	8
35-49	31	3.2	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	3.7	6	2	2	3	4	6	8	15
20-34	559	3.7	8	2	2	3	4	6	8	17
35-49	39	3.5	2	2	2	3	5	6	6	7
50-64										
65+										
B. Operated										
0-19 YRS	401	4.2	13	2	2	3	5	7	9	25
20-34	2235	4.2	10	2	2	4	5	6	8	15
35-49	228	4.5	5	2	2	4	5	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	932	2.9	1	1	2	3	3	4	5	7
B. Operated	767	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	765	3.7	7	2	2	3	4	6	7	16
B. Operated	2864	4.5	10	2	2	4	5	6	8	15
1. SINGLE DX	1699	3.0	2	1	2	3	3	4	5	7
2. MULTIPLE DX	3629	4.1	10	2	2	4	5	6	8	15
A. NOT OPERATED	1697	3.3	4	1	2	3	4	5	6	13
B. OPERATED	3631	4.0	9	2	2	3	5	6	7	14
TOTAL 0-19 YRS	822	3.7	9	2	2	3	4	6	7	15
20-34	4158	3.8	8	2	2	3	4	6	7	13
35-49	348	4.1	4	2	2	4	5	6	8	13
50-64										
65+										
GRAND TOTAL	5328	3.8	7	2	2	3	4	6	7	13

366 Hospitals, Southern Region, January-December 1985

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	337	2.4	1	1	2	2	3	3	3	4
20-34	1898	2.6	5	1	2	2	3	4	4	5
35-49	102	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
B. Operated										
0-19 YRS	191	2.4	1	1	1	2	3	3	4	6
20-34	1094	2.6	1	1	1	3	3	4	4	5
35-49	51	2.9	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	2.9	3	1	1	2	3	5	6	10
20-34	443	2.5	1	1	2	2	3	4	4	5
35-49	21	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. Operated										
0-19 YRS	235	3.1	3	1	2	3	4	5	6	9
20-34	1762	3.2	3	1	2	3	4	5	6	8
35-49	148	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2337	2.6	4	1	2	2	3	3	4	5
B. Operated	1336	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	554	2.6	1	1	2	2	3	4	4	6
B. Operated	2145	3.2	3	1	2	3	4	5	6	8
1. SINGLE DX	3673	2.6	3	1	2	2	3	4	4	5
2. MULTIPLE DX	2699	3.0	3	1	2	3	4	5	5	8
A. NOT OPERATED	2891	2.6	4	1	2	2	3	4	4	5
B. OPERATED	3481	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	853	2.6	2	1	1	2	3	4	5	8
20-34	5197	2.8	3	1	2	3	3	4	5	6
35-49	322	3.0	2	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	6372	2.8	3	1	2	3	3	4	5	7

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	2.2	1	1	1	2	3	3	3	4
20-34	595	2.3	1	1	1	2	3	3	4	5
35-49	36	2.3	2	1	1	2	3	3	5	7
50-64										
65+										
B. Operated										
0-19 YRS	1040	2.4	1	1	1	2	3	3	4	5
20-34	4782	2.3	1	1	1	2	3	3	4	5
35-49	324	2.5	1	1	1	2	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	126	3.2	8	1	2	3	3	4	5	14
20-34	337	3.1	8	1	2	3	3	4	6	17
35-49	18	3.3	9	<1	1	3	3	5	11	14
50-64										
65+										
B. Operated										
0-19 YRS	531	2.9	10	1	2	3	3	4	5	12
20-34	3428	2.8	3	1	2	3	3	4	5	7
35-49	314	3.0	3	1	2	3	4	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	825	2.3	1	1	1	2	3	3	4	5
B. Operated	6146	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	481	3.1	8	1	2	3	3	4	6	17
B. Operated	4273	2.9	4	1	2	3	3	4	5	7
1. SINGLE DX	6971	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4754	2.9	4	1	2	3	3	4	5	7
A. NOT OPERATED	1306	2.6	4	1	1	2	3	4	4	7
B. OPERATED	10419	2.6	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1891	2.6	4	1	1	2	3	3	4	6
20-34	9142	2.5	2	1	1	2	3	4	4	6
35-49	692	2.8	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	11725	2.6	2	1	1	2	3	4	4	6

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.5	1	1	2	2	3	4	4	5
20-34	200	2.6	1	1	1	2	3	4	4	6
35-49	9	2.4	1	1	1	2	3	4	5	5
50-64										
65+										
B. Operated										
0-19 YRS	991	2.6	1	1	2	3	3	4	4	5
20-34	3173	2.7	1	1	2	3	3	4	4	6
35-49	106	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	3.1	1	2	2	3	3	4	5	7
20-34	80	3.6	19	2	2	3	4	4	6	31
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	685	3.0	2	2	2	3	3	4	5	8
20-34	2407	3.1	3	2	2	3	3	4	5	8
35-49	119	3.0	1	2	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	284	2.6	1	1	1	2	3	4	4	6
B. Operated	4270	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	144	3.4	11	2	2	3	3	4	6	26
B. Operated	3211	3.1	3	2	2	3	3	4	5	8
1. SINGLE DX	4554	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	3355	3.1	3	2	2	3	3	4	5	8
A. NOT OPERATED	428	2.8	5	1	2	3	3	4	4	7
B. OPERATED	7481	2.8	2	2	2	3	3	4	4	6
TOTAL 0-19 YRS	1814	2.7	1	2	2	3	3	4	4	6
20-34	5860	2.9	2	1	2	3	3	4	5	6
35-49	235	2.9	1	2	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	7909	2.8	2	1	2	3	3	4	4	6

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.3	1	1	2	2	3	3	4	4
20-34	210	2.4	1	1	1	2	3	3	4	6
35-49	7	2.1	2	1	1	2	3	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	318	2.5	1	1	2	2	3	4	4	5
20-34	1200	2.5	2	1	2	2	3	4	4	6
35-49	40	2.7	1	<1	1	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.9	2	2	2	3	3	4	6	10
20-34	126	3.0	10	1	1	3	3	4	4	21
35-49	6	3.7	4	2	2	3	5	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	231	2.7	1	1	2	3	3	4	5	7
20-34	1120	3.0	2	2	2	3	3	4	5	8
35-49	57	3.4	3	1	2	3	4	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	302	2.4	1	1	1	2	3	3	4	5
B. Operated	1558	2.5	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	197	3.0	8	1	2	3	3	4	5	14
B. Operated	1408	3.0	2	2	2	3	3	4	5	8
1. SINGLE DX	1860	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	1605	3.0	3	2	2	3	3	4	5	8
A. NOT OPERATED	499	2.6	4	1	1	2	3	4	4	9
B. OPERATED	2966	2.8	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	699	2.6	1	1	2	2	3	4	4	6
20-34	2656	2.8	2	1	2	3	3	4	5	7
35-49	110	3.1	2	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	3465	2.7	2	1	2	3	3	4	5	7

366 Hospitals, Southern Region, January-December 1985

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1313	2.7	2	1	1	3	3	4	5	9
20-34	4159	2.7	2	1	1	2	3	4	5	8
35-49	256	2.7	3	1	1	2	3	4	5	9
50-64										
65+										
B. Operated										
0-19 YRS	2849	3.0	3	1	2	3	3	5	5	9
20-34	12809	3.1	2	1	2	3	4	5	5	8
35-49	605	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	918	3.2	11	1	1	3	4	5	6	11
20-34	2788	3.0	6	1	1	3	3	5	6	12
35-49	179	3.1	11	1	1	3	3	5	6	24
50-64										
65+										
B. Operated										
0-19 YRS	3550	4.1	9	2	2	3	5	7	9	17
20-34	17691	4.1	10	2	2	3	5	6	8	16
35-49	1579	4.5	10	2	2	4	5	7	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5728	2.7	2	1	1	2	3	4	5	8
B. Operated	16263	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	3885	3.1	7	1	1	3	3	5	6	11
B. Operated	22820	4.1	10	2	2	3	5	6	8	17
1. SINGLE DX	21991	3.0	2	1	2	3	3	4	5	8
2. MULTIPLE DX	26705	4.0	10	2	2	3	5	6	8	16
A. NOT OPERATED	9613	2.8	4	1	1	3	3	4	5	9
B. OPERATED	39083	3.7	7	2	2	3	4	6	7	14
TOTAL 0-19 YRS	8630	3.4	6	1	2	3	4	6	7	12
20-34	37447	3.5	7	1	2	3	4	5	7	13
35-49	2619	3.9	8	1	2	3	5	6	8	16
50-64										
65+										
GRAND TOTAL	48696	3.5	7	1	2	3	4	6	7	13

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	3.5	1	2	2	3	4	5	6	6
20-34	146	3.5	2	2	2	3	4	5	6	9
35-49	6	3.5	6	1	1	3	4	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	6.0	10	2	2	6	8	11	12	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.9	3	1	2	4	5	6	8	9
20-34	62	4.3	16	2	2	4	5	7	8	30
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64										
65+										
B. Operated										
0-19 YRS	6	6.0	9	2	2	6	8	10	10	10
20-34	15	3.9	9	1	1	4	5	6	11	13
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	3.5	2	2	2	3	4	5	6	9
B. Operated	12	5.2	10	2	2	4	7	10	12	12
2. MULTIPLE DX										
A. Not Operated	84	4.3	13	2	2	4	5	7	8	25
B. Operated	21	4.5	10	1	1	4	6	9	11	13
1. SINGLE DX	204	3.6	3	2	2	3	4	5	6	10
2. MULTIPLE DX	105	4.3	12	1	2	4	5	7	8	22
A. NOT OPERATED	276	3.7	5	2	2	3	4	5	7	9
B. OPERATED	33	4.8	10	1	1	4	6	9	12	13
TOTAL 0-19 YRS	67	3.9	3	2	2	3	4	6	7	10
20-34	232	3.8	7	2	2	3	4	6	7	12
35-49	10	4.1	7	1	1	3	6	8	9	9
50-64										
65+										
GRAND TOTAL	309	3.8	6	2	2	3	4	6	7	11

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	46	1.7	1	<1	<1	1	2	3	4	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	26	1.6	1	<1	<1	1	2	3	3	4
20-34	146	1.7	1	<1	1	1	2	3	4	6
35-49	10	1.8	2	1	1	1	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.0		1	1	2	2	3	3	3
20-34	30	2.1	1	1	1	2	3	4	4	5
35-49	7	2.9	4	1	1	2	4	6	7	7
50-64										
65+										
B. Operated										
0-19 YRS	15	1.8	1	<1	1	1	2	4	4	4
20-34	104	2.5	5	1	1	2	3	5	7	11
35-49	7	2.3	3	<1	<1	2	3	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.7	1	<1	<1	1	2	3	3	6
B. Operated	182	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	47	2.2	2	1	1	2	3	4	4	7
B. Operated	126	2.4	4	<1	1	2	3	5	7	11
1. SINGLE DX	237	1.7	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	173	2.4	3	1	1	2	3	5	6	10
A. NOT OPERATED	102	1.9	1	<1	1	2	2	3	4	6
B. OPERATED	308	2.0	3	<1	1	1	2	4	5	8
TOTAL 0-19 YRS	59	1.7	1	<1	1	2	2	3	4	4
20-34	326	2.0	2	<1	1	1	2	4	5	8
35-49	25	2.2	3	<1	1	2	3	6	6	7
50-64										
65+										
GRAND TOTAL	410	2.0	2	<1	1	1	2	4	5	8

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.6	12	1	1	3	8	10	11	11
20-34	82	3.8	8	1	1	3	5	7	10	14
35-49	8	5.4	13	2	2	4	8	11	11	11
50-64										
65+										
B. Operated										
0-19 YRS	24	2.2	2	1	1	2	3	3	5	7
20-34	97	3.4	11	1	1	2	4	7	11	18
35-49	10	4.0	7	2	2	3	5	8	10	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.2	1	2	2	3	4	5	5	5
20-34	75	4.4	30	1	1	3	4	8	11	38
35-49	6	3.3	7	1	1	3	4	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	22	3.5	4	2	2	3	4	5	8	11
20-34	104	4.3	27	1	1	3	4	8	13	30
35-49	9	4.3	10	<1	1	3	7	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.0	9	1	1	3	5	9	11	14
B. Operated	131	3.2	9	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	94	4.1	25	1	1	3	4	8	9	33
B. Operated	135	4.2	22	1	1	3	4	8	11	25
1. SINGLE DX	233	3.6	9	1	1	2	4	7	11	15
2. MULTIPLE DX	229	4.2	23	1	1	3	4	8	11	26
A. NOT OPERATED	196	4.1	16	1	1	3	5	8	10	18
B. OPERATED	266	3.7	16	1	1	2	4	7	11	21
TOTAL 0-19 YRS	71	3.2	5	1	1	3	4	5	9	11
20-34	358	4.0	19	1	1	3	4	8	11	21
35-49	33	4.3	9	1	1	3	7	10	10	11
50-64										
65+										
GRAND TOTAL	462	3.9	16	1	1	3	4	8	11	20

366 Hospitals, Southern Region, January-December 1985

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	582	3.7	5	1	2	3	4	6	8	12	
20-34	492	3.8	4	2	2	3	5	6	8	11	
35-49	345	4.6	8	2	2	4	6	8	9	14	
50-64	257	5.3	13	2	2	5	6	9	11	18	
65+	215	5.7	9	2	3	5	7	9	11	17	
B. Operated											
0-19 YRS	301	4.2	10	1	1	3	5	7	9	17	
20-34	273	5.0	12	1	2	4	7	9	11	17	
35-49	196	5.2	16	1	2	4	6	10	13	21	
50-64	118	5.6	22	1	2	5	6	10	15	25	
65+	80	7.8	37	2	2	6	10	14	20	31	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	735	4.4	10	2	2	4	5	7	9	16	
20-34	752	5.2	17	2	2	4	6	9	10	20	
35-49	916	6.3	23	2	3	5	7	11	14	30	
50-64	1074	6.5	21	2	3	5	8	11	13	24	
65+	2121	7.7	27	3	3	7	9	13	16	26	
B. Operated											
0-19 YRS	322	6.1	28	1	2	5	7	11	16	27	
20-34	534	7.4	57	2	2	5	9	15	23	43	
35-49	560	9.4	70	2	3	7	11	17	24	46	
50-64	656	11.3	87	2	3	9	14	22	29	51	
65+	779	12.3	109	3	4	9	15	25	32	54	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1891	4.3	7	2	2	4	5	7	9	14	
B. Operated	968	5.1	16	1	2	4	6	10	13	23	
2. MULTIPLE DX											
A. Not Operated	5598	6.4	23	2	3	5	8	11	14	24	
B. Operated	2851	9.9	82	2	3	7	12	20	28	48	
1. SINGLE DX	2859	4.6	10	1	2	4	6	8	10	17	
2. MULTIPLE DX	8449	7.6	46	2	3	6	9	14	19	37	
A. NOT OPERATED	7489	5.9	20	2	2	5	7	10	13	22	
B. OPERATED	3819	8.7	70	2	2	6	11	18	25	44	
TOTAL 0-19 YRS	1940	4.4	12	1	2	4	5	8	10	19	
20-34	2051	5.4	25	2	2	4	6	9	13	28	
35-49	2017	6.8	36	2	2	5	8	12	16	35	
50-64	2105	7.8	46	2	3	6	9	14	20	38	
65+	3195	8.7	50	3	3	7	10	15	21	38	
GRAND TOTAL	11308	6.8	38	2	2	5	8	13	17	33	

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	174	3.7	4	1	1	3	5	6	8	11	
20-34	101	3.9	8	1	2	3	4	6	9	17	
35-49	42	4.8	7	1	2	4	6	8	9	14	
50-64	34	4.1	4	1	2	4	5	6	8	11	
65+	33	5.4	12	2	2	4	6	9	12	19	
B. Operated											
0-19 YRS	133	3.5	6	1	1	3	5	7	8	12	
20-34	95	4.0	7	1	2	4	5	7	8	16	
35-49	64	4.6	10	1	2	4	5	9	11	16	
50-64	47	3.9	6	1	1	3	5	8	9	11	
65+	22	5.2	11	<1	1	5	7	9	12	13	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	261	4.4	12	1	2	4	5	8	10	21	
20-34	144	5.6	21	2	2	4	6	12	15	26	
35-49	147	5.6	13	2	2	5	7	10	13	19	
50-64	167	7.0	23	3	3	6	9	13	14	28	
65+	248	7.6	32	2	3	7	9	12	18	33	
B. Operated											
0-19 YRS	132	5.9	27	1	1	5	7	12	15	29	
20-34	139	6.7	38	2	2	5	8	13	17	39	
35-49	125	8.4	42	2	3	7	11	15	21	35	
50-64	186	9.9	66	2	3	8	12	21	25	43	
65+	197	9.4	66	2	2	7	12	18	25	45	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	384	4.0	6	1	2	4	5	7	9	15	
B. Operated	361	4.0	7	1	1	3	5	7	9	13	
2. MULTIPLE DX											
A. Not Operated	967	6.0	22	2	2	5	7	11	14	27	
B. Operated	779	8.3	53	2	2	6	10	16	22	39	
1. SINGLE DX	745	4.0	7	1	1	3	5	7	9	14	
2. MULTIPLE DX	1746	7.0	37	2	2	5	8	14	18	33	
A. NOT OPERATED	1351	5.5	18	2	2	4	7	10	13	22	
B. OPERATED	1140	6.9	42	1	2	5	8	14	19	38	
TOTAL 0-19 YRS	700	4.3	12	1	1	4	5	8	10	19	
20-34	479	5.2	22	1	2	4	6	10	13	25	
35-49	378	6.3	24	2	2	5	8	12	15	28	
50-64	434	7.7	43	2	3	6	9	14	21	39	
65+	500	8.1	44	2	3	6	10	15	21	36	
GRAND TOTAL	2491	6.1	30	1	2	5	7	12	15	29	

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	7	3.9	8	<1	<1	3	4	9	10	10
20-34	8	3.1	7	<1	<1	3	4	7	9	9
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
<i>B. Operated</i>										
0-19 YRS	518	2.8	3	1	1	2	4	5	5	10
20-34	854	2.8	3	1	1	3	4	5	6	8
35-49	153	2.8	3	1	1	3	4	5	6	9
50-64	26	3.0	5	1	1	3	3	5	7	12
65+	6	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	6	2.8	7	1	1	2	5	7	7	7
35-49	3	2.3		2	2	2	3	3	3	3
50-64	3	5.7	16	2	2	5	9	10	10	10
65+	1	7.0		7	7	7	7	7	7	7
<i>B. Operated</i>										
0-19 YRS	80	4.1	8	1	1	3	5	8	9	15
20-34	132	3.8	9	1	1	3	4	6	8	16
35-49	57	3.8	3	1	2	4	5	6	7	9
50-64	23	3.6	20	<1	1	2	4	7	14	22
65+	15	5.3	13	1	2	4	7	12	13	14
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	16	3.3	7	<1	<1	3	4	9	10	10
<i>B. Operated</i>	1557	2.8	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
<i>A. Not Operated</i>	16	3.6	8	1	1	2	6	7	9	10
<i>B. Operated</i>	307	3.9	9	1	1	3	5	7	9	15
1. SINGLE DX	1573	2.8	3	1	1	3	4	5	6	9
2. MULTIPLE DX	323	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	32	3.4	7	<1	1	3	5	8	10	10
B. OPERATED	1864	3.0	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	608	3.0	4	1	1	3	4	5	6	11
20-34	1000	2.9	4	1	1	3	4	5	6	9
35-49	214	3.1	3	1	1	3	4	5	6	9
50-64	52	3.4	12	1	1	3	4	6	10	22
65+	22	4.7	11	<1	1	4	7	9	13	14
GRAND TOTAL	1896	3.0	4	1	1	3	4	5	6	10

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	81	1.6	1	<1	<1	1	2	3	4	6
20-34	52	1.7	2	<1	<1	1	2	3	4	8
35-49	43	1.7	2	<1	<1	1	2	3	4	7
50-64	33	1.8	2	<1	<1	1	2	3	5	7
65+	15	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	14	2.5	3	<1	<1	2	3	5	6	6
20-34	27	2.7	8	<1	1	2	4	5	7	15
35-49	43	3.1	8	<1	1	2	4	6	9	14
50-64	36	3.6	12	<1	<1	3	4	6	12	17
65+	39	3.6	11	<1	1	2	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.5	14	2	2	3	7	10	10	10
B. Operated	224	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	10	2.4	3	<1	<1	2	3	5	6	6
B. Operated	159	3.2	9	<1	<1	2	4	6	10	17
1. SINGLE DX	228	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	169	3.2	9	<1	<1	2	4	6	9	17
A. NOT OPERATED	14	3.0	6	<1	<1	2	4	6	9	10
B. OPERATED	383	2.3	5	<1	<1	2	3	5	6	14
TOTAL										
0-19 YRS	96	1.8	1	<1	<1	1	2	3	4	7
20-34	83	2.1	4	<1	<1	1	2	4	5	13
35-49	90	2.4	5	<1	<1	2	3	5	7	13
50-64	71	2.7	8	<1	<1	2	3	6	7	16
65+	57	3.2	9	<1	<1	2	4	6	9	18
GRAND TOTAL	397	2.4	5	<1	<1	2	3	5	6	14

366 Hospitals, Southern Region, January-December 1985

**295: Miscellaneous diseases of skin and subcutaneous tissue (690-705;
706.0-706.1; 706.3-706.9; 707-709)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	245	3.3	7	1	1	3	4	6	9	16
20-34	131	4.0	14	<1	1	3	5	7	13	20
35-49	116	5.3	24	1	1	4	6	12	17	23
50-64	86	4.4	16	1	1	3	5	8	11	24
65+	83	6.6	23	1	2	5	9	13	16	23
<i>B. Operated</i>										
0-19 YRS	332	3.0	18	<1	<1	2	3	6	9	16
20-34	389	4.9	43	<1	1	3	5	11	17	34
35-49	293	4.5	38	<1	1	3	5	9	13	31
50-64	305	4.3	38	<1	1	2	5	10	16	39
65+	219	6.1	57	<1	1	3	7	15	23	36
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	399	4.9	53	1	1	3	5	10	13	30
20-34	265	6.6	49	1	1	4	8	15	21	43
35-49	346	7.2	64	1	2	5	8	14	20	38
50-64	446	7.4	33	2	2	6	9	13	18	30
65+	1228	9.8	75	2	3	8	11	18	24	57
<i>B. Operated</i>										
0-19 YRS	299	7.0	95	<1	1	3	8	16	30	45
20-34	487	12.0	214	1	1	6	16	33	45	99+
35-49	667	11.1	204	1	1	6	14	29	42	86
50-64	805	9.6	147	1	1	5	13	23	31	59
65+	1376	15.0	219	1	2	10	19	36	49	93
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	661	4.3	16	1	1	3	5	9	13	21
<i>B. Operated</i>	1538	4.5	38	<1	1	2	5	10	16	34
2. MULTIPLE DX										
<i>A. Not Operated</i>	2684	8.0	64	1	2	6	10	16	21	43
<i>B. Operated</i>	3634	12.0	196	1	1	7	16	30	43	86
1. SINGLE DX	2199	4.4	32	<1	1	3	5	9	15	29
2. MULTIPLE DX	6318	10.3	144	1	2	7	13	23	36	72
A. NOT OPERATED	3345	7.3	57	1	2	5	9	15	20	38
B. OPERATED	5172	9.8	161	1	1	5	12	25	38	75
TOTAL 0-19 YRS	1275	4.6	47	<1	1	3	5	10	14	37
20-34	1272	7.9	118	1	1	4	9	20	31	72
35-49	1422	8.3	128	1	1	5	9	20	30	67
50-64	1642	7.7	93	1	1	5	9	18	25	47
65+	2906	11.9	150	1	2	8	15	26	39	76
GRAND TOTAL	8517	8.8	122	1	1	5	11	21	30	65

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	62	3.0	6	<1	<1	2	4	6	8	11
20-34	40	4.5	5	1	2	4	6	8	10	11
35-49	34	5.5	14	2	2	5	6	9	12	22
50-64	19	7.1	36	<1	1	5	9	17	20	23
65+	11	5.6	21	2	2	4	7	12	17	18
<i>B. Operated</i>										
0-19 YRS	24	4.2	9	1	2	3	6	8	10	14
20-34	13	8.1	90	1	1	5	10	18	33	36
35-49	13	6.8	35	1	2	4	10	17	18	18
50-64	5	16.8	308	4	4	13	23	47	47	47
65+	10	7.7	21	4	4	6	9	15	18	18
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	67	6.9	41	1	2	5	9	14	19	36
20-34	143	6.3	24	2	2	5	8	12	15	22
35-49	158	8.4	45	2	3	6	10	15	24	32
50-64	152	7.6	39	2	3	6	9	13	19	32
65+	144	7.8	22	2	3	7	11	15	17	21
<i>B. Operated</i>										
0-19 YRS	35	13.9	204	2	2	10	17	38	40	64
20-34	78	10.5	79	1	2	8	16	24	33	99+
35-49	76	13.3	202	2	3	9	16	32	54	93
50-64	92	10.4	64	2	4	9	13	21	25	44
65+	86	11.9	74	3	4	10	14	20	27	52
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>	166	4.5	13	<1	1	4	6	9	11	21
<i>B. Operated</i>	65	7.0	60	1	2	4	8	14	18	45
2. MULTIPLE DX										
<i>A. Not Operated</i>	664	7.5	34	2	2	6	9	14	18	31
<i>B. Operated</i>	367	11.7	112	2	3	9	14	25	33	74
1. SINGLE DX	231	5.2	27	1	1	4	6	10	14	25
2. MULTIPLE DX	1031	9.0	66	2	3	7	11	17	25	47
A. NOT OPERATED	830	6.9	31	1	2	5	9	13	17	29
B. OPERATED	432	11.0	107	2	2	8	14	24	33	66
TOTAL 0-19 YRS	188	6.6	70	<1	1	4	8	14	21	39
20-34	274	7.3	44	2	2	5	9	16	22	43
35-49	281	9.3	89	2	3	6	12	17	29	60
50-64	268	8.7	54	2	3	7	11	16	23	45
65+	251	9.1	44	2	3	8	12	17	20	30
GRAND TOTAL	1262	8.3	61	2	2	6	10	16	23	46

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	77	4.7	24	1	1	4	5	8	12	33
20-34	32	4.4	4	2	2	4	6	7	8	8
35-49	67	5.4	17	2	2	4	6	10	15	22
50-64	94	5.9	15	2	3	5	7	10	14	20
65+	87	7.3	48	3	4	6	8	10	15	48
<i>B. Operated</i>										
0-19 YRS	11	6.5	34	1	1	5	10	15	20	20
20-34	35	5.8	21	1	2	4	8	14	20	99+
35-49	106	6.5	24	1	2	5	10	12	16	23
50-64	206	8.1	47	1	2	6	11	16	18	30
65+	147	8.8	29	2	3	8	12	17	19	23
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	92	6.4	34	2	2	4	8	10	15	37
20-34	48	5.5	14	1	1	5	7	11	13	18
35-49	121	6.2	18	2	3	5	8	10	12	24
50-64	346	7.1	23	2	3	6	9	12	17	23
65+	465	7.3	31	2	3	6	9	12	15	24
<i>B. Operated</i>										
0-19 YRS	18	14.8	183	1	2	9	24	35	42	46
20-34	35	7.6	34	2	2	6	11	17	20	22
35-49	132	8.3	56	2	2	5	11	18	24	34
50-64	334	8.8	40	2	3	8	12	16	18	34
65+	332	10.4	53	2	3	9	14	18	24	36
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	357	5.7	25	2	2	5	7	9	13	22
<i>B. Operated</i>										
	505	7.8	36	2	2	6	11	16	18	25
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	1072	6.9	27	2	3	6	8	12	16	24
<i>B. Operated</i>										
	851	9.5	51	2	3	8	13	17	23	36
1. SINGLE DX										
	862	6.9	32	2	2	5	9	14	17	24
2. MULTIPLE DX										
	1923	8.0	39	2	3	6	10	15	19	33
A. NOT OPERATED										
	1429	6.6	26	2	3	5	8	11	15	24
B. OPERATED										
	1356	8.8	46	2	2	8	12	17	20	34
TOTAL										
0-19 YRS	198	6.5	50	1	2	4	7	12	21	39
20-34	150	5.9	19	1	2	5	7	12	17	22
35-49	426	6.8	32	2	2	5	9	13	18	29
50-64	980	7.8	34	2	3	6	10	15	18	29
65+	1031	8.5	41	2	3	7	10	16	20	32
GRAND TOTAL										
	2785	7.7	37	2	2	6	10	15	18	30

298: Osteoarthritis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.3	7	<1	<1	2	5	8	8	8
35-49	15	3.6	7	<1	<1	4	5	8	9	9
50-64	40	4.1	9	<1	1	3	5	10	11	12
65+	57	5.7	14	1	1	6	8	10	13	18
B. Operated										
0-19 YRS	10	3.3	11	1	1	2	3	8	12	12
20-34	109	3.9	9	<1	1	3	5	9	9	13
35-49	263	5.8	17	<1	1	5	9	11	14	16
50-64	875	8.5	23	1	2	9	12	15	16	20
65+	1358	11.5	22	3	6	11	14	17	19	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.0	7	2	2	7	8	9	9	9
20-34	11	4.8	7	1	1	6	7	8	8	8
35-49	74	5.8	18	<1	1	5	7	11	13	24
50-64	245	5.3	15	1	2	4	6	10	12	19
65+	657	6.5	34	1	2	5	8	12	16	26
B. Operated										
0-19 YRS	13	6.7	61	2	2	4	6	17	28	31
20-34	90	5.0	26	1	1	3	7	12	14	27
35-49	294	6.3	33	1	1	4	9	13	16	28
50-64	1141	9.7	50	1	2	9	13	17	20	33
65+	2817	13.1	50	3	5	12	16	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	4.7	12	<1	1	4	7	10	11	15
B. Operated	2615	9.6	26	1	2	10	13	16	18	23
2. MULTIPLE DX										
A. Not Operated	992	6.2	28	1	2	5	7	11	15	25
B. Operated	4355	11.6	53	2	3	11	15	19	24	37
1. SINGLE DX	2734	9.4	27	1	2	10	13	16	18	23
2. MULTIPLE DX	5347	10.6	53	2	2	10	14	18	22	36
A. NOT OPERATED	1111	6.0	26	1	2	5	7	11	14	24
B. OPERATED	6970	10.8	44	2	2	11	14	18	21	32
TOTAL 0-19 YRS										
20-34	29	5.2	34	1	1	4	6	11	14	31
35-49	216	4.4	16	<1	1	3	6	9	12	18
50-64	646	6.0	24	<1	1	4	9	12	15	23
65+	2301	8.7	38	1	2	8	12	16	18	29
	4889	11.7	44	2	4	11	15	19	22	34
GRAND TOTAL	8081	10.1	44	2	2	10	14	17	21	32

366 Hospitals, Southern Region, January-December 1985

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	6.7	28	1	2	5	9	14	18	24
20-34	66	5.0	18	1	2	4	6	8	12	26
35-49	45	4.9	23	1	2	4	5	8	17	27
50-64	52	5.8	22	1	2	4	8	12	15	22
65+	37	5.1	7	1	3	5	6	8	10	14
B. Operated										
0-19 YRS	79	11.6	61	2	3	10	16	23	26	39
20-34	150	5.0	15	1	1	4	6	11	15	18
35-49	144	5.3	25	1	1	4	7	11	13	22
50-64	118	6.3	33	1	1	4	8	16	17	30
65+	77	9.6	39	1	2	9	13	17	23	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	8.1	99	1	2	5	9	16	23	59
20-34	89	5.6	28	1	2	4	7	10	17	32
35-49	102	6.2	47	1	2	5	7	12	15	42
50-64	143	6.3	20	2	2	5	8	14	15	22
65+	259	7.7	38	2	3	6	9	14	18	42
B. Operated										
0-19 YRS	111	15.8	105	4	6	14	21	29	36	53
20-34	140	8.8	79	1	2	6	11	18	26	48
35-49	159	8.1	66	1	2	5	10	17	25	42
50-64	222	11.0	107	2	2	9	14	24	30	53
65+	240	14.7	118	2	3	12	19	30	41	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	301	5.7	22	1	2	4	7	12	15	24
B. Operated	568	6.9	37	1	1	5	9	15	19	27
2. MULTIPLE DX										
A. Not Operated	694	7.0	44	2	2	5	8	14	17	38
B. Operated	872	11.8	106	2	2	9	15	25	31	50
1. SINGLE DX	869	6.5	32	1	2	5	8	14	18	27
2. MULTIPLE DX	1566	9.6	84	2	2	7	12	20	28	45
A. NOT OPERATED	995	6.6	37	1	2	5	8	13	17	28
B. OPERATED	1440	9.8	84	1	2	7	13	21	28	45
TOTAL 0-19 YRS	392	10.6	87	2	2	8	14	22	28	40
20-34	445	6.3	41	1	2	4	8	13	18	37
35-49	450	6.5	46	1	2	4	8	13	19	33
50-64	535	8.2	65	1	2	5	11	17	23	42
65+	613	10.5	79	2	3	8	14	21	29	45
GRAND TOTAL	2435	8.5	68	1	2	6	11	18	24	42

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	2.7	3	1	1	2	4	5	5	5
35-49	11	4.2	7	<1	<1	4	6	8	9	9
50-64	5	3.0	12	<1	<1	1	4	9	9	9
65+										
B. Operated										
0-19 YRS	235	2.0	2	<1	<1	2	3	4	4	6
20-34	556	2.3	3	<1	<1	2	3	5	5	7
35-49	322	2.3	2	<1	<1	2	3	4	5	8
50-64	168	2.3	3	<1	<1	2	3	5	6	7
65+	56	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.7	3	<1	<1	2	3	6	6	6
20-34	24	1.9	5	<1	<1	1	2	3	7	11
35-49	18	4.7	64	<1	<1	1	6	8	25	35
50-64	10	6.6	56	<1	<1	4	10	18	25	25
65+	15	3.3	10	<1	<1	2	5	6	11	13
B. Operated										
0-19 YRS	225	2.7	4	<1	1	2	4	5	6	9
20-34	631	3.0	5	<1	1	2	4	6	7	12
35-49	487	3.0	8	<1	<1	2	4	6	8	15
50-64	411	3.0	5	<1	1	2	4	5	7	11
65+	243	3.4	8	1	1	3	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.3	7	<1	1	3	5	7	9	9
B. Operated	1337	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	73	3.6	28	<1	<1	2	4	8	12	33
B. Operated	1997	3.0	6	<1	1	2	4	6	7	13
1. SINGLE DX	1361	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2070	3.0	7	<1	1	2	4	6	8	14
A. NOT OPERATED	97	3.5	23	<1	<1	2	4	7	11	30
B. OPERATED	3334	2.7	5	<1	<1	2	3	5	7	11
TOTAL 0-19 YRS	468	2.4	3	<1	<1	2	3	5	5	8
20-34	1217	2.6	4	<1	<1	2	3	5	6	10
35-49	838	2.8	7	<1	<1	2	3	5	7	12
50-64	594	2.9	6	<1	1	2	3	5	7	11
65+	314	3.2	8	<1	1	2	4	6	9	15
GRAND TOTAL	3431	2.7	5	<1	<1	2	3	5	7	11

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	3.2	6	1	1	3	4	6	8	14
20-34	63	4.0	16	1	1	3	4	9	10	24
35-49	55	3.6	6	1	1	3	5	8	9	10
50-64	43	4.4	8	1	1	4	5	7	9	17
65+	47	4.3	12	1	1	3	5	9	11	17
B. Operated										
0-19 YRS	521	3.0	4	1	1	3	4	5	6	12
20-34	858	3.1	3	1	1	3	4	5	6	9
35-49	307	3.3	5	1	1	3	4	6	8	11
50-64	119	3.8	30	1	1	3	5	6	7	28
65+	66	5.0	18	<1	1	3	8	11	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	5.5	58	1	1	3	5	10	22	41
20-34	104	5.6	53	<1	1	3	7	12	17	43
35-49	130	4.8	28	1	1	3	6	10	12	27
50-64	137	6.7	84	1	2	5	8	11	17	55
65+	341	9.7	122	2	2	6	10	24	40	60
B. Operated										
0-19 YRS	383	4.1	14	1	1	3	5	8	11	21
20-34	507	4.2	29	1	1	3	5	8	10	29
35-49	330	4.5	15	1	1	3	5	9	14	21
50-64	224	6.5	34	1	2	4	5	14	18	37
65+	212	8.7	74	1	2	7	11	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	301	3.8	9	1	1	3	5	7	9	17
B. Operated	1871	3.2	6	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	850	7.3	87	1	1	4	8	14	25	51
B. Operated	1656	5.1	32	1	1	3	6	11	15	29
1. SINGLE DX	2172	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	2506	5.9	51	1	1	4	7	12	17	43
A. NOT OPERATED	1151	6.4	69	1	1	4	7	12	20	48
B. OPERATED	3527	4.1	19	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1135	3.7	15	1	1	3	4	6	9	22
20-34	1532	3.7	16	1	1	3	4	6	8	19
35-49	822	4.0	13	1	1	3	5	8	11	18
50-64	523	5.7	45	1	2	4	7	11	15	38
65+	666	8.6	92	1	2	6	10	17	27	53
GRAND TOTAL	4678	4.7	32	1	1	3	5	9	13	31

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	3.8	1	3	3	4	4	6	6	6
35-49	7	5.9	6	4	4	5	6	10	11	11
50-64	6	8.3	19	3	3	7	13	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	5	8.4	27	3	3	7	10	17	17	17
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	11.3	70	4	4	9	17	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	7.1	9	3	3	7	10	11	11	11
35-49	19	5.6	9	2	2	5	7	11	12	12
50-64	7	7.4	65	<1	1	5	7	22	25	25
B. Operated										
0-19 YRS										
20-34	6	6.2	17	2	2	6	9	12	12	12
35-49	11	9.8	51	2	2	11	14	20	23	23
50-64	10	12.6	57	3	3	10	20	22	23	23
65+	3	9.3	50	3	3	8	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	6.0	10	3	3	5	7	12	13	14
B. Operated	12	9.0	45	2	2	7	14	19	22	23
2. MULTIPLE DX										
A. Not Operated	37	6.4	18	2	3	6	8	11	12	25
B. Operated	30	10.0	47	2	2	9	14	21	23	23
1. SINGLE DX	33	7.1	24	2	3	6	8	15	17	23
2. MULTIPLE DX	67	8.0	34	2	2	6	11	18	22	25
A. NOT OPERATED	58	6.2	15	2	3	6	8	11	13	24
B. OPERATED	42	9.7	46	2	2	8	14	21	23	23
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	6.1	19	2	2	4	8	12	16	17
35-49	33	7.9	25	2	3	6	11	15	18	23
50-64	37	7.7	32	2	2	6	10	17	21	23
65+	15	8.5	55	1	3	6	10	23	24	25
GRAND TOTAL	100	7.7	31	2	3	6	10	17	21	24

366 Hospitals, Southern Region, January-December 1985

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	29	4.1	6	1	1	4	6	7	9	10
35-49	89	4.3	9	1	1	3	6	9	10	13
50-64	134	4.7	11	1	1	4	7	9	10	17
65+	111	6.3	20	2	2	5	8	12	14	24
B. Operated										
0-19 YRS	6	3.7	12	1	1	2	5	9	10	10
20-34	71	6.4	38	1	1	5	9	11	15	40
35-49	326	5.6	13	1	2	5	8	10	12	17
50-64	396	5.8	17	1	2	5	8	10	14	21
65+	171	6.7	25	1	1	6	9	13	16	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	6.0	47	<1	1	4	7	17	23	23
20-34	38	4.8	8	1	2	4	6	8	9	14
35-49	232	5.3	13	1	2	4	7	10	12	19
50-64	568	5.8	15	2	2	5	7	10	12	18
65+	1049	6.5	22	2	2	6	8	11	14	22
B. Operated										
0-19 YRS	3	7.7	17	3	3	9	10	11	11	11
20-34	82	6.2	15	1	2	6	9	11	12	20
35-49	405	7.5	37	2	2	6	9	15	18	28
50-64	733	7.5	37	1	2	6	10	14	19	30
65+	621	9.9	57	2	2	8	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	367	5.0	14	1	1	4	7	10	12	16
B. Operated	970	5.9	18	1	2	5	8	11	14	20
2. MULTIPLE DX										
A. Not Operated	1896	6.1	19	2	2	5	8	11	13	21
B. Operated	1844	8.3	44	2	2	7	11	16	21	33
1. SINGLE DX	1337	5.7	17	1	2	5	8	10	13	19
2. MULTIPLE DX	3740	7.2	33	2	2	6	9	14	17	29
A. NOT OPERATED	2263	5.9	18	1	2	5	8	10	13	20
B. OPERATED	2814	7.4	37	1	2	6	10	14	19	31
TOTAL										
0-19 YRS	22	5.1	25	<1	1	4	6	10	16	23
20-34	220	5.7	21	1	1	5	8	10	12	20
35-49	1052	6.1	23	1	2	5	8	12	15	22
50-64	1831	6.4	25	1	2	5	8	12	15	25
65+	1952	7.6	36	2	2	6	9	14	18	31
GRAND TOTAL	5077	6.8	29	1	2	6	9	13	16	27

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	6.2	24	1	2	5	8	10	15	27
20-34	700	5.4	14	1	1	5	8	10	12	17
35-49	1189	5.8	15	1	1	5	8	10	13	18
50-64	577	5.9	14	1	2	5	8	11	14	18
65+	169	6.9	19	1	2	6	9	12	14	19
B. Operated										
0-19 YRS	124	5.7	16	1	2	5	7	10	13	21
20-34	3186	6.4	19	1	2	6	8	12	14	23
35-49	4861	6.7	21	1	2	6	9	12	15	21
50-64	2034	7.0	23	1	2	6	9	13	15	22
65+	439	7.9	26	1	2	7	11	15	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	5.9	18	2	2	5	7	11	16	17
20-34	342	6.9	33	1	1	6	9	13	18	32
35-49	821	7.1	31	1	2	6	9	12	16	26
50-64	834	7.1	19	2	2	7	9	12	15	20
65+	844	7.3	22	2	3	6	9	12	16	25
B. Operated										
0-19 YRS	19	8.6	51	1	2	8	10	16	26	32
20-34	995	8.3	37	2	2	7	11	15	19	31
35-49	2116	8.9	42	2	2	8	11	16	20	31
50-64	1687	9.6	42	2	3	9	12	17	22	33
65+	880	10.8	58	2	3	9	14	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2681	5.8	15	1	1	5	8	10	13	18
B. Operated	10644	6.7	21	1	2	6	9	12	15	22
2. MULTIPLE DX										
A. Not Operated	2853	7.1	25	1	2	6	9	12	16	25
B. Operated	5697	9.3	44	2	2	8	12	17	21	33
1. SINGLE DX	13325	6.5	20	1	2	6	9	12	15	21
2. MULTIPLE DX	8550	8.6	39	2	2	7	11	16	20	31
A. NOT OPERATED	5534	6.5	21	1	2	6	8	12	14	21
B. OPERATED	16341	7.6	31	1	2	7	10	14	17	27
TOTAL 0-19 YRS										
20-34	5223	6.1	21	1	2	5	8	11	14	26
35-49	8987	6.7	24	1	2	6	9	12	15	24
50-64	5132	7.1	27	1	2	6	9	13	16	25
65+	2332	7.7	29	1	2	7	10	14	17	27
	2332	8.7	39	2	3	7	11	16	20	32
GRAND TOTAL	21875	7.3	28	1	2	6	9	13	17	26

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.9	23	1	1	5	7	14	17	17
20-34	117	5.0	14	1	1	4	7	9	11	23
35-49	256	5.2	17	1	1	4	7	11	13	19
50-64	128	5.3	15	1	1	5	7	9	13	21
65+	36	6.7	23	1	2	6	8	11	20	21
B. Operated										
0-19 YRS	7	5.9	43	1	1	3	10	17	18	18
20-34	321	6.0	20	1	2	5	8	11	16	23
35-49	954	6.3	15	1	2	6	8	11	14	18
50-64	456	6.4	16	1	2	6	9	12	14	19
65+	44	7.9	31	1	2	6	12	17	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	62	5.8	16	1	1	5	8	10	12	21
35-49	248	6.0	21	1	2	5	8	11	14	18
50-64	286	6.4	30	1	2	5	8	12	14	21
65+	195	5.6	24	2	3	6	8	11	13	23
B. Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	143	7.9	35	2	2	6	10	16	20	31
35-49	554	7.2	26	2	2	6	9	13	15	23
50-64	444	8.4	47	2	2	7	11	15	18	31
65+	108	10.3	55	3	3	8	13	18	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	5.3	16	1	1	4	7	10	13	21
B. Operated	1782	6.3	17	1	2	6	8	12	14	20
2. MULTIPLE DX										
A. Not Operated	795	6.3	24	1	2	5	8	11	14	21
B. Operated	1251	8.0	38	2	2	7	10	14	18	31
1. SINGLE DX	2328	6.1	17	1	2	5	8	11	14	21
2. MULTIPLE DX	2046	7.3	33	2	2	6	9	13	17	28
A. NOT OPERATED	1341	5.9	21	1	1	5	8	11	13	21
B. OPERATED	3033	7.0	26	1	2	6	9	13	16	23
TOTAL 0-19 YRS	22	5.4	23	1	1	4	7	13	17	18
20-34	643	6.2	23	1	2	5	8	12	16	23
35-49	2012	6.4	19	1	2	6	8	12	14	22
50-64	1314	7.0	30	1	2	6	9	13	16	22
65+	383	7.8	36	2	3	7	10	14	18	30
GRAND TOTAL	4374	6.6	25	1	2	6	9	12	15	23

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.6	14	1	1	4	5	11	13	13
20-34	61	5.8	14	1	2	5	8	10	13	18
35-49	76	5.3	16	1	2	5	7	9	11	23
50-64	41	6.6	18	1	2	6	9	12	16	18
65+	8	4.9	9	<1	1	4	7	9	10	10
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	82	4.8	13	1	1	4	7	10	13	15
35-49	82	5.0	13	1	1	4	8	11	12	15
50-64	24	5.3	17	1	1	4	7	12	13	16
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	12	2	2	4	7	10	10	10
20-34	53	5.5	15	1	2	4	7	11	13	19
35-49	87	5.9	16	1	2	5	7	11	14	22
50-64	66	6.6	17	2	3	5	8	10	15	24
65+	34	5.3	11	1	2	5	7	9	14	15
B. Operated										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	77	8.4	35	2	3	8	10	17	22	28
35-49	85	8.0	33	1	2	8	11	15	20	23
50-64	42	8.7	37	2	3	8	12	17	21	28
65+	9	10.8	47	3	3	11	13	21	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	5.7	15	1	2	5	8	10	13	18
B. Operated	194	4.9	13	1	1	4	7	10	12	15
2. MULTIPLE DX										
A. Not Operated	244	5.9	15	2	2	5	7	10	14	20
B. Operated	217	8.4	34	2	2	8	11	17	21	27
1. SINGLE DX	388	5.3	15	1	2	4	7	10	13	18
2. MULTIPLE DX	461	7.1	26	2	2	6	9	14	17	25
A. NOT OPERATED	438	5.8	15	1	2	5	7	10	13	19
B. OPERATED	411	6.7	27	1	2	5	9	13	17	25
TOTAL 0-19 YRS	19	4.4	10	1	1	4	5	9	12	13
20-34	273	6.2	22	1	2	5	8	12	15	24
35-49	330	6.1	21	1	2	5	9	12	15	23
50-64	173	6.9	23	2	2	6	9	12	17	25
65+	54	6.1	20	1	2	5	8	12	15	25
GRAND TOTAL	849	6.3	21	1	2	5	8	12	15	24

366 Hospitals, Southern Region, January-December 1985

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	57	5.2	9	1	2	4	7	9	10	17
35-49	85	5.7	15	1	2	5	7	10	12	20
50-64	57	5.9	15	1	2	5	7	10	11	22
65+	21	6.3	7	3	3	6	8	10	12	12
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	53	4.3	16	1	1	3	6	10	13	18
35-49	66	4.5	13	1	1	3	6	10	12	17
50-64	29	4.0	12	1	1	3	5	9	11	15
65+	8	5.8	29	1	1	4	9	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	50	6.1	9	2	2	6	8	10	12	15
35-49	100	6.9	14	2	2	6	9	12	14	17
50-64	120	7.5	21	3	3	7	9	12	15	28
65+	176	7.2	19	2	3	6	9	12	16	23
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	33	4.5	10	1	1	4	6	9	11	12
35-49	54	5.7	24	1	2	4	8	10	16	28
50-64	48	8.0	43	2	2	7	11	15	19	39
65+	37	9.8	65	3	3	8	12	18	30	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	5.7	13	1	2	5	7	10	12	20
B. Operated	157	4.4	14	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. Not Operated	449	7.1	17	2	3	6	9	12	15	23
B. Operated	173	7.0	38	1	2	5	9	13	18	36
1. SINGLE DX	377	5.2	14	1	1	4	7	10	12	18
2. MULTIPLE DX	622	7.0	23	2	2	6	9	12	15	27
A. NOT OPERATED	669	6.6	16	2	2	6	8	11	14	22
B. OPERATED	330	5.8	29	1	1	4	8	12	16	29
TOTAL 0-19 YRS	5	4.2	12	<1	<1	4	6	10	10	10
20-34	193	5.1	11	1	1	5	7	10	11	16
35-49	305	5.8	16	1	2	5	8	11	13	19
50-64	254	6.9	24	1	2	6	9	12	15	26
65+	242	7.5	26	2	3	6	9	13	16	28
GRAND TOTAL	999	6.3	20	1	2	5	8	11	14	23

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	3.3	6	1	1	3	4	7	9	12
20-34	871	4.9	13	1	1	4	7	9	12	18
35-49	1110	5.2	18	1	1	4	7	10	13	20
50-64	508	5.1	13	1	1	4	7	10	11	17
65+	168	5.4	15	1	1	5	7	10	11	18
B. Operated										
0-19 YRS	70	3.0	4	1	1	3	3	6	8	12
20-34	1000	4.4	16	1	1	3	6	10	13	18
35-49	1427	4.9	16	1	1	3	7	10	13	18
50-64	734	5.7	20	1	1	4	8	12	15	20
65+	294	7.5	32	1	2	7	10	14	19	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	4.0	21	1	1	3	4	9	11	27
20-34	811	5.8	23	1	1	5	7	11	16	23
35-49	1424	6.3	25	1	2	5	8	12	16	25
50-64	1122	6.4	23	1	2	5	8	12	16	22
65+	1107	6.5	20	2	2	6	8	12	14	21
B. Operated										
0-19 YRS	42	5.3	40	1	1	3	7	11	17	34
20-34	838	5.6	29	1	1	4	7	11	15	24
35-49	1378	6.3	33	1	2	5	8	13	16	29
50-64	1115	8.1	49	2	2	7	11	16	19	34
65+	828	11.0	77	2	3	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2751	5.1	15	1	1	4	7	10	12	18
B. Operated	3525	5.1	19	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. Not Operated	4565	6.2	23	1	2	5	8	12	15	23
B. Operated	4201	7.6	49	1	2	6	10	15	20	34
1. SINGLE DX	6276	5.1	17	1	1	4	7	10	13	19
2. MULTIPLE DX	8766	6.9	36	1	2	5	9	14	17	29
A. NOT OPERATED	7316	5.8	21	1	1	5	8	11	14	21
B. OPERATED	7726	6.4	37	1	2	5	9	13	17	29
TOTAL 0-19 YRS	307	3.8	16	1	1	3	4	8	10	25
20-34	3520	5.1	20	1	1	4	7	10	13	22
35-49	5339	5.7	24	1	1	4	8	11	15	24
50-64	3479	6.6	30	1	2	5	9	13	16	24
65+	2397	8.1	46	2	2	7	10	15	20	34
GRAND TOTAL	15042	6.1	29	1	2	5	8	12	16	25

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	3.1	6	1	1	3	4	5	8	14
20-34	63	3.6	5	1	1	3	5	6	8	10
35-49	67	4.3	6	1	2	4	5	8	9	13
50-64	65	4.2	10	1	1	3	5	9	11	16
65+	41	4.0	5	<1	1	4	5	7	9	10
B. Operated										
0-19 YRS	114	2.5	4	<1	<1	2	3	5	7	11
20-34	401	2.6	4	<1	<1	2	3	5	7	11
35-49	698	2.8	7	<1	<1	2	3	5	7	12
50-64	490	3.0	6	<1	1	2	4	6	7	13
65+	153	3.2	7	<1	<1	3	4	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	3.6	6	<1	1	3	4	7	10	11
20-34	61	4.5	7	1	1	4	6	8	9	15
35-49	153	5.1	20	1	1	4	6	9	12	23
50-64	222	5.4	19	1	2	4	6	10	12	25
65+	208	5.9	13	2	2	5	7	10	13	19
B. Operated										
0-19 YRS	59	4.1	11	1	1	3	5	9	13	92
20-34	267	3.7	15	<1	1	3	4	7	10	17
35-49	495	4.2	16	1	1	3	5	9	13	19
50-64	503	4.6	16	1	2	4	5	9	12	22
65+	225	5.4	24	1	1	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	3.8	7	1	1	3	5	7	9	13
B. Operated	1856	2.9	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	714	5.2	15	1	2	4	6	9	12	21
B. Operated	1549	4.4	17	1	1	3	5	9	12	22
1. SINGLE DX	2195	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	2263	4.7	17	1	1	4	6	9	12	22
A. NOT OPERATED	1053	4.8	13	1	1	4	6	9	11	18
B. OPERATED	3405	3.6	12	<1	1	3	4	7	10	18
TOTAL										
0-19 YRS	346	3.2	6	<1	1	2	4	6	8	14
20-34	792	3.2	9	<1	1	2	4	6	8	14
35-49	1413	3.6	12	<1	1	3	4	7	10	17
50-64	1280	4.1	13	1	1	3	5	8	10	21
65+	627	4.9	16	<1	1	4	6	9	12	21
GRAND TOTAL	4458	3.9	12	<1	1	3	5	7	10	18

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	100	2.7	2	1	1	3	3	4	5	7
20-34	207	3.0	2	1	1	3	4	5	5	7
35-49	284	2.8	3	1	1	3	4	5	6	9
50-64	269	3.2	3	<1	1	3	4	5	6	10
65+	148	3.7	9	<1	1	3	5	6	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	18	2.5	4	1	1	1	4	6	7	7
65+	8	1.6	1	<1	<1	1	2	3	3	3
B. Operated										
0-19 YRS	78	3.1	2	1	2	3	4	5	6	9
20-34	270	3.1	3	1	1	3	4	5	6	9
35-49	476	3.5	3	1	2	3	4	6	7	9
50-64	773	3.9	5	1	2	4	5	6	7	11
65+	683	4.4	13	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.9	4	1	1	3	5	6	6	6
B. Operated	1008	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	33	2.2	3	<1	<1	1	3	5	6	7
B. Operated	2280	3.8	7	1	2	3	5	6	7	11
1. SINGLE DX	1015	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2313	3.8	7	1	2	3	5	6	7	11
A. NOT OPERATED	40	2.3	3	<1	1	1	3	5	6	7
B. OPERATED	3288	3.6	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	182	2.9	2	1	1	3	4	5	5	8
20-34	481	3.0	2	1	1	3	4	5	6	8
35-49	763	3.3	3	1	1	3	4	5	6	9
50-64	1061	3.7	4	1	1	3	5	6	7	11
65+	841	4.2	13	1	2	4	5	7	8	14
GRAND TOTAL	3328	3.6	6	1	1	3	4	6	7	11

366 Hospitals, Southern Region, January-December 1985

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	6	2.2	6	<1	<1	1	2	6	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	142	1.5		<1	<1	1	2	2	3	3
20-34	247	1.7	1	<1	<1	1	2	3	3	4
35-49	198	1.8	1	<1	<1	1	2	3	4	7
50-64	127	2.3	3	<1	<1	2	3	5	6	9
65+	48	2.7	2	<1	<1	2	4	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	2.0	4	<1	<1	1	2	6	6	6
35-49	7	2.7	6	<1	<1	1	4	7	7	7
50-64	7	3.3	8	<1	<1	2	4	8	9	9
65+	12	3.8	8	1	1	3	5	9	9	9
B. Operated										
0-19 YRS	21	2.2	2	<1	<1	2	3	5	5	5
20-34	79	2.5	3	<1	<1	2	3	5	7	8
35-49	109	2.9	5	<1	<1	2	4	5	6	14
50-64	107	3.4	5	1	1	3	4	6	9	11
65+	68	4.4	19	1	1	3	5	8	10	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	5	<1	<1	2	3	7	7	7
B. Operated	762	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	33	3.1	6	<1	1	3	4	7	9	9
B. Operated	384	3.2	7	<1	1	3	4	6	8	15
1. SINGLE DX	777	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	417	3.2	7	<1	1	3	4	6	8	14
A. NOT OPERATED	48	2.9	6	<1	<1	2	4	7	9	9
B. OPERATED	1146	2.3	4	<1	<1	2	3	4	5	9
TOTAL										
0-19 YRS	167	1.6	1	<1	<1	1	2	3	3	5
20-34	338	1.9	2	<1	<1	1	2	3	4	7
35-49	316	2.2	3	<1	<1	2	3	4	5	8
50-64	243	2.9	4	<1	<1	2	4	5	7	10
65+	130	3.7	12	<1	1	3	4	7	9	21
GRAND TOTAL	1194	2.3	4	<1	<1	2	3	4	6	9

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	12.4	69	1	2	12	17	24	29	34
20-34	30	8.4	37	<1	1	8	10	15	21	27
35-49	21	6.8	32	2	3	6	7	11	21	28
50-64	20	8.5	39	1	2	7	14	18	20	21
65+	18	9.4	40	2	3	7	14	19	21	22
B. Operated										
0-19 YRS	88	13.8	126	1	2	10	21	29	36	50
20-34	80	10.5	138	1	2	7	12	19	40	66
35-49	70	12.4	112	2	3	9	17	30	35	42
50-64	54	10.6	71	1	3	8	15	22	28	40
65+	58	8.8	39	2	2	7	13	17	21	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	16.4	123	3	5	14	23	32	39	48
20-34	40	11.5	119	2	3	8	14	23	27	62
35-49	57	10.3	63	2	3	8	14	22	27	35
50-64	90	11.8	149	2	2	9	15	21	29	75
65+	125	14.0	107	3	5	11	18	29	37	49
B. Operated										
0-19 YRS	121	20.0	242	2	3	16	27	43	52	73
20-34	151	17.4	306	3	4	12	23	37	66	99+
35-49	217	17.5	219	2	4	13	22	40	50	66
50-64	299	17.0	219	3	4	12	22	37	45	80
65+	317	15.9	196	3	3	12	20	34	46	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	10.1	54	1	2	8	15	21	25	30
B. Operated	350	11.5	105	1	2	8	15	25	34	44
2. MULTIPLE DX										
A. Not Operated	375	13.1	117	2	3	10	17	28	33	48
B. Operated	1105	17.2	228	3	4	13	22	38	48	82
1. SINGLE DX	508	11.0	90	1	2	8	15	24	30	43
2. MULTIPLE DX	1480	16.1	203	2	3	12	21	34	45	77
A. NOT OPERATED	533	12.2	100	2	3	10	16	24	30	46
B. OPERATED	1455	15.8	204	2	3	12	20	35	45	75
TOTAL										
0-19 YRS	341	16.2	164	2	3	14	22	32	43	54
20-34	301	13.9	222	2	3	9	16	30	44	92
35-49	365	14.8	175	2	3	11	18	33	44	63
50-64	463	14.9	188	2	3	11	19	30	43	77
65+	518	14.4	157	2	3	11	18	29	43	58
GRAND TOTAL	1988	14.8	179	2	3	11	19	31	43	69

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	5.2	28	<1	1	4	7	11	15	29
20-34	70	3.3	7	<1	1	3	4	6	7	16
35-49	110	3.4	7	1	1	3	4	7	8	15
50-64	86	5.3	21	1	1	4	7	10	15	24
65+	149	6.7	17	2	2	6	9	12	14	24
B. Operated										
0-19 YRS	632	4.1	12	<1	1	3	5	8	10	18
20-34	625	4.4	14	1	1	3	6	9	11	17
35-49	402	5.2	17	1	1	4	7	10	12	21
50-64	294	6.1	18	1	2	5	9	12	14	22
65+	203	8.2	30	1	2	7	11	16	19	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	5.9	23	1	1	5	7	11	16	24
20-34	173	3.8	14	1	1	3	4	8	13	21
35-49	345	4.3	14	1	1	3	5	8	12	19
50-64	540	6.4	27	1	2	5	8	13	17	24
65+	2269	8.1	28	2	3	7	10	14	18	26
B. Operated										
0-19 YRS	328	6.3	41	1	1	4	8	15	20	32
20-34	454	6.7	68	1	2	4	8	12	17	54
35-49	468	7.9	62	1	2	6	10	16	22	45
50-64	564	9.6	72	2	2	8	13	18	25	36
65+	969	12.7	65	3	4	11	16	22	27	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	539	5.0	18	1	1	4	7	10	13	21
B. Operated	2156	5.1	18	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	3443	7.1	28	1	2	6	9	14	17	25
B. Operated	2783	9.6	70	1	2	8	13	19	25	40
1. SINGLE DX	2695	5.1	18	1	1	4	7	10	13	21
2. MULTIPLE DX	6226	8.2	48	1	2	6	11	16	21	34
A. NOT OPERATED	3982	6.9	27	1	2	6	9	13	17	25
B. OPERATED	4939	7.6	52	1	2	5	10	16	21	35
TOTAL 0-19 YRS	1200	5.0	23	1	1	4	6	10	15	25
20-34	1322	5.0	34	1	1	3	6	10	13	27
35-49	1325	5.8	34	1	1	4	7	12	16	31
50-64	1484	7.5	45	1	2	6	10	15	20	32
65+	3590	9.3	42	2	3	8	12	17	22	32
GRAND TOTAL	8921	7.3	41	1	2	6	10	15	19	31

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	9	<1	<1	1	3	8	8	8
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	1.0	1	1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. Operated										
0-19 YRS	180	3.6	6	<1	1	3	4	6	8	13
20-34	63	3.9	10	1	1	3	5	7	9	20
35-49	51	3.0	4	<1	<1	2	4	6	6	9
50-64	43	3.6	4	<1	1	3	5	7	8	9
65+	20	4.2	7	<1	1	4	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	3.9	30	<1	<1	1	4	15	18	18
20-34	5	8.8	215	<1	<1	3	11	35	35	35
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	15	8.9	42	1	2	6	14	17	21	23
B. Operated										
0-19 YRS	311	5.9	103	1	2	4	5	9	12	70
20-34	110	5.1	26	1	1	4	7	9	14	32
35-49	75	4.9	19	1	1	4	6	9	14	26
50-64	102	4.8	23	1	1	3	5	11	13	28
65+	78	8.6	43	2	3	7	12	19	24	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.5	5	<1	<1	2	3	6	8	8
B. Operated	357	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	43	6.5	54	<1	<1	4	10	17	20	35
B. Operated	676	5.8	63	1	2	4	6	11	15	46
1. SINGLE DX	367	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	719	5.9	62	1	1	4	6	11	16	42
A. NOT OPERATED	53	5.7	47	<1	<1	3	8	16	18	35
B. OPERATED	1033	5.1	44	1	1	4	6	9	13	31
TOTAL 0-19 YRS	514	5.0	66	1	1	4	5	8	10	52
20-34	180	4.8	25	1	1	4	6	8	11	33
35-49	130	4.1	14	<1	1	3	5	8	9	19
50-64	149	4.4	18	1	1	3	5	9	13	21
65+	113	7.9	39	1	2	5	11	16	22	28
GRAND TOTAL	1086	5.1	45	1	1	4	6	9	13	33

366 Hospitals, Southern Region, January-December 1985

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	19	6.6	20	1	2	6	7	13	18	20
35-49	33	5.3	11	1	2	5	7	9	11	18
50-64	15	5.5	7	2	2	5	7	10	10	10
65+	6	9.8	71	<1	<1	8	16	21	22	22
B. Operated										
0-19 YRS										
20-34	12	5.8	25	1	1	4	8	15	16	16
35-49	29	3.7	8	1	1	2	6	9	9	10
50-64	5	10.8	126	1	1	5	20	27	27	27
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	15	4.3	5	1	2	4	5	6	9	10
35-49	29	5.1	6	2	2	6	7	9	9	10
50-64	54	5.1	7	1	2	5	7	8	9	13
65+	43	5.8	13	1	2	5	8	11	14	14
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	6.2	18	2	2	4	9	12	14	14
35-49	15	7.8	25	2	2	7	13	14	16	17
50-64	24	10.1	183	2	2	7	12	16	33	69
65+	12	7.9	22	1	2	7	10	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	5.9	18	1	2	5	7	10	16	21
B. Operated	47	5.1	28	1	1	3	8	10	16	27
2. MULTIPLE DX										
A. Not Operated	143	5.2	8	1	2	5	7	9	11	14
B. Operated	61	8.6	84	2	2	7	11	15	17	63
1. SINGLE DX	123	5.6	22	1	1	4	7	10	16	23
2. MULTIPLE DX	204	6.2	33	1	2	5	8	11	14	18
A. NOT OPERATED	219	5.4	12	1	2	5	7	10	12	19
B. OPERATED	108	7.1	62	1	1	5	9	14	17	45
TOTAL 0-19 YRS	6	3.5	14	1	1	2	3	10	11	11
20-34	55	5.7	17	1	2	5	7	10	15	20
35-49	106	5.1	12	1	1	4	7	9	13	17
50-64	98	6.7	59	2	2	5	8	12	16	49
65+	62	6.7	21	1	2	6	9	14	15	22
GRAND TOTAL	327	6.0	29	1	2	5	8	11	14	20

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	2.4	2	<1	1	2	3	4	5	8
20-34	186	4.0	6	1	1	3	5	7	9	12
35-49	247	4.4	12	1	1	3	5	9	12	19
50-64	162	4.7	13	1	1	4	6	9	13	19
65+	56	4.1	11	1	1	3	5	8	12	16
B. Operated										
0-19 YRS	540	5.6	16	1	1	5	9	11	12	15
20-34	463	3.8	13	<1	1	3	5	8	10	19
35-49	388	3.8	15	<1	1	2	4	9	11	20
50-64	350	3.4	12	1	1	2	4	7	10	20
65+	158	3.1	10	1	1	2	3	7	9	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	4.6	65	1	1	3	5	7	13	65
20-34	379	4.5	14	1	1	4	6	9	10	17
35-49	540	5.1	15	1	2	4	6	10	12	19
50-64	471	5.4	21	1	2	4	7	10	12	20
65+	562	6.5	39	1	2	5	8	12	16	30
B. Operated										
0-19 YRS	545	7.0	76	1	1	4	10	16	20	59
20-34	617	5.0	56	1	1	3	5	11	17	37
35-49	649	5.3	40	1	1	3	7	11	15	28
50-64	561	5.9	68	1	1	3	6	13	18	40
65+	403	7.0	55	1	2	5	9	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	762	4.0	10	1	1	3	5	8	10	15
B. Operated	1899	4.2	15	<1	1	3	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	2105	5.4	27	1	2	4	7	10	13	24
B. Operated	2775	5.9	59	1	1	3	7	13	18	40
1. SINGLE DX	2661	4.1	13	<1	1	3	6	9	11	18
2. MULTIPLE DX	4880	5.7	45	1	1	4	7	12	16	32
A. NOT OPERATED	2867	5.0	23	1	1	4	6	10	12	21
B. OPERATED	4674	5.2	42	1	1	3	7	11	15	29
TOTAL 0-19 YRS	1349	5.8	46	1	1	3	9	12	15	31
20-34	1645	4.4	29	1	1	3	5	9	12	23
35-49	1624	4.8	24	1	1	3	6	10	13	21
50-64	1544	5.1	36	1	1	3	6	10	14	27
65+	1179	6.1	41	1	1	4	8	12	16	30
GRAND TOTAL	7541	5.2	34	1	1	3	7	11	14	26

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.0		4	4	4	4	4	4	4
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	8.4	79	1	2	5	7	24	30	32
35-49	23	5.9	23	2	3	4	6	11	17	24
50-64	8	6.9	24	2	3	6	8	15	18	18
65+	8	4.4	4	2	2	4	6	7	8	8
B. Operated										
0-19 YRS										
20-34	5	10.2	52	4	4	7	16	21	21	21
35-49	7	12.3	20	5	5	15	15	16	16	16
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.8	7	1	1	3	6	8	8	8
B. Operated	7	3.7	14	1	1	2	4	10	12	12
2. MULTIPLE DX										
A. Not Operated	58	6.5	38	2	2	5	7	13	23	32
B. Operated	14	10.6	30	4	4	10	15	16	20	21
1. SINGLE DX	15	3.7	10	1	1	3	4	8	11	12
2. MULTIPLE DX	72	7.3	39	2	2	5	8	16	21	31
A. NOT OPERATED	66	6.2	35	2	2	4	7	13	22	31
B. OPERATED	21	8.3	35	1	2	7	14	16	18	21
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	28	7.8	63	1	2	5	7	21	27	32
35-49	35	7.1	28	2	2	6	10	15	16	24
50-64	13	6.0	18	2	2	5	7	10	17	18
65+	8	4.4	4	2	2	4	6	7	8	8
GRAND TOTAL	87	6.7	36	2	2	5	8	15	21	30

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.8	34	<1	<1	2	2	3	4	34
20-34	6	3.2	3	1	1	4	4	5	5	5
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	1	1.7		1	1	2	2	2	2	2
65+	3	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	151	6.3	31	1	2	5	8	12	17	33
20-34	12	9.2	92	<1	1	6	14	22	32	34
35-49	5	7.4	35	1	1	6	13	15	15	15
50-64	6	6.7	21	2	2	6	11	12	12	12
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	156	5.1	31	1	1	4	5	10	15	33
20-34	14	8.8	87	<1	<1	5	14	24	30	32
35-49	3	6.3	2	5	5	6	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+	6	3.0	3	2	2	2	4	6	6	6
B. Operated										
0-19 YRS	315	9.2	82	2	2	7	11	20	31	50
20-34	22	16.5	347	3	4	12	15	44	67	77
35-49	12	14.0	149	1	4	11	16	30	45	48
50-64	13	15.8	279	3	3	10	19	41	58	62
65+	8	5.9	11	1	2	5	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.9	25	<1	1	2	3	4	5	34
B. Operated	176	6.6	34	1	2	5	8	13	17	34
2. MULTIPLE DX										
A. Not Operated	180	5.3	35	1	1	4	6	11	17	33
B. Operated	370	10.0	109	2	2	7	11	21	35	59
1. SINGLE DX	220	5.8	34	1	1	4	7	12	16	34
2. MULTIPLE DX	550	8.4	89	1	2	6	10	18	27	51
A. NOT OPERATED	224	4.8	33	1	1	3	5	10	16	33
B. OPERATED	546	8.9	87	2	2	6	10	17	28	51
TOTAL 0-19 YRS	653	7.3	60	1	2	5	9	14	24	43
20-34	54	11.4	200	<1	1	6	15	24	36	76
35-49	23	10.2	100	1	1	7	14	18	31	48
50-64	23	11.1	189	1	2	8	11	26	45	62
65+	17	4.8	8	1	2	5	6	8	11	12
GRAND TOTAL	770	7.7	75	1	2	5	9	16	24	48

366 Hospitals, Southern Region, January-December 1985

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	1.4	3	<1	<1	<1	1	2	4	12
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	356	2.2	3	<1	<1	2	2	4	5	9
20-34	60	2.0	1	<1	1	2	3	3	4	6
35-49	45	2.4	2	<1	1	2	3	4	5	8
50-64	29	2.0	2	1	1	2	2	4	4	7
65+	15	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.3	46	<1	<1	1	2	6	21	34
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	157	2.8	6	<1	<1	2	3	6	7	14
20-34	26	3.7	13	1	1	3	4	5	14	16
35-49	9	2.3	1	1	1	2	3	4	5	5
50-64	31	2.5	2	1	1	2	3	4	5	6
65+	20	2.3	5	<1	1	2	3	3	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.4	3	<1	<1	<1	1	2	4	12
B. Operated	505	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	44	3.3	43	<1	<1	1	2	8	20	34
B. Operated	243	2.8	6	<1	1	2	3	5	7	14
1. SINGLE DX	574	2.1	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	287	2.9	12	<1	1	2	3	5	7	17
A. NOT OPERATED	113	2.2	19	<1	<1	1	1	3	8	29
B. OPERATED	748	2.4	4	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	621	2.3	7	<1	<1	2	2	4	6	14
20-34	88	2.5	5	<1	1	2	3	4	5	15
35-49	55	2.4	2	<1	1	2	3	4	5	8
50-64	61	2.4	2	1	1	2	3	4	5	9
65+	36	2.1	3	<1	1	2	2	3	4	11
GRAND TOTAL	861	2.3	6	<1	<1	2	3	4	6	14

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.6	4	1	1	2	4	5	6	11
20-34	9	4.1	16	1	1	2	6	11	13	13
35-49	8	2.6	1	1	1	3	4	4	4	4
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	3	3.7	14	1	1	2	6	8	8	8
B. Operated										
0-19 YRS	677	4.7	15	1	1	3	8	10	11	16
20-34	46	4.6	13	1	2	3	7	9	10	19
35-49	53	5.2	20	1	1	3	8	12	15	17
50-64	20	4.2	14	<1	1	2	7	10	12	12
65+	14	7.1	40	2	2	6	10	13	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	237	4.1	41	<1	1	3	4	8	12	32
20-34	13	3.1	2	1	1	3	4	5	6	6
35-49	26	4.0	11	1	1	3	4	9	12	15
50-64	16	5.6	8	1	3	5	7	10	11	11
65+	34	4.7	9	2	2	4	6	10	10	14
B. Operated										
0-19 YRS	1386	7.0	66	1	1	5	9	16	22	61
20-34	95	7.6	73	1	1	4	10	19	25	42
35-49	84	7.2	76	1	2	5	9	13	19	56
50-64	53	10.9	262	2	2	7	10	21	60	99+
65+	56	11.3	128	2	2	8	14	31	42	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.9	5	1	1	2	4	5	8	13
B. Operated	810	4.8	16	1	1	3	8	10	12	17
2. MULTIPLE DX										
A. Not Operated	326	4.2	32	<1	1	3	5	8	11	24
B. Operated	1674	7.3	76	1	1	5	9	16	23	64
1. SINGLE DX	883	4.6	15	1	1	3	7	10	12	17
2. MULTIPLE DX	2000	6.8	70	1	1	4	9	15	21	60
A. NOT OPERATED	399	3.9	28	<1	1	3	4	8	11	21
B. OPERATED	2484	6.5	58	1	1	4	9	13	19	44
TOTAL 0-19 YRS	2351	6.0	49	1	1	3	8	13	17	39
20-34	163	6.2	50	1	1	4	8	14	19	41
35-49	171	5.9	47	1	1	4	8	12	15	26
50-64	91	8.3	166	1	2	6	9	16	32	99
65+	107	8.4	84	2	2	5	10	20	32	72
GRAND TOTAL	2883	6.1	54	1	1	4	8	13	18	41

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.3	27	<1	<1	2	5	13	16	16
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	512	3.4	2	2	2	3	4	5	6	8
20-34	12	3.3	1	1	2	3	4	5	5	5
35-49	7	3.0	4	1	1	3	5	6	6	6
50-64	1	6.0	6	6	6	6	6	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.3	7	<1	<1	1	3	4	8	15
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	393	3.8	8	2	2	3	4	6	8	12
20-34	7	3.4	9	1	1	2	4	9	10	10
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	2	5.5	13	3	3	5	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.3	27	<1	<1	2	5	13	16	16
B. Operated	534	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	40	2.3	7	<1	<1	1	3	4	7	15
B. Operated	405	3.8	8	2	2	3	4	6	8	12
1. SINGLE DX	542	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	445	3.7	8	1	2	3	4	6	8	13
A. NOT OPERATED	48	2.6	11	<1	<1	1	3	5	10	16
B. OPERATED	939	3.6	5	2	2	3	4	6	7	9
TOTAL 0-19 YRS	952	3.5	5	1	2	3	4	6	7	10
20-34	19	3.3	4	1	1	3	4	5	8	10
35-49	10	3.2	3	1	1	3	5	6	6	6
50-64	4	4.5	10	1	1	4	7	8	8	8
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	987	3.5	5	1	2	3	4	6	7	10

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	1.6	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	497	3.2	2	2	2	3	4	5	5	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.1	53	1	1	3	7	19	23	23
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	106	4.9	20	2	2	4	6	8	11	27
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.6	1	1	1	1	2	3	3	3
B. Operated	497	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	8	6.1	53	1	1	3	7	19	23	23
B. Operated	106	4.9	20	2	2	4	6	8	11	27
1. SINGLE DX	511	3.2	2	2	2	3	4	5	5	8
2. MULTIPLE DX	114	5.0	22	2	2	4	6	8	12	30
A. NOT OPERATED	22	3.3	23	1	1	2	3	6	15	23
B. OPERATED	603	3.5	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	625	3.5	6	2	2	3	4	5	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	625	3.5	6	2	2	3	4	5	7	12

366 Hospitals, Southern Region, January-December 1985

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH 75TH (7) (8)	90TH 95TH 99TH (9) (10) (11)			
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.5	32	<1	<1	2	4	7	9	39
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	7.0	39	2	2	5	11	16	16	16
65+	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	354	5.9	52	<1	1	4	7	12	18	43
20-34	38	4.0	14	<1	<1	3	5	10	12	16
35-49	16	5.1	8	1	1	5	7	8	10	11
50-64	13	5.3	31	1	1	4	7	12	19	21
65+	8	7.3	24	2	2	7	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	5.7	51	1	1	3	7	13	24	56
20-34	9	5.4	20	1	2	3	7	13	14	14
35-49	15	3.1	3	1	2	3	4	5	7	8
50-64	12	3.6	10	1	1	3	4	7	12	13
65+	27	4.0	6	1	1	4	5	7	9	12
B. Operated										
0-19 YRS	424	9.8	154	1	2	6	11	26	43	99+
20-34	65	5.2	27	1	1	4	8	10	16	89
35-49	40	8.5	45	1	2	7	11	19	23	29
50-64	38	8.5	52	2	2	7	11	17	26	35
65+	44	8.3	29	1	2	7	12	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	77	3.7	30	<1	1	2	4	7	9	37
B. Operated										
	429	5.7	46	<1	1	4	7	12	17	34
2. MULTIPLE DX										
A. Not Operated										
	194	5.1	38	1	1	3	6	11	15	42
B. Operated										
	611	9.1	120	1	2	6	10	20	37	99+
1. SINGLE DX										
	506	5.4	44	<1	1	3	7	11	16	37
2. MULTIPLE DX										
	805	8.1	103	1	1	5	9	18	31	90
A. NOT OPERATED										
	271	4.7	36	1	1	3	6	10	14	43
B. OPERATED										
	1040	7.7	92	1	1	5	9	16	26	69
TOTAL 0-19 YRS										
	976	7.4	100	1	1	4	8	16	28	74
20-34	114	4.8	22	<1	1	3	7	11	14	57
35-49	73	6.5	33	1	1	5	8	14	19	28
50-64	67	6.9	42	1	1	5	8	15	21	34
65+	81	6.6	24	1	2	5	10	14	16	21
GRAND TOTAL										
	1311	7.0	82	1	1	4	8	15	25	65

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH 75TH (7) (8)	90TH 95TH 99TH (9) (10) (11)			
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	464	1.8	1	<1	<1	2	2	3	4	5
20-34	34	2.6	2	1	1	2	3	5	6	7
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	1.9	2	<1	<1	1	2	4	5	7
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	368	2.1	2	<1	<1	2	3	4	5	6
20-34	38	2.8	3	1	1	3	4	6	6	6
35-49	14	2.6	1	1	1	3	3	4	5	5
50-64	7	6.1	46	2	2	4	6	18	21	21
65+	3	3.0	1	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.0		<1	<1	1	1	1	1	1
B. Operated	506	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	29	1.8	2	<1	<1	1	2	4	5	7
B. Operated	430	2.3	3	<1	1	2	3	4	5	7
1. SINGLE DX	511	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	459	2.2	3	<1	<1	2	3	4	5	7
A. NOT OPERATED	34	1.7	2	<1	<1	1	2	4	5	7
B. OPERATED	936	2.0	2	<1	<1	2	3	4	4	6
TOTAL 0-19 YRS	864	1.9	1	<1	<1	2	2	3	4	6
20-34	72	2.7	2	1	1	2	4	5	6	7
35-49	21	2.5	1	1	1	3	3	4	4	5
50-64	8	5.8	41	2	2	3	6	17	21	21
65+	5	3.2	4	1	1	3	4	6	6	6
GRAND TOTAL	970	2.0	2	<1	<1	2	2	4	4	6

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	24	2.6	6	<1	1	2	3	5	8	12	
20-34	6	1.5		<1	<1	1	2	2	2	2	
35-49											
50-64	3	3.3	16	1	1	1	6	8	8	8	
65+	4	3.0	3	1	1	3	4	5	5	5	
B. Operated											
0-19 YRS	750	4.8	13	<1	1	4	7	9	12	16	
20-34	82	4.5	10	<1	1	4	6	8	11	18	
35-49	38	4.3	7	<1	1	4	5	7	10	13	
50-64	21	4.0	12	1	1	3	5	9	12	14	
65+	10	7.7	44	1	1	5	13	18	21	21	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	73	2.9	14	<1	<1	1	3	5	10	22	
20-34	21	2.8	3	<1	1	2	3	6	7	8	
35-49	22	4.7	6	1	1	4	7	8	9	10	
50-64	17	5.0	11	1	2	4	7	10	12	13	
65+	11	4.6	9	<1	1	4	7	9	11	11	
B. Operated											
0-19 YRS	497	6.3	34	1	1	5	8	13	16	28	
20-34	155	5.0	13	1	1	5	6	9	11	16	
35-49	96	6.3	28	2	2	5	7	10	16	33	
50-64	57	5.8	14	1	1	6	8	11	14	93	
65+	35	7.5	47	1	2	5	9	15	24	33	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	37	2.5	5	<1	1	2	3	5	8	12	
B. Operated	901	4.7	13	<1	1	4	7	9	12	16	
2. MULTIPLE DX											
A. Not Operated	144	3.5	11	<1	<1	3	5	8	10	20	
B. Operated	840	6.1	29	1	1	5	8	12	15	29	
1. SINGLE DX	938	4.6	13	<1	1	4	7	9	12	16	
2. MULTIPLE DX	984	5.7	27	1	1	5	7	11	15	28	
A. NOT OPERATED	181	3.3	10	<1	<1	2	4	7	9	18	
B. OPERATED	1741	5.4	21	1	1	4	7	11	13	22	
TOTAL 0-19 YRS	1344	5.2	21	<1	1	4	7	11	13	20	
20-34	264	4.6	12	1	1	4	6	8	11	16	
35-49	156	5.6	21	1	2	5	6	9	11	32	
50-64	98	5.2	13	1	1	5	8	10	13	59	
65+	60	6.7	38	1	1	5	8	14	19	32	
GRAND TOTAL	1922	5.2	20	1	1	4	7	10	13	21	

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	22	1.3	1	<1	<1	<1	<1	2	4	4	
20-34	1	2.0		2	2	2	2	2	2	2	
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	368	3.7	5	1	1	3	5	7	8	10	
20-34	9	4.0	6	<1	1	3	6	8	8	8	
35-49	6	3.3	1	2	2	3	4	5	5	5	
50-64	7	3.9	2	1	1	4	5	6	6	6	
65+	5	2.6	3	<1	<1	2	4	5	5	5	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	38	1.5	1	<1	<1	1	2	3	4	5	
20-34											
35-49											
50-64											
65+											
B. Operated											
0-19 YRS	209	4.5	12	1	2	4	5	9	11	21	
20-34	39	4.1	4	1	1	4	5	7	8	9	
35-49	28	4.7	4	2	2	5	6	7	8	11	
50-64	27	3.9	4	1	1	4	5	7	8	9	
65+	18	3.7	3	1	2	4	5	6	7	7	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	23	1.3	1	<1	<1	<1	1	2	4	4	
B. Operated	395	3.7	4	1	1	3	5	7	8	10	
2. MULTIPLE DX											
A. Not Operated	38	1.5	1	<1	<1	1	2	3	4	5	
B. Operated	321	4.4	9	1	2	4	5	8	10	17	
1. SINGLE DX	418	3.6	5	<1	1	3	5	7	8	10	
2. MULTIPLE DX	359	4.1	9	1	1	4	5	8	9	15	
A. NOT OPERATED	61	1.4	1	<1	<1	1	1	3	4	5	
B. OPERATED	716	4.0	7	1	2	4	5	7	9	12	
TOTAL 0-19 YRS	637	3.8	7	<1	1	3	5	7	9	12	
20-34	49	4.0	4	1	1	4	5	7	8	9	
35-49	34	4.5	4	2	2	4	5	7	8	11	
50-64	34	3.9	4	1	1	4	5	6	8	9	
65+	23	3.5	3	<1	1	3	5	6	6	7	
GRAND TOTAL	777	3.8	7	<1	1	3	5	7	9	12	

366 Hospitals, Southern Region, January-December 1985

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	2.6	21	<1	<1	2	3	4	7	14
20-34	27	3.8	6	1	1	3	5	8	9	10
35-49	25	7.6	375	1	1	2	6	10	37	99
50-64	13	5.5	19	1	1	4	8	11	15	16
65+	4	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	1158	4.3	16	1	1	3	6	8	11	20
20-34	223	3.4	8	<1	1	2	4	8	10	12
35-49	131	4.1	13	<1	1	3	5	9	11	18
50-64	58	4.4	18	1	1	3	7	12	13	17
65+	17	6.8	28	1	1	5	10	16	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	323	4.2	25	<1	1	3	4	10	15	26
20-34	70	5.1	14	1	1	4	7	11	13	15
35-49	43	5.6	18	1	2	4	7	11	13	23
50-64	49	5.1	15	1	1	4	7	11	12	18
65+	31	7.5	29	3	3	7	10	13	17	28
B. Operated										
0-19 YRS	740	7.3	99	1	2	4	9	16	26	99
20-34	138	6.0	35	1	1	4	8	12	15	35
35-49	158	6.0	26	1	1	4	9	12	15	22
50-64	113	9.2	64	1	2	7	13	19	27	37
65+	39	9.8	66	2	2	7	11	22	29	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	3.4	59	<1	<1	2	3	6	10	25
B. Operated	1587	4.2	15	1	1	3	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	516	4.7	23	<1	1	3	6	11	14	26
B. Operated	1188	7.3	78	1	2	5	9	15	23	67
1. SINGLE DX	1812	4.1	21	<1	1	3	5	8	11	19
2. MULTIPLE DX	1704	6.5	63	1	1	4	8	14	21	53
A. NOT OPERATED	741	4.3	34	<1	1	3	5	10	13	25
B. OPERATED	2775	5.5	44	1	1	4	7	11	16	36
TOTAL 0-19 YRS	2377	5.1	46	<1	1	3	6	10	15	41
20-34	458	4.4	18	<1	1	3	6	9	12	22
35-49	357	5.3	45	1	1	3	7	11	14	22
50-64	233	6.9	44	1	1	4	10	15	19	36
65+	91	8.1	46	1	2	7	10	17	22	34
GRAND TOTAL	3516	5.3	42	1	1	3	6	11	15	34

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1322	3.6	15	1	1	2	4	7	11	23
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	54	6.4	53	<1	1	5	7	11	21	42
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1302	9.2	139	1	2	5	10	23	32	66
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	195	19.4	405	1	2	13	32	66	93	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1322	3.6	15	1	1	2	4	7	11	23
B. Operated	54	6.4	53	<1	1	5	7	11	21	42
2. MULTIPLE DX										
A. Not Operated	1302	9.2	139	1	2	5	10	23	32	66
B. Operated	195	19.4	405	1	2	13	32	66	93	99+
1. SINGLE DX	1376	3.7	17	1	1	2	4	7	11	23
2. MULTIPLE DX	1497	10.5	185	1	2	5	12	28	40	84
A. NOT OPERATED	2624	6.4	84	1	1	3	6	15	24	49
B. OPERATED	249	16.6	357	1	2	10	22	53	84	99+
TOTAL 0-19 YRS	2873	7.3	116	1	1	3	8	18	29	69
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	2873	7.3	116	1	1	3	8	18	29	69

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1551	2.6	7	1	1	2	3	5	6	11	
20-34	495	2.9	6	1	1	2	4	5	7	12	
35-49	302	3.3	7	1	1	3	4	6	7	14	
50-64	175	3.3	4	1	1	3	4	6	7	10	
65+	125	3.7	5	1	1	3	5	6	8	11	
B. Operated											
0-19 YRS	8	4.0	12	1	1	3	4	10	12	12	
20-34	8	4.1	9	2	2	3	5	9	11	11	
35-49	9	3.6	4	1	1	3	4	7	8	8	
50-64	7	5.9	23	1	1	5	6	14	16	16	
65+	5	3.4	2	1	1	4	4	5	5	5	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	2488	3.1	9	1	1	2	4	6	7	14	
20-34	674	4.1	18	1	1	3	5	8	11	21	
35-49	786	4.4	18	1	1	3	5	8	11	20	
50-64	912	5.1	24	1	2	4	6	9	12	18	
65+	1515	5.9	26	2	2	5	7	11	14	26	
B. Operated											
0-19 YRS	77	9.7	169	1	1	5	10	26	40	63	
20-34	47	5.8	30	1	2	4	7	10	18	29	
35-49	55	9.2	87	1	2	6	12	18	25	55	
50-64	93	9.5	89	2	2	7	12	18	26	57	
65+	112	9.9	68	2	3	8	12	17	25	52	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2648	2.9	6	1	1	2	3	5	7	12	
B. Operated	37	4.2	10	1	1	3	5	8	12	16	
2. MULTIPLE DX											
A. Not Operated	6375	4.3	18	1	1	3	5	8	11	20	
B. Operated	384	9.1	92	1	2	6	11	18	26	54	
1. SINGLE DX	2685	2.9	6	1	1	2	3	5	7	12	
2. MULTIPLE DX	5759	4.6	24	1	1	3	5	9	12	24	
A. NOT OPERATED	9023	3.9	15	1	1	3	5	8	10	18	
B. OPERATED	421	8.7	87	1	2	6	11	17	26	52	
TOTAL 0-19 YRS	4124	3.1	12	1	1	2	4	6	7	14	
20-34	1224	3.7	14	1	1	3	4	7	9	17	
35-49	1152	4.3	19	1	1	3	5	8	12	21	
50-64	1187	5.1	28	1	1	4	6	10	13	22	
65+	1757	6.0	28	2	2	5	7	11	14	27	
GRAND TOTAL	9444	4.1	19	1	1	3	5	8	11	21	

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	569	2.7	2	1	1	2	3	4	5	7	
20-34	89	4.2	7	1	2	3	5	7	9	14	
35-49	70	4.4	9	1	1	4	5	8	9	16	
50-64	45	4.9	9	2	2	4	6	8	10	17	
65+	73	4.8	6	1	2	4	7	8	9	14	
B. Operated											
0-19 YRS	7	5.7	5	3	3	6	7	9	9	9	
20-34	8	7.0	9	3	3	6	10	11	11	11	
35-49	9	8.1	36	1	1	6	11	18	19	19	
50-64	7	5.9	9	2	2	6	8	10	10	10	
65+	3	7.3	2	6	6	7	8	9	9	9	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1147	3.3	5	1	1	3	4	6	7	11	
20-34	306	4.5	13	1	2	4	5	9	10	19	
35-49	268	5.2	14	2	2	4	6	9	12	20	
50-64	463	5.6	14	2	2	4	7	10	13	21	
65+	1006	6.8	40	2	3	5	8	12	15	32	
B. Operated											
0-19 YRS	46	6.9	45	2	2	4	8	15	23	33	
20-34	45	6.8	11	2	2	7	9	11	12	17	
35-49	57	10.2	48	2	3	8	13	18	22	37	
50-64	101	11.7	76	3	4	10	14	20	25	49	
65+	152	11.7	75	3	4	10	14	23	28	53	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	846	3.3	4	1	1	3	4	6	7	12	
B. Operated	34	6.8	14	2	3	6	9	10	15	19	
2. MULTIPLE DX											
A. Not Operated	3190	5.0	21	1	2	4	6	9	12	22	
B. Operated	401	10.4	64	2	3	9	13	19	25	49	
1. SINGLE DX	880	3.4	5	1	1	3	4	6	8	13	
2. MULTIPLE DX	3591	5.6	29	1	2	4	7	11	14	28	
A. NOT OPERATED	4036	4.7	18	1	2	4	6	9	11	21	
B. OPERATED	435	10.1	61	2	3	8	13	19	25	49	
TOTAL 0-19 YRS	1769	3.2	6	1	1	3	4	5	7	12	
20-34	448	4.7	12	2	2	4	6	9	11	14	
35-49	404	5.9	22	1	2	5	7	12	16	24	
50-64	616	6.5	29	2	2	5	8	12	15	25	
65+	1234	7.3	46	2	3	6	9	13	17	36	
GRAND TOTAL	4471	5.2	25	1	2	4	6	10	13	25	

366 Hospitals, Southern Region, January-December 1985

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	171	2.3	2	1	1	2	3	4	5	7	
20-34	425	3.2	5	1	1	3	4	5	7	11	
35-49	299	3.3	6	1	1	3	4	6	7	10	
50-64	109	3.5	5	1	1	3	4	7	8	10	
65+	33	3.6	4	1	2	3	4	7	8	9	
B. Operated											
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5	
20-34	42	3.3	10	1	1	2	3	6	12	15	
35-49	34	3.6	9	1	1	2	5	8	11	13	
50-64	14	4.0	8	1	1	3	5	9	9	9	
65+	7	6.0	53	2	2	3	6	19	22	22	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	262	3.0	5	1	1	3	4	5	7	10	
20-34	688	4.1	13	1	1	3	5	8	9	17	
35-49	651	4.2	8	1	2	3	5	8	10	14	
50-64	387	4.3	9	1	2	4	5	8	9	14	
65+	273	4.9	14	1	2	4	6	8	12	22	
B. Operated											
0-19 YRS	8	3.5	6	1	1	3	4	8	9	9	
20-34	69	5.9	20	2	2	5	7	11	13	26	
35-49	91	6.9	31	2	2	5	9	15	19	25	
50-64	74	6.6	50	2	2	5	7	13	19	42	
65+	54	5.0	7	2	2	4	6	8	10	16	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1037	3.1	5	1	1	3	4	6	7	10	
B. Operated	102	3.7	12	1	1	2	4	8	11	18	
2. MULTIPLE DX											
A. Not Operated	2261	4.1	10	1	1	3	5	8	9	15	
B. Operated	296	6.2	29	2	2	5	7	12	16	27	
1. SINGLE DX	1139	3.2	5	1	1	3	4	6	7	11	
2. MULTIPLE DX	2557	4.4	13	1	2	3	5	8	10	18	
A. NOT OPERATED	3298	3.8	9	1	1	3	5	7	9	14	
B. OPERATED	398	5.5	25	1	2	4	7	11	15	25	
TOTAL											
0-19 YRS	446	2.7	4	1	1	2	3	5	6	9	
20-34	1224	3.9	11	1	1	3	5	7	9	16	
35-49	1075	4.2	10	1	1	3	5	8	10	16	
50-64	584	4.4	14	1	2	4	6	8	10	17	
65+	367	4.8	13	1	2	4	6	8	12	22	
GRAND TOTAL	3696	4.0	11	1	1	3	5	7	9	16	

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	17	2.4	4	<1	<1	2	3	6	7	7	
20-34	37	3.2	3	1	1	3	4	6	7	7	
35-49	50	3.3	5	1	1	3	4	6	7	11	
50-64	82	3.2	3	1	1	3	5	5	6	10	
65+	59	3.1	3	1	1	3	4	5	6	8	
B. Operated											
0-19 YRS	19	2.8	5	<1	1	2	3	7	8	8	
20-34	25	3.9	6	<1	1	4	5	7	9	10	
35-49	48	4.1	4	2	2	4	5	7	8	9	
50-64	96	4.1	4	1	2	4	5	6	8	11	
65+	74	4.1	5	1	1	4	5	7	8	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	34	2.0	1	<1	1	2	2	4	5	5	
20-34	33	2.6	4	1	1	2	3	4	5	11	
35-49	90	3.7	5	1	1	3	5	7	9	12	
50-64	214	3.9	9	1	1	3	5	7	9	14	
65+	296	3.9	10	1	1	3	5	7	10	16	
B. Operated											
0-19 YRS	14	3.4	5	1	1	3	5	7	8	8	
20-34	18	4.2	9	1	1	4	5	7	12	14	
35-49	71	5.3	20	1	2	5	6	9	12	29	
50-64	149	5.0	9	2	2	4	6	8	11	16	
65+	216	5.0	13	1	2	4	6	9	12	20	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	245	3.1	3	1	1	3	4	5	6	10	
B. Operated	262	4.0	5	1	1	4	5	7	8	11	
2. MULTIPLE DX											
A. Not Operated	667	3.7	8	1	1	3	5	7	9	14	
B. Operated	468	4.9	12	1	2	4	6	8	11	20	
1. SINGLE DX	507	3.6	4	1	1	3	5	6	7	10	
2. MULTIPLE DX	1135	4.2	10	1	1	3	5	8	10	16	
A. NOT OPERATED	912	3.5	7	1	1	3	4	6	8	13	
B. OPERATED	730	4.6	10	1	2	4	6	8	10	16	
TOTAL											
0-19 YRS	84	2.5	3	<1	1	2	3	5	7	8	
20-34	113	3.3	5	1	1	3	4	6	7	12	
35-49	259	4.1	9	1	1	4	5	7	9	15	
50-64	541	4.1	8	1	1	4	5	7	9	14	
65+	645	4.2	10	1	1	3	5	8	10	17	
GRAND TOTAL	1642	4.0	9	1	1	3	5	7	9	15	

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.6	3	1	1	2	3	5	6	9
20-34	16	2.2	1	1	1	2	3	3	4	4
35-49	15	2.9	6	<1	<1	2	4	7	8	8
50-64	20	2.5	2	<1	<1	2	3	4	6	7
65+	18	3.6	5	1	1	3	5	7	9	9
B. Operated										
0-19 YRS	112	2.0	2	<1	<1	2	2	3	4	8
20-34	88	2.4	6	<1	<1	2	3	4	6	15
35-49	72	2.6	3	<1	1	2	3	4	6	9
50-64	46	2.9	7	1	1	2	3	5	10	14
65+	30	2.3	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.8	3	1	1	2	3	4	7	11
20-34	78	3.5	7	1	1	3	4	7	11	13
35-49	100	3.7	13	1	1	3	4	6	9	22
50-64	149	5.0	28	1	1	4	6	10	13	23
65+	331	7.5	44	1	2	6	10	15	20	26
B. Operated										
0-19 YRS	42	5.0	98	<1	1	2	4	7	31	49
20-34	70	5.0	15	1	2	4	6	10	15	17
35-49	75	4.9	21	1	1	3	6	10	13	24
50-64	80	7.2	66	1	2	4	9	16	20	45
65+	102	11.3	162	1	2	7	14	26	49	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	106	2.7	3	<1	1	2	3	5	7	9
B. Operated										
	348	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated										
	743	5.5	32	1	1	4	7	11	16	24
B. Operated										
	369	7.2	84	1	1	4	9	16	23	52
1. SINGLE DX										
	454	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
	1112	6.1	50	1	1	4	7	13	18	43
A. NOT OPERATED										
	849	5.2	29	1	1	4	6	11	15	24
B. OPERATED										
	717	4.9	51	<1	1	2	5	11	16	47
TOTAL 0-19 YRS										
	276	2.8	18	<1	<1	2	3	4	6	20
20-34	252	3.4	10	<1	1	2	4	7	10	17
35-49	262	3.7	13	1	1	3	4	8	10	17
50-64	295	5.1	36	1	1	3	6	11	15	35
65+	481	7.8	70	1	2	5	10	17	22	52
GRAND TOTAL	1566	5.0	39	1	1	3	6	11	15	30

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4	
20-34	1	8.0		8	8	8	8	8	8	8	
35-49	1	3.0		3	3	3	3	3	3	3	
50-64	1	14.0		14	14	14	14	14	14	14	
65+	6	7.8	38	1	1	8	10	17	18	18	
B. Operated											
0-19 YRS	12	4.4	20	<1	<1	2	8	11	14	14	
20-34	22	5.1	22	<1	<1	3	8	13	14	15	
35-49	19	7.9	45	1	2	5	12	19	22	24	
50-64	55	8.7	36	<1	2	9	12	20	21	23	
65+	98	11.4	67	2	4	10	14	19	25	51	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	3	13.3	204	1	1	10	24	29	29	29	
20-34	5	11.8	74	5	5	7	18	25	25	25	
35-49	15	8.9	78	1	1	6	11	16	31	36	
50-64	43	8.4	49	2	3	7	10	14	22	40	
65+	173	8.7	46	2	2	7	11	15	19	39	
B. Operated											
0-19 YRS	16	11.4	111	1	1	8	18	27	31	33	
20-34	67	11.0	143	1	2	9	13	21	26	71	
35-49	113	15.7	260	2	3	11	19	36	67	99+	
50-64	378	15.9	146	3	5	13	21	32	41	64	
65+	1233	14.9	113	4	5	12	19	28	36	55	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	12	6.5	31	<1	<1	5	9	15	18	18	
B. Operated											
	206	9.3	54	1	2	8	13	18	21	34	
2. MULTIPLE DX											
A. Not Operated											
	239	8.8	50	1	2	7	11	15	23	40	
B. Operated											
	1807	15.0	131	3	5	12	19	29	37	66	
1. SINGLE DX	218	9.1	53	<1	1	8	12	18	21	33	
2. MULTIPLE DX	2046	14.2	125	3	4	11	18	28	36	60	
A. NOT OPERATED	251	8.7	49	1	2	7	11	15	22	40	
B. OPERATED	2013	14.4	126	3	4	12	18	28	36	61	
TOTAL 0-19 YRS											
	34	8.3	86	<1	<1	4	14	26	29	33	
20-34	95	9.6	114	<1	1	7	12	19	24	67	
35-49	148	13.9	222	2	3	10	18	33	59	99+	
50-64	477	14.4	133	3	4	11	19	30	39	58	
65+	1510	13.9	107	3	5	11	17	26	34	53	
GRAND TOTAL	2264	13.8	121	2	4	11	17	27	36	59	

366 Hospitals, Southern Region, January-December 1985

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
<i>A. Not Operated</i>										
0-19 YRS	75	2.6	2	1	1	2	3	4	6	7
20-34	485	2.6	3	1	1	2	3	4	6	9
35-49	1551	2.7	3	1	1	2	3	4	5	8
50-64	1077	3.0	3	1	1	3	4	5	6	8
65+	438	3.1	4	1	1	3	4	5	7	10
<i>B. Operated</i>										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	74	3.1	5	1	1	2	4	6	8	11
35-49	445	2.6	3	1	1	2	3	4	6	11
50-64	509	2.7	4	1	1	2	3	5	6	9
65+	122	2.9	4	1	2	2	3	5	7	12
2. MULTIPLE DX										
<i>A. Not Operated</i>										
0-19 YRS	110	3.2	13	1	1	3	4	5	7	20
20-34	1111	3.1	4	1	1	3	4	5	7	10
35-49	4244	3.4	4	1	1	3	4	6	7	11
50-64	5213	3.7	6	1	2	3	5	6	8	12
65+	4479	4.3	10	1	2	4	5	7	9	15
<i>B. Operated</i>										
0-19 YRS	8	2.6	3	1	1	2	4	5	5	5
20-34	180	4.1	8	1	2	3	6	8	10	15
35-49	1231	3.9	9	1	2	3	5	8	10	15
50-64	1722	4.0	10	1	2	3	5	8	10	16
65+	803	5.2	23	1	2	4	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
<i>A. Not Operated</i>										
	3626	2.8	3	1	1	2	3	5	6	9
<i>B. Operated</i>										
	1151	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
<i>A. Not Operated</i>										
	15157	3.7	7	1	1	3	5	7	8	12
<i>B. Operated</i>										
	3944	4.2	13	1	2	3	5	8	10	17
1. SINGLE DX										
	4777	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
	19101	3.8	8	1	2	3	5	7	9	14
A. NOT OPERATED										
	18783	3.6	6	1	1	3	4	6	8	12
B. OPERATED										
	5095	3.9	11	1	2	3	5	8	10	16
TOTAL										
0-19 YRS	194	2.9	8	1	1	2	4	5	7	9
20-34	1850	3.1	4	1	1	3	4	6	7	10
35-49	7471	3.3	5	1	1	3	4	6	7	12
50-64	8521	3.6	6	1	1	3	5	7	8	13
65+	5842	4.3	11	1	2	4	5	8	10	17
GRAND TOTAL	23878	3.6	7	1	1	3	4	7	8	13

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
I. SINGLE DX										
A. Not Operated										
0-19 YRS	497	2.8	6	1	1	2	4	6	7	13
20-34	31	2.1	1	<1	<1	2	3	4	4	5
35-49	36	2.9	8	<1	1	2	3	7	8	14
50-64	48	2.8	4	1	1	2	3	6	8	9
65+	48	3.8	35	1	1	2	4	7	8	41
B. Operated										
0-19 YRS	40	4.1	19	<1	1	3	5	9	15	19
20-34	21	4.4	27	<1	1	2	4	11	17	23
35-49	56	4.6	47	1	1	3	5	9	10	49
50-64	92	4.1	11	1	1	3	5	8	10	18
65+	62	4.2	21	<1	1	3	5	8	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	691	4.4	27	1	1	3	5	8	11	22
20-34	123	4.0	19	1	1	3	5	8	10	28
35-49	227	4.1	11	1	1	3	5	8	10	17
50-64	612	5.6	26	1	2	4	7	10	13	22
65+	1290	6.0	21	1	2	5	8	11	15	22
B. Operated										
0-19 YRS	133	6.2	91	1	1	3	6	13	24	72
20-34	57	5.3	12	1	2	4	8	10	11	14
35-49	172	5.3	21	1	1	4	7	11	14	25
50-64	347	6.0	36	1	1	4	7	13	18	32
65+	430	6.4	26	1	2	5	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	660	2.9	8	1	1	2	4	6	7	14
B. Operated										
	271	4.2	23	<1	1	3	5	8	11	22
2. MULTIPLE DX										
A. Not Operated										
	2943	5.3	23	1	1	4	7	10	13	22
B. Operated										
	1139	6.0	35	1	2	4	7	12	17	32
1. SINGLE DX										
	931	3.3	12	1	1	2	4	6	8	18
2. MULTIPLE DX										
	4082	5.5	27	1	1	4	7	11	14	24
A. NOT OPERATED										
	3603	4.9	21	1	1	4	6	10	13	21
B. OPERATED										
	1410	5.7	33	1	1	4	7	12	17	29
TOTAL										
0-19 YRS	1361	4.0	26	1	1	3	5	8	11	23
20-34	232	4.1	16	1	1	3	5	9	11	24
35-49	491	4.5	19	1	1	3	6	9	12	22
50-64	1099	5.5	27	1	1	4	7	11	14	26
65+	1830	6.0	23	1	2	5	8	12	15	24
GRAND TOTAL	5013	5.1	25	1	1	4	6	10	14	24

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.0	1	1	1	2	2	3	4	6
20-34	216	1.8	1	1	1	1	2	3	4	6
35-49	211	2.0	3	<1	1	1	2	4	4	8
50-64	121	2.0	2	<1	1	2	2	4	4	9
65+	81	2.6	4	<1	1	2	3	5	6	11
B. Operated										
0-19 YRS	61	1.8	2	<1	<1	1	2	3	4	8
20-34	45	3.9	5	1	1	3	5	7	8	10
35-49	61	4.4	8	1	1	4	6	8	9	14
50-64	30	5.3	11	2	2	5	7	9	12	16
65+	44	5.4	18	1	2	4	6	11	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.7	4	<1	1	2	3	5	6	13
20-34	223	2.8	5	1	1	2	4	5	7	12
35-49	316	2.8	4	1	1	2	4	5	7	11
50-64	288	3.4	7	1	1	3	4	7	9	12
65+	547	4.9	16	1	1	4	6	9	12	23
B. Operated										
0-19 YRS	85	4.0	20	<1	1	2	6	10	12	23
20-34	80	5.4	21	1	2	4	7	13	15	21
35-49	136	6.1	25	1	2	4	8	12	16	28
50-64	185	6.4	25	2	2	5	8	12	14	33
65+	565	7.4	27	2	3	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	672	2.0	2	<1	1	2	2	4	4	8
B. Operated	241	3.9	10	<1	1	3	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	1434	3.7	10	1	1	3	5	7	9	15
B. Operated	1051	6.7	26	1	2	6	8	13	16	27
1. SINGLE DX	913	2.5	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2485	4.9	19	1	1	4	6	10	13	23
A. NOT OPERATED	2106	3.1	8	1	1	2	4	6	8	14
B. OPERATED	1292	6.2	24	1	2	5	8	12	16	25
TOTAL 0-19 YRS	249	2.8	9	<1	1	2	3	6	8	14
20-34	564	2.9	7	1	1	2	3	5	8	14
35-49	724	3.3	10	1	1	2	4	7	9	16
50-64	624	4.1	14	1	1	3	5	8	11	16
65+	1237	5.9	23	1	2	5	7	11	15	25
GRAND TOTAL	3398	4.3	17	1	1	3	6	9	12	20

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1360	2.2	2	<1	1	2	3	4	5	7
20-34	1470	2.6	4	1	1	2	3	5	6	10
35-49	850	3.0	5	1	1	3	4	5	6	11
50-64	444	3.1	4	1	1	3	4	6	7	10
65+	282	3.4	4	1	1	3	4	6	7	12
B. Operated										
0-19 YRS	174	3.7	4	1	2	3	4	7	9	11
20-34	281	4.1	7	1	2	4	5	8	9	14
35-49	145	4.1	9	1	1	3	5	7	9	19
50-64	62	4.3	7	1	1	4	6	8	9	12
65+	24	4.8	9	1	2	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1344	2.5	3	1	1	2	3	5	6	9
20-34	1937	3.2	6	1	1	3	4	6	8	12
35-49	1586	3.8	6	1	1	3	5	7	8	12
50-64	1497	4.3	8	1	2	4	5	8	9	15
65+	1866	4.8	13	1	2	4	6	8	11	18
B. Operated										
0-19 YRS	158	4.5	14	1	2	4	5	8	10	14
20-34	445	5.2	15	1	2	4	6	9	14	20
35-49	379	6.4	26	2	2	5	8	12	15	23
50-64	323	6.9	26	2	2	6	9	12	14	30
65+	314	8.0	44	2	2	7	10	16	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4406	2.6	4	1	1	2	3	5	6	9
B. Operated	686	4.0	7	1	2	3	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	8230	3.8	8	1	1	3	5	7	9	14
B. Operated	1619	6.3	26	1	2	5	8	12	16	26
1. SINGLE DX	5092	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	9849	4.2	12	1	1	3	5	8	10	17
A. NOT OPERATED	12636	3.4	7	1	1	3	4	6	8	13
B. OPERATED	2305	5.6	22	1	2	4	7	10	14	23
TOTAL 0-19 YRS	3036	2.5	3	1	1	2	3	5	6	9
20-34	4133	3.3	7	1	1	3	4	6	8	14
35-49	2960	3.9	10	1	1	3	5	7	9	16
50-64	2326	4.4	11	1	1	4	6	8	10	16
65+	2486	5.1	17	1	2	4	6	9	12	20
GRAND TOTAL	14941	3.7	10	1	1	3	5	7	9	15

366 Hospitals, Southern Region, January-December 1985

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	170	2.7	4	1	1	2	3	5	5	13	
20-34	85	2.7	3	<1	1	2	3	5	6	8	
35-49	73	3.7	33	<1	1	2	3	7	11	39	
50-64	67	3.6	12	1	1	3	4	6	11	18	
65+	65	4.3	25	<1	1	3	5	7	11	33	
B. Operated											
0-19 YRS	21	3.5	8	<1	<1	2	5	8	9	10	
20-34	32	4.6	8	1	1	4	6	8	9	13	
35-49	30	4.3	9	<1	<1	4	7	8	10	11	
50-64	28	4.1	19	1	1	2	5	8	16	19	
65+	26	5.8	20	1	2	4	8	10	17	19	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	573	3.1	9	1	1	2	3	5	8	16	
20-34	398	3.7	9	1	1	3	5	7	8	17	
35-49	430	4.5	14	1	1	3	6	9	12	20	
50-64	578	5.0	15	1	2	4	6	10	12	20	
65+	1286	5.7	25	1	2	4	7	10	14	31	
B. Operated											
0-19 YRS	70	6.0	55	1	1	4	7	10	18	48	
20-34	145	5.3	20	1	1	4	7	11	14	20	
35-49	165	6.8	71	1	1	6	8	13	17	33	
50-64	191	7.0	38	1	1	6	9	15	20	28	
65+	325	9.0	86	1	2	7	11	17	27	47	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	460	3.2	13	<1	1	2	4	5	8	17	
B. Operated	137	4.5	13	1	1	4	6	9	10	19	
2. MULTIPLE DX											
A. Not Operated	3265	4.7	18	1	1	4	6	9	12	23	
B. Operated	896	7.3	62	1	1	6	9	15	20	38	
1. SINGLE DX	597	3.5	13	<1	1	2	4	7	9	17	
2. MULTIPLE DX	4161	5.3	29	1	1	4	7	10	14	28	
A. NOT OPERATED	3725	4.5	18	1	1	3	6	9	12	22	
B. OPERATED	1033	7.0	56	1	1	5	9	14	19	35	
TOTAL 0-19 YRS	834	3.3	12	1	1	2	4	6	9	16	
20-34	660	4.0	11	1	1	3	5	8	9	18	
35-49	698	4.9	30	1	1	4	6	10	13	23	
50-64	864	5.3	21	1	1	4	7	10	14	23	
65+	1702	6.3	38	1	2	5	8	11	16	34	
GRAND TOTAL	4758	5.1	27	1	1	4	6	10	13	27	

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1004	2.9	6	1	1	2	4	5	7	13	
20-34	474	2.9	11	<1	1	2	4	5	6	12	
35-49	520	2.9	8	1	1	2	3	5	7	15	
50-64	556	3.4	20	1	1	2	4	6	8	14	
65+	662	4.4	19	1	1	3	5	8	11	23	
B. Operated											
0-19 YRS	116	3.2	23	<1	<1	2	3	6	12	54	
20-34	131	2.4	4	<1	1	2	3	4	6	12	
35-49	156	2.9	6	<1	1	2	4	5	6	9	
50-64	152	2.6	7	<1	1	2	3	5	6	10	
65+	83	5.3	77	<1	1	3	5	8	16	57	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1814	4.7	33	1	1	3	5	9	13	28	
20-34	1237	3.8	15	1	1	3	4	7	9	18	
35-49	1850	4.4	18	1	1	3	5	8	10	18	
50-64	4057	5.7	30	1	2	4	7	11	15	24	
65+	9230	6.5	31	2	2	5	8	12	16	27	
B. Operated											
0-19 YRS	186	11.6	244	1	1	6	15	31	44	99	
20-34	267	5.9	50	1	1	4	7	11	24	42	
35-49	425	6.2	66	1	1	4	7	11	20	41	
50-64	831	8.8	110	1	2	5	10	20	32	55	
65+	1409	10.4	120	2	2	7	13	22	30	71	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	3216	3.3	13	1	1	3	4	6	8	16	
B. Operated	638	3.1	19	<1	1	2	3	5	7	29	
2. MULTIPLE DX											
A. Not Operated	18188	5.7	29	1	2	4	7	11	15	26	
B. Operated	3118	9.1	114	1	2	6	11	21	30	61	
1. SINGLE DX	3854	3.3	14	1	1	2	4	6	8	17	
2. MULTIPLE DX	21306	6.2	43	1	2	4	7	12	17	33	
A. NOT OPERATED	21404	5.4	27	1	1	4	7	10	14	25	
B. OPERATED	3736	8.0	103	1	1	5	10	19	27	58	
TOTAL 0-19 YRS	3120	4.5	41	1	1	3	5	9	13	31	
20-34	2109	3.8	18	1	1	3	4	7	9	24	
35-49	2951	4.3	23	1	1	3	5	8	11	26	
50-64	5596	5.9	42	1	1	4	7	12	16	33	
65+	11384	6.8	43	2	2	5	8	13	18	32	
GRAND TOTAL	25160	5.8	40	1	1	4	7	11	16	32	

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	316	2.1	4	<1	1	2	3	4	5	8
20-34	29	3.0	6	<1	<1	2	5	7	8	9
35-49	11	3.1	7	<1	1	2	4	7	10	10
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	6	2.5	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	75	5.3	29	2	2	4	5	8	19	30
20-34	29	5.5	9	1	2	5	7	10	10	13
35-49	14	7.9	22	4	4	6	10	15	19	20
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	213	3.5	14	1	1	2	4	8	10	23
20-34	47	5.5	32	1	1	4	7	15	19	99+
35-49	27	5.4	14	<1	1	4	7	10	11	18
50-64	23	7.9	128	1	1	3	8	20	39	47
65+	19	9.6	50	2	3	7	14	22	23	24
B. Operated										
0-19 YRS	104	11.4	121	1	2	7	14	29	36	77
20-34	115	13.7	249	1	2	8	17	35	43	97
35-49	36	11.8	207	1	1	8	18	58	99+	99+
50-64	22	15.0	269	1	4	10	19	41	87	99+
65+	17	25.9	771	2	5	18	28	82	95	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	2.2	4	<1	1	2	3	4	6	9
B. Operated	120	5.6	23	2	2	4	6	10	16	26
2. MULTIPLE DX										
A. Not Operated	329	4.6	29	1	1	3	6	10	15	31
B. Operated	294	13.4	237	1	2	8	18	34	47	99+
1. SINGLE DX	484	3.1	11	<1	1	2	4	6	8	20
2. MULTIPLE DX	623	8.8	147	1	1	5	10	22	34	99+
A. NOT OPERATED	693	3.3	17	<1	1	2	4	7	10	23
B. OPERATED	414	11.2	187	1	2	7	14	28	41	99+
TOTAL 0-19 YRS	708	4.2	36	1	1	2	4	8	15	33
20-34	220	9.5	158	1	1	6	10	22	37	96
35-49	88	8.1	103	1	1	5	10	22	48	99+
50-64	48	11.0	196	1	1	7	15	29	49	99+
65+	43	14.8	404	1	2	7	19	27	58	96
GRAND TOTAL	1107	6.3	95	1	1	3	7	16	24	82

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	2.8	14	1	1	2	3	5	8	19
20-34	49	4.3	14	<1	1	3	6	9	13	15
35-49	10	4.9	13	<1	<1	4	7	10	13	13
50-64	6	4.7	13	1	1	4	6	10	11	11
65+	2	7.5	5	6	6	7	9	9	9	9
B. Operated										
0-19 YRS	21	5.4	20	1	2	3	8	10	15	20
20-34	21	4.4	15	<1	1	4	6	9	13	17
35-49	4	7.8	20	2	2	8	11	13	13	13
50-64	4	7.0	13	2	2	8	9	10	10	10
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	4.4	17	1	1	3	5	10	13	22
20-34	109	6.4	79	1	1	4	7	13	15	54
35-49	43	5.3	13	1	2	4	7	10	13	17
50-64	34	6.6	21	2	2	5	10	12	17	18
65+	33	10.6	140	1	2	8	12	21	35	62
B. Operated										
0-19 YRS	63	14.3	246	1	1	8	20	32	57	97
20-34	100	13.9	245	1	1	9	19	45	56	99+
35-49	50	12.2	228	1	2	7	14	26	46	81
50-64	25	15.5	237	2	3	11	21	28	44	75
65+	9	17.1	315	1	2	14	32	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	3.3	15	1	1	2	4	7	11	18
B. Operated	50	5.3	17	1	1	4	8	10	13	20
2. MULTIPLE DX										
A. Not Operated	386	5.8	47	1	1	4	7	12	14	46
B. Operated	247	14.0	241	1	2	9	19	40	55	99+
1. SINGLE DX	264	3.7	16	1	1	2	5	8	11	19
2. MULTIPLE DX	633	9.0	138	1	1	5	11	21	35	81
A. NOT OPERATED	600	4.9	37	1	1	3	6	11	13	29
B. OPERATED	297	12.5	213	1	2	8	15	32	54	99+
TOTAL 0-19 YRS	398	5.4	68	1	1	2	6	12	20	54
20-34	279	8.6	138	1	1	5	10	20	45	94
35-49	107	8.6	124	1	2	5	10	15	23	66
50-64	69	9.7	115	2	2	6	11	20	26	67
65+	44	11.8	171	1	2	9	13	32	59	99+
GRAND TOTAL	897	7.4	108	1	1	4	9	16	27	68

366 Hospitals, Southern Region, January-December 1985

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.8	1	<1	1	1	3	3	4	4
20-34	40	2.0	3	<1	<1	2	2	3	4	11
35-49	18	2.8	5	<1	<1	2	5	6	7	7
50-64	7	1.6	1	<1	<1	1	2	4	4	4
65+	6	2.0	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	421	2.0	2	<1	<1	2	2	3	5	8
20-34	569	2.6	4	<1	1	2	3	5	6	11
35-49	199	2.8	5	1	1	2	3	5	7	13
50-64	45	2.6	3	1	1	2	4	5	5	8
65+	21	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	2.3	3	<1	1	2	3	5	7	8
20-34	131	2.7	8	<1	<1	2	3	5	7	17
35-49	59	3.1	7	1	1	2	4	6	8	14
50-64	33	3.4	9	<1	1	3	4	8	10	14
65+	66	4.6	17	1	1	4	5	8	17	20
B. Operated										
0-19 YRS	552	3.6	15	1	1	3	4	7	10	19
20-34	969	4.6	24	1	1	3	6	9	12	28
35-49	365	5.0	27	1	1	4	6	11	13	27
50-64	171	6.0	53	1	1	4	7	14	21	56
65+	142	6.6	36	1	2	5	9	14	16	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	2.1	2	<1	<1	2	3	4	5	9
B. Operated	1255	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	368	3.1	9	<1	1	2	4	6	8	18
B. Operated	2199	4.7	26	1	1	3	6	9	13	28
1. SINGLE DX	1358	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2567	4.4	24	1	1	3	5	9	13	26
A. NOT OPERATED	471	2.9	8	<1	1	2	3	6	8	17
B. OPERATED	3454	3.9	19	1	1	3	5	8	11	23
TOTAL										
0-19 YRS	1084	2.8	9	<1	1	2	3	5	7	14
20-34	1709	3.8	17	1	1	3	4	7	10	23
35-49	641	4.1	19	1	1	3	5	8	12	19
50-64	256	5.0	40	1	1	3	6	10	15	43
65+	235	5.6	29	1	1	4	7	12	15	24
GRAND TOTAL	3925	3.7	18	1	1	3	4	7	11	22

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	3.9	8	1	1	3	5	8	9	13
20-34	345	5.0	23	1	2	4	6	9	13	28
35-49	239	4.9	11	1	1	4	6	9	11	17
50-64	191	5.9	13	2	2	5	8	11	13	17
65+	269	6.9	15	2	2	6	9	12	14	20
B. Operated										
0-19 YRS	19	9.4	34	2	3	8	13	17	21	24
20-34	69	9.4	41	2	3	8	12	20	28	86
35-49	34	9.3	54	2	2	7	13	22	24	27
50-64	13	12.2	137	1	2	11	15	29	40	43
65+	16	15.0	306	2	3	9	20	24	60	75
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	6.1	56	1	1	4	7	10	16	50
20-34	354	6.2	36	1	2	5	8	11	15	27
35-49	252	7.2	51	2	2	5	8	14	20	36
50-64	368	8.0	34	2	3	7	10	14	18	26
65+	1708	8.7	33	3	3	7	11	15	18	28
B. Operated										
0-19 YRS	56	11.8	64	2	2	11	18	23	32	95
20-34	185	11.0	96	1	2	9	14	24	32	85
35-49	102	12.5	103	2	3	9	17	24	33	56
50-64	89	12.1	144	2	3	9	15	21	30	70
65+	183	15.5	134	4	5	12	20	28	39	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1197	5.4	16	1	2	4	7	10	13	20
B. Operated	151	10.2	79	2	3	8	13	21	26	74
2. MULTIPLE DX										
A. Not Operated	2826	8.0	37	2	3	7	10	14	18	30
B. Operated	615	12.8	115	2	3	10	17	26	34	60
1. SINGLE DX	1348	6.0	26	1	2	5	8	11	14	24
2. MULTIPLE DX	3441	8.9	54	2	3	7	11	17	21	40
A. NOT OPERATED	4023	7.3	32	2	2	6	9	13	17	27
B. OPERATED	766	12.3	109	2	3	9	16	24	32	61
TOTAL										
0-19 YRS	372	6.2	44	1	1	4	8	13	19	35
20-34	953	7.0	48	1	2	5	8	14	19	49
35-49	627	7.3	51	1	2	5	8	15	21	35
50-64	661	8.0	48	2	3	7	10	15	19	35
65+	2176	9.1	45	2	3	8	11	16	20	34
GRAND TOTAL	4789	8.1	48	2	2	6	10	15	20	35

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	5	3.8	7	1	1	3	6	7	7	7
35-49	3	6.0	25	1	1	6	10	11	11	11
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	7	18.0	105	5	6	16	24	33	35	35
20-34	17	19.1	73	8	9	19	24	32	36	37
35-49	6	16.8	59	9	9	14	19	30	31	31
50-64	3	13.0	37	9	9	10	17	20	20	20
65+	2	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	33.3	2854	1	1	4	72	95	95	95
20-34	14	20.1	390	2	2	15	27	38	68	76
35-49	5	10.8	23	7	7	10	12	19	19	19
50-64	10	9.0	84	2	3	5	8	24	33	33
65+	16	14.8	172	3	4	11	17	35	47	52
B. Operated										
0-19 YRS	22	31.2	296	12	15	29	44	85	99+	99+
20-34	79	25.9	293	6	7	22	35	55	71	99+
35-49	29	27.4	287	9	12	23	46	77	99+	99+
50-64	8	33.1	592	9	9	28	52	70	71	71
65+	13	21.2	208	5	7	16	31	45	49	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.1	26	1	1	3	6	13	18	19
B. Operated	35	17.8	67	7	9	17	23	31	35	37
2. MULTIPLE DX										
A. Not Operated	48	15.9	340	2	3	10	19	34	54	95
B. Operated	151	26.9	300	6	10	23	39	62	82	99+
1. SINGLE DX	48	14.3	88	2	2	14	20	25	34	37
2. MULTIPLE DX	199	24.3	331	4	5	20	34	57	77	99+
A. NOT OPERATED	61	13.6	292	1	2	8	15	33	43	93
B. OPERATED	186	25.2	268	7	9	22	34	55	72	99+
TOTAL 0-19 YRS	35	26.3	454	2	3	24	33	79	98	99+
20-34	115	23.2	281	3	6	20	32	48	69	99+
35-49	43	22.5	258	6	8	17	38	61	99+	99+
50-64	22	18.8	366	3	4	10	25	46	69	71
65+	32	17.1	180	3	4	13	21	39	49	52
GRAND TOTAL	247	22.3	298	3	5	18	31	50	71	99+

346: Fracture of ribs, sternum, larynx and trachea (307)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.5	3	<1	1	2	3	5	6	7
20-34	58	3.0	4	<1	1	3	4	6	6	9
35-49	62	2.9	4	<1	1	2	4	6	8	9
50-64	64	3.5	5	1	1	3	5	6	8	12
65+	69	4.2	13	1	1	3	5	9	11	20
B. Operated										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	7	5.0	11	1	1	6	8	9	9	9
35-49	3	5.7	41	1	1	3	10	13	13	13
50-64	4	8.5	17	4	4	8	11	14	14	14
65+	6	8.3	28	2	2	7	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	3.9	9	1	1	3	5	8	10	15
20-34	243	4.0	8	1	1	3	5	9	10	13
35-49	295	4.4	12	1	1	3	6	9	11	18
50-64	453	5.5	15	1	2	5	7	10	13	19
65+	872	6.7	27	2	2	6	8	12	15	29
B. Operated										
0-19 YRS	24	7.3	23	2	3	6	9	14	17	22
20-34	96	7.0	19	2	2	6	9	12	15	22
35-49	106	9.4	111	2	2	7	11	20	25	57
50-64	94	11.2	96	1	3	8	14	20	26	58
65+	144	15.1	160	2	5	12	20	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	3.4	7	1	1	3	4	6	9	13
B. Operated	23	6.4	19	1	1	6	9	14	15	15
2. MULTIPLE DX										
A. Not Operated	1924	5.6	20	1	2	5	7	11	13	21
B. Operated	464	10.9	109	2	2	8	14	22	31	68
1. SINGLE DX	297	3.6	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2388	6.7	42	1	2	5	8	13	17	32
A. NOT OPERATED	2198	5.4	19	1	2	4	7	10	13	20
B. OPERATED	487	10.7	106	2	2	8	14	22	30	67
TOTAL 0-19 YRS	109	4.4	13	1	1	3	6	9	11	18
20-34	404	4.6	12	1	1	4	6	9	11	17
35-49	466	5.4	39	1	1	4	6	11	16	27
50-64	615	6.2	31	1	2	5	8	12	16	25
65+	1091	7.7	52	2	2	6	9	15	20	45
GRAND TOTAL	2685	6.3	39	1	2	5	8	12	17	31

366 Hospitals, Southern Region, January-December 1985

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	77	4.6	29	1	1	3	6	8	10	37	
20-34	88	6.7	41	1	2	5	8	12	17	38	
35-49	49	8.0	61	1	2	6	10	17	26	41	
50-64	55	9.2	93	2	3	7	9	17	27	52	
65+	231	8.0	29	2	3	7	10	14	19	25	
B. Operated											
0-19 YRS	5	5.8	48	1	1	4	8	18	18	18	
20-34	17	17.1	165	3	4	17	21	40	46	47	
35-49	9	18.7	167	7	7	14	24	39	47	47	
50-64	4	14.3	140	8	8	9	20	32	32	32	
65+	7	12.4	49	2	3	10	17	22	23	23	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	128	7.9	72	1	2	6	9	17	23	50	
20-34	143	10.0	95	2	3	7	12	21	33	46	
35-49	92	11.5	69	3	4	9	14	23	30	39	
50-64	131	10.8	89	2	3	8	12	22	32	46	
65+	1026	11.5	75	3	4	9	14	20	27	48	
B. Operated											
0-19 YRS	65	20.0	333	3	5	12	29	50	61	99	
20-34	161	21.7	390	2	4	15	31	48	64	88	
35-49	66	23.7	249	5	6	21	32	49	56	61	
50-64	49	21.1	186	3	8	18	29	42	48	57	
65+	123	19.3	214	4	6	14	25	37	50	77	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	500	7.4	43	1	2	6	9	13	19	38	
B. Operated	42	15.0	135	2	3	12	20	28	44	47	
2. MULTIPLE DX											
A. Not Operated	1520	11.0	78	3	3	9	13	20	28	46	
B. Operated	464	21.0	293	3	5	15	28	47	56	85	
1. SINGLE DX	542	8.0	54	2	2	6	10	15	23	43	
2. MULTIPLE DX	1984	13.3	147	3	4	10	16	28	39	61	
A. NOT OPERATED	2020	10.1	72	2	3	8	12	19	26	45	
B. OPERATED	506	20.5	283	3	5	15	28	46	55	84	
TOTAL											
0-19 YRS	275	9.8	154	1	2	6	10	24	41	66	
20-34	409	14.2	242	2	3	8	17	36	47	80	
35-49	216	14.7	164	2	3	10	21	32	43	58	
50-64	239	12.6	128	2	3	9	15	29	39	54	
65+	1387	11.6	87	3	4	9	14	21	29	50	
GRAND TOTAL	2526	12.2	132	2	3	9	14	25	36	58	

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	122	2.4	16	1	1	1	2	4	10	23	
20-34	30	4.0	42	1	1	2	5	6	6	37	
35-49	19	2.8	3	1	1	3	4	5	6	7	
50-64	38	2.6	3	1	1	2	4	5	6	8	
65+	141	4.3	14	1	1	4	5	9	10	18	
B. Operated											
0-19 YRS	939	3.0	13	1	1	2	3	6	10	19	
20-34	122	3.9	11	1	1	3	5	7	9	19	
35-49	69	4.0	17	1	1	3	4	8	11	26	
50-64	115	4.5	13	1	1	4	5	9	11	20	
65+	165	5.0	14	1	1	4	6	9	14	18	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	51	3.8	20	1	1	2	4	13	16	18	
20-34	34	3.3	5	<1	1	3	4	6	8	10	
35-49	31	5.4	32	1	1	4	7	12	15	29	
50-64	101	5.8	28	1	2	4	7	11	16	30	
65+	524	6.3	33	1	2	5	8	12	16	28	
B. Operated											
0-19 YRS	233	5.5	55	1	1	3	6	12	17	31	
20-34	154	6.9	44	1	1	5	8	14	21	31	
35-49	99	8.0	85	2	2	5	8	16	26	53	
50-64	150	8.5	88	2	2	6	10	17	22	62	
65+	421	8.6	57	2	2	7	11	17	21	40	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	350	3.3	16	1	1	2	4	7	9	22	
B. Operated	1410	3.5	14	1	1	2	4	7	11	19	
2. MULTIPLE DX											
A. Not Operated	741	5.9	30	1	1	4	7	12	15	27	
B. Operated	1057	7.6	63	1	2	5	9	16	21	41	
1. SINGLE DX	1760	3.4	14	1	1	2	4	7	10	19	
2. MULTIPLE DX	1798	6.9	50	1	2	5	8	14	19	35	
A. NOT OPERATED	1091	5.0	27	1	1	4	6	10	14	27	
B. OPERATED	2467	5.2	39	1	1	3	6	12	17	29	
TOTAL											
0-19 YRS	1345	3.4	22	1	1	2	3	7	13	21	
20-34	340	5.2	31	1	1	4	6	10	16	30	
35-49	218	5.9	52	1	1	4	7	12	17	38	
50-64	404	6.1	48	1	1	4	7	13	17	37	
65+	1251	6.7	39	1	2	5	8	13	17	30	
GRAND TOTAL	3558	5.2	35	1	1	3	6	11	16	29	

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	1.4	1	<1	1	1	2	2	3	4
20-34	25	2.2	2	<1	<1	2	4	4	5	5
35-49	13	2.2	3	<1	<1	1	3	5	6	6
50-64	12	3.8	11	1	1	3	5	10	11	11
65+	23	3.7	28	<1	1	3	4	5	13	27
B. Operated										
0-19 YRS	1312	1.8	3	<1	1	1	2	3	4	7
20-34	432	2.9	4	1	1	2	4	5	7	10
35-49	338	2.8	4	1	1	2	4	5	6	8
50-64	367	2.6	6	1	1	2	3	5	6	14
65+	346	2.8	3	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.7	54	<1	1	2	3	7	10	45
20-34	62	2.6	3	1	1	2	3	5	6	7
35-49	42	3.1	4	1	1	3	4	6	7	7
50-64	33	5.6	59	1	1	4	6	10	12	45
65+	93	5.3	13	1	2	4	7	10	11	20
B. Operated										
0-19 YRS	316	3.1	10	1	1	2	4	7	10	14
20-34	347	5.9	31	1	2	4	7	13	16	26
35-49	250	5.2	26	1	2	4	6	10	13	25
50-64	283	5.0	38	1	1	3	5	9	14	33
65+	503	5.7	30	1	1	4	7	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	2.1	7	<1	1	1	3	4	5	11
B. Operated	2795	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	284	4.1	24	1	1	3	5	8	10	27
B. Operated	1699	5.1	28	1	1	3	6	10	14	27
1. SINGLE DX	2944	2.3	4	1	1	2	3	4	5	10
2. MULTIPLE DX	1983	4.9	28	1	1	3	6	10	14	27
A. NOT OPERATED	433	3.4	19	1	1	2	4	7	9	21
B. OPERATED	4494	3.4	15	1	1	2	4	7	10	19
TOTAL 0-19 YRS	1758	2.1	6	<1	1	1	2	4	5	11
20-34	866	4.0	17	1	1	3	5	8	12	24
35-49	643	3.8	14	1	1	3	4	7	10	18
50-64	695	3.8	23	1	1	3	4	7	10	26
65+	965	4.6	21	1	1	3	5	9	13	23
GRAND TOTAL	4927	3.4	15	1	1	2	4	7	10	20

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.7	3	<1	1	2	4	5	6	7
20-34	21	2.6	4	<1	1	2	3	6	7	8
35-49	10	3.6	18	<1	<1	2	4	10	15	15
50-64	11	2.4	3	<1	<1	1	4	5	6	6
65+	6	6.0	98	<1	<1	2	4	24	26	26
B. Operated										
0-19 YRS	271	2.0	7	<1	<1	1	2	3	5	10
20-34	395	2.1	4	<1	1	2	2	4	5	9
35-49	171	2.0	3	<1	<1	2	3	3	4	8
50-64	77	2.0	2	<1	1	2	3	4	5	7
65+	42	2.5	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.3	3	<1	1	2	4	5	5	6
20-34	30	2.6	4	1	1	2	3	6	7	8
35-49	14	3.1	5	1	1	3	4	6	8	8
50-64	18	4.4	12	1	1	3	7	10	12	12
65+	36	4.8	10	1	1	4	7	10	11	11
B. Operated										
0-19 YRS	137	3.3	27	1	1	2	3	5	8	36
20-34	313	3.0	8	<1	1	2	4	5	8	16
35-49	169	3.1	12	1	1	2	4	6	8	18
50-64	102	2.9	11	1	1	2	3	6	8	20
65+	65	3.3	12	1	1	2	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	3.1	14	<1	<1	2	4	6	7	24
B. Operated	956	2.1	5	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	118	3.6	8	1	1	3	5	8	10	12
B. Operated	786	3.1	13	1	1	2	4	6	8	18
1. SINGLE DX	1021	2.1	5	<1	1	2	2	4	5	9
2. MULTIPLE DX	904	3.2	12	1	1	2	4	6	8	16
A. NOT OPERATED	183	3.4	10	<1	1	2	4	7	9	14
B. OPERATED	1742	2.5	8	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	445	2.4	13	<1	1	2	2	4	6	15
20-34	759	2.5	6	<1	1	2	3	5	6	13
35-49	364	2.6	8	<1	1	2	3	5	7	15
50-64	208	2.6	8	<1	1	2	3	5	7	12
65+	149	3.5	13	1	1	2	4	8	10	22
GRAND TOTAL	1925	2.6	9	<1	1	2	3	5	7	13

366 Hospitals, Southern Region, January-December 1985

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	12.9	136	1	2	5	23	28	32	43
20-34	4	16.8	553	4	4	5	29	52	52	52
35-49	5	9.0	96	1	1	6	26	93	99+	99+
50-64	24	6.0	23	1	1	4	9	12	16	19
65+	129	7.4	72	1	1	5	9	15	20	44
B. Operated										
0-19 YRS	82	9.3	80	2	3	7	10	19	26	52
20-34	49	10.7	118	2	3	8	11	21	37	58
35-49	108	9.0	27	4	4	8	10	15	18	33
50-64	351	10.2	23	4	5	9	12	16	18	30
65+	2138	12.4	28	6	7	12	15	18	21	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	9.0	84	1	2	4	14	24	30	31
20-34	8	4.0	13	<1	<1	3	6	10	11	11
35-49	22	10.0	216	1	2	5	9	35	80	99+
50-64	49	9.9	81	2	3	7	12	23	37	99+
65+	513	10.4	95	2	3	8	13	19	27	58
B. Operated										
0-19 YRS	71	13.0	89	4	5	10	16	26	36	89
20-34	137	15.7	131	4	6	12	19	33	43	72
35-49	154	16.1	158	5	6	13	20	28	48	74
50-64	604	14.5	95	5	7	12	17	24	33	68
65+	7416	15.4	69	7	8	14	18	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	8.4	89	1	1	5	10	20	27	64
B. Operated	2728	11.8	32	5	6	11	14	18	21	32
2. MULTIPLE DX										
A. Not Operated	615	10.2	97	2	3	8	13	19	28	61
B. Operated	8382	15.3	74	7	8	14	18	24	30	54
1. SINGLE DX	2922	11.6	36	4	6	11	14	18	21	33
2. MULTIPLE DX	8997	15.0	77	6	7	13	17	24	30	54
A. NOT OPERATED	809	9.8	95	1	2	7	12	19	28	61
B. OPERATED	11110	14.5	66	6	7	13	17	22	28	51
TOTAL 0-19 YRS	208	11.1	94	2	3	8	15	25	31	54
20-34	198	14.0	137	3	4	10	18	31	43	63
35-49	289	12.9	123	4	5	10	16	25	36	89
50-64	1028	12.6	73	4	5	11	15	21	28	56
65+	10196	14.4	65	6	7	13	17	22	28	49
GRAND TOTAL	11919	14.1	69	5	7	13	17	22	28	51

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	323	15.8	148	1	1	16	24	32	36	54
20-34	22	15.3	322	<1	1	5	29	44	54	59
35-49	12	11.0	270	1	2	5	7	41	52	54
50-64	24	17.3	332	1	3	11	23	41	60	74
65+	54	13.1	204	2	2	8	12	38	47	56
B. Operated										
0-19 YRS	418	10.5	123	1	2	6	14	26	33	45
20-34	159	11.2	102	2	3	9	13	20	24	65
35-49	47	13.2	119	3	4	10	17	27	43	47
50-64	45	13.9	164	3	5	11	14	20	48	71
65+	88	13.1	69	3	5	12	16	22	27	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	147	17.3	252	1	1	15	25	38	48	78
20-34	29	21.1	425	1	2	10	40	52	58	68
35-49	16	22.9	651	2	3	6	44	65	66	67
50-64	43	21.0	353	1	5	13	36	49	92	99+
65+	198	18.7	372	2	3	11	27	54	62	93
B. Operated										
0-19 YRS	359	17.3	208	2	3	14	23	36	49	67
20-34	390	17.8	203	3	5	13	22	36	50	72
35-49	142	17.9	176	2	4	15	24	41	50	99+
50-64	133	21.3	315	3	6	16	27	43	71	93
65+	461	18.4	149	6	8	15	22	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	435	15.4	176	1	2	13	23	33	39	59
B. Operated	757	11.3	115	1	2	8	14	24	31	51
2. MULTIPLE DX										
A. Not Operated	433	18.7	342	1	3	11	28	49	60	90
B. Operated	1485	18.2	195	3	6	15	23	36	50	83
1. SINGLE DX	1192	12.8	141	1	2	9	18	27	36	54
2. MULTIPLE DX	1918	18.3	228	2	4	14	23	39	53	87
A. NOT OPERATED	868	17.0	261	1	2	12	25	39	53	80
B. OPERATED	2242	15.9	179	2	3	13	20	33	45	76
TOTAL 0-19 YRS	1247	14.6	177	1	2	11	22	32	39	61
20-34	600	16.1	200	2	4	12	19	35	48	71
35-49	217	16.9	207	2	4	13	22	42	50	77
50-64	245	19.5	301	3	5	13	25	45	66	99+
65+	801	17.5	202	3	5	14	22	38	53	99+
GRAND TOTAL	3110	16.2	202	2	3	13	22	35	47	77

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	187	2.1	2	1	1	2	3	4	5	7	
20-34	126	3.3	7	<1	1	3	4	6	8	14	
35-49	73	3.6	7	1	1	3	5	7	10	12	
50-64	64	3.8	5	1	1	3	5	7	8	10	
65+	73	6.5	26	1	2	5	7	14	17	26	
B. Operated											
0-19 YRS	544	3.6	12	1	1	3	4	7	9	15	
20-34	423	5.3	17	1	2	4	7	10	13	25	
35-49	281	6.6	36	1	2	5	8	11	15	30	
50-64	187	6.2	31	1	2	5	9	12	16	27	
65+	96	6.5	18	1	2	6	8	11	13	24	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	74	3.8	21	1	1	3	4	7	10	30	
20-34	84	3.8	12	1	1	3	5	7	13	17	
35-49	83	6.3	45	1	2	4	8	13	23	78	
50-64	78	6.6	27	2	2	5	9	13	16	28	
65+	221	7.9	62	2	2	6	10	15	20	35	
B. Operated											
0-19 YRS	282	9.0	136	1	2	5	10	19	28	83	
20-34	436	10.9	130	2	3	7	13	23	31	63	
35-49	299	11.3	145	2	3	7	13	25	32	73	
50-64	214	11.6	86	2	4	9	15	23	32	79	
65+	285	11.6	103	3	4	9	14	21	25	63	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	523	3.4	10	1	1	3	4	7	9	16	
B. Operated	1531	5.2	22	1	1	4	7	10	12	25	
2. MULTIPLE DX											
A. Not Operated	540	6.2	44	1	1	4	8	13	17	36	
B. Operated	1516	10.9	123	2	3	8	13	22	30	67	
1. SINGLE DX	2054	4.7	20	1	1	4	6	9	12	25	
2. MULTIPLE DX	2056	9.7	107	1	2	7	12	20	28	65	
A. NOT OPERATED	1063	4.9	29	1	1	3	6	10	14	27	
B. OPERATED	3047	8.0	81	1	2	5	10	16	23	50	
TOTAL 0-19 YRS	1087	4.8	50	1	1	3	5	10	13	39	
20-34	1069	7.2	71	1	2	5	8	14	22	45	
35-49	736	8.2	85	1	2	6	10	16	25	63	
50-64	543	8.3	57	1	2	6	10	17	23	44	
65+	675	9.1	73	2	2	7	11	17	22	46	
GRAND TOTAL	4110	7.2	69	1	1	5	9	14	21	45	

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	84	2.3	3	<1	1	2	3	4	5	10	
20-34	136	2.9	4	1	1	2	4	6	8	10	
35-49	102	3.2	3	1	1	3	4	6	7	8	
50-64	74	3.7	7	1	1	3	5	8	10	12	
65+	64	4.8	16	1	1	4	6	9	13	22	
B. Operated											
0-19 YRS	685	3.2	6	1	1	3	4	6	7	12	
20-34	1032	3.9	7	1	1	3	5	6	8	13	
35-49	822	4.6	10	1	2	4	6	8	10	17	
50-64	684	4.8	8	1	2	4	6	8	10	14	
65+	399	5.9	21	2	2	5	7	10	13	22	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	62	3.3	6	<1	1	3	4	6	7	13	
20-34	128	4.2	22	1	1	3	5	9	11	24	
35-49	98	4.4	8	1	2	4	6	8	10	15	
50-64	115	4.8	12	1	1	4	6	8	11	19	
65+	235	6.3	26	2	2	5	7	12	15	22	
B. Operated											
0-19 YRS	373	5.4	29	1	1	4	6	11	17	31	
20-34	799	6.5	46	1	2	4	7	12	18	39	
35-49	577	6.4	37	2	2	5	7	11	15	35	
50-64	547	7.5	45	2	3	6	9	14	17	32	
65+	652	9.0	42	2	3	7	11	16	22	35	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	460	3.3	6	1	1	3	4	6	8	12	
B. Operated	3622	4.3	10	1	1	4	5	7	9	16	
2. MULTIPLE DX											
A. Not Operated	638	5.0	19	1	1	4	6	9	12	18	
B. Operated	2948	7.1	42	2	2	5	8	13	18	36	
1. SINGLE DX	4082	4.2	10	1	1	4	5	7	9	15	
2. MULTIPLE DX	3586	6.7	39	1	2	5	8	13	17	34	
A. NOT OPERATED	1098	4.3	14	1	1	3	5	8	10	17	
B. OPERATED	6570	5.6	26	1	2	4	7	10	14	27	
TOTAL 0-19 YRS	1204	3.8	14	1	1	3	5	7	10	20	
20-34	2095	4.8	24	1	1	4	6	9	12	28	
35-49	1599	5.1	20	1	2	4	6	9	12	22	
50-64	1420	5.8	24	1	2	5	7	10	14	23	
65+	1350	7.4	34	2	2	6	9	13	18	33	
GRAND TOTAL	7668	5.4	25	1	2	4	6	10	13	26	

366 Hospitals, Southern Region, January-December 1985

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	24	2.5	10	<1	<1	2	2	3	9	17
35-49	5	2.8	6	1	1	2	3	7	7	7
50-64	4	3.8	18	1	1	2	6	10	10	10
65+	8	4.3	10	1	1	3	5	9	11	11
B. Operated										
0-19 YRS	41	2.5	3	1	1	2	3	4	6	11
20-34	36	2.7	2	1	1	2	3	5	5	5
35-49	23	3.0	3	1	1	3	4	5	6	8
50-64	7	3.4	8	1	1	2	5	8	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	3.1	9	<1	1	2	4	8	10	16
20-34	113	3.2	6	1	1	3	4	6	7	15
35-49	71	4.2	15	1	1	3	5	9	12	19
50-64	54	4.8	11	1	2	4	7	9	13	15
65+	89	6.7	39	1	1	5	9	13	19	32
B. Operated										
0-19 YRS	33	7.6	178	1	1	4	7	11	45	64
20-34	61	6.0	59	<1	1	4	6	13	18	43
35-49	33	4.6	12	1	1	4	6	9	13	15
50-64	29	8.9	146	2	2	6	9	15	34	63
65+	25	9.6	44	2	3	8	15	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.7	8	<1	1	2	2	5	10	17
B. Operated	109	2.7	3	1	1	2	3	5	5	10
2. MULTIPLE DX										
A. Not Operated	392	4.4	18	1	1	3	5	9	12	22
B. Operated	181	7.0	85	1	1	4	8	14	21	59
1. SINGLE DX	162	2.7	5	1	1	2	3	5	6	11
2. MULTIPLE DX	573	5.2	41	1	1	3	6	11	15	36
A. NOT OPERATED	445	4.2	17	1	1	3	5	9	12	20
B. OPERATED	290	5.4	58	1	1	3	5	10	15	48
TOTAL 0-19 YRS	151	3.8	47	<1	1	2	4	7	10	51
20-34	234	3.8	21	1	1	3	4	7	9	26
35-49	132	4.0	12	1	1	3	5	8	11	18
50-64	94	5.9	56	1	2	4	7	10	14	49
65+	124	7.1	39	1	2	5	10	17	21	28
GRAND TOTAL	735	4.6	34	1	1	3	5	9	14	26

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	8.0	127	1	1	2	16	21	21	21
50-64										
65+										
B. Operated										
0-19 YRS	3	8.7	100	1	1	5	16	20	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	5	11	11	12	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	3	4.3	24	1	1	6	55	99+	99+	99+
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	6.5	20	2	2	6	10	12	12	12
65+	7	14.7	99	4	5	10	19	31	34	34
B. Operated										
0-19 YRS	8	11.8	126	1	1	10	30	99+	99+	99+
20-34	8	24.8	591	2	2	13	50	57	60	60
35-49										
50-64	2	44.0	3362	3	3	44	85	85	85	85
65+	3	25.0	228	11	11	23	36	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.9	52	1	1	2	4	18	21	21
B. Operated	6	9.2	51	1	1	8	14	19	20	20
2. MULTIPLE DX										
A. Not Operated	18	8.8	68	1	1	8	12	29	70	99+
B. Operated	21	21.7	537	1	2	11	47	88	99+	99+
1. SINGLE DX	13	6.8	52	1	1	4	12	20	21	21
2. MULTIPLE DX	39	15.7	355	1	2	10	28	67	99+	99+
A. NOT OPERATED	25	7.7	64	1	1	5	10	21	47	99+
B. OPERATED	27	18.9	451	1	2	11	33	75	99+	99+
TOTAL 0-19 YRS	17	8.1	86	1	1	7	18	72	99+	99+
20-34	13	16.8	460	1	2	8	49	64	92	99+
35-49	6	9.0	60	1	1	8	14	20	21	21
50-64	6	19.0	1059	2	2	6	12	78	85	85
65+	10	17.8	141	4	7	12	23	37	41	41
GRAND TOTAL	52	13.5	292	1	1	10	21	51	96	99+

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	3	1.3		1	1	1	2	2	2	2	
20-34	11	1.6		<1	<1	2	2	3	3	3	
35-49	2	1.5	1	1	1	1	2	2	2	2	
50-64	1	2.0		2	2	2	2	2	2	2	
65+	3	2.0	1	<1	<1	2	3	3	3	3	
B. Operated											
0-19 YRS	78	3.0	13	1	1	2	3	5	5	25	
20-34	311	2.7	2	1	1	3	3	4	5	8	
35-49	88	2.6	2	1	1	2	3	4	5	9	
50-64	42	2.3	2	1	1	2	3	5	5	6	
65+	36	3.1	10	<1	1	2	4	9	10	12	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	7	1.6		<1	<1	2	2	2	2	2	
20-34	21	2.8	3	<1	<1	2	4	5	6	7	
35-49	17	4.0	15	<1	1	2	6	11	12	12	
50-64	13	3.3	10	<1	1	2	3	9	11	11	
65+	19	4.0	10	<1	1	3	6	8	11	14	
B. Operated											
0-19 YRS	16	3.1	6	1	1	3	3	5	9	11	
20-34	63	3.2	4	1	1	3	4	5	8	10	
35-49	46	4.0	10	1	1	3	6	8	9	16	
50-64	22	4.0	13	<1	1	3	4	9	13	14	
65+	56	5.2	26	1	1	4	7	11	14	25	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	20	1.7		<1	<1	2	2	3	3	3	
B. Operated	555	2.7	4	1	1	3	3	4	5	11	
2. MULTIPLE DX											
A. Not Operated	77	3.3	9	<1	1	2	4	7	11	14	
B. Operated	203	4.0	13	1	1	3	5	8	10	20	
1. SINGLE DX	575	2.7	4	1	1	2	3	4	5	10	
2. MULTIPLE DX	280	3.8	12	1	1	3	5	8	11	15	
A. NOT OPERATED	97	3.0	7	<1	1	2	3	6	10	13	
B. OPERATED	758	3.1	7	1	1	3	4	5	8	13	
TOTAL 0-19 YRS	104	2.9	11	1	1	2	3	5	5	21	
20-34	406	2.8	2	1	1	3	3	4	5	9	
35-49	153	3.2	6	1	1	2	4	6	8	12	
50-64	78	2.9	7	1	1	2	4	6	9	14	
65+	114	4.3	18	1	1	3	6	9	13	24	
GRAND TOTAL	855	3.1	7	1	1	3	4	5	8	13	

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	2	<1	<1	2	3	4	4	4
20-34	13	2.5	2	<1	<1	2	3	5	6	6
35-49	5	3.8	10	1	1	3	5	9	9	9
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	3	1.7		<1	<1	2	2	2	2	2
B. Operated										
0-19 YRS	384	2.3	2	<1	<1	2	3	4	5	7
20-34	761	2.2	2	<1	<1	2	3	4	5	7
35-49	445	2.2	3	<1	<1	2	3	4	5	7
50-64	189	2.4	3	<1	<1	2	3	5	6	10
65+	79	2.3	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.8	19	<1	<1	1	6	11	11	11
20-34	13	2.5	6	<1	<1	1	3	6	8	9
35-49	7	2.7	6	<1	<1	1	4	6	7	7
50-64	21	3.1	12	<1	<1	2	3	8	11	15
65+	13	3.9	15	1	1	3	4	11	13	14
B. Operated										
0-19 YRS	306	3.0	15	<1	<1	2	4	5	6	14
20-34	697	2.8	18	<1	<1	2	3	5	7	13
35-49	498	2.5	5	<1	<1	2	3	5	6	12
50-64	416	2.9	8	<1	<1	2	3	6	7	14
65+	247	3.3	10	1	1	2	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.4	3	<1	<1	2	3	4	6	9
B. Operated	1858	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	59	3.2	10	<1	<1	2	4	8	11	15
B. Operated	2164	2.9	12	<1	<1	2	3	5	7	14
1. SINGLE DX	1887	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2223	2.9	12	<1	<1	2	3	5	7	14
A. NOT OPERATED	88	2.9	8	<1	<1	2	4	7	9	15
B. OPERATED	4022	2.6	7	<1	<1	2	3	5	6	12
TOTAL										
0-19 YRS	701	2.6	8	<1	<1	2	3	5	6	10
20-34	1484	2.5	10	<1	<1	2	3	5	6	10
35-49	955	2.4	4	<1	<1	2	3	4	6	10
50-64	628	2.8	7	<1	<1	2	3	5	7	13
65+	342	3.1	8	<1	1	2	4	6	9	15
GRAND TOTAL	4110	2.6	7	<1	<1	2	3	5	6	12

366 Hospitals, Southern Region, January-December 1985

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	33	3.8	21	<1	<1	3	5	7	10	26	
20-34	25	5.6	36	<1	1	3	7	14	18	27	
35-49	14	4.9	21	1	1	4	6	9	17	19	
50-64	5	3.6	4	<1	<1	4	5	6	6	6	
65+	3	2.0	1	1	1	2	3	3	3	3	
B. Operated											
0-19 YRS	142	2.9	10	<1	1	2	3	7	9	17	
20-34	169	3.4	13	<1	1	2	4	8	11	21	
35-49	85	3.9	13	<1	1	3	5	9	12	16	
50-64	46	4.5	13	1	1	3	7	10	12	15	
65+	25	5.4	38	1	1	3	7	14	21	23	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	28	5.6	87	<1	1	2	5	12	26	46	
20-34	32	6.6	44	1	1	5	10	12	15	35	
35-49	29	5.3	23	1	1	4	7	10	13	24	
50-64	26	3.7	4	<1	1	4	5	6	8	9	
65+	22	8.7	44	2	3	7	10	12	23	35	
B. Operated											
0-19 YRS	136	7.3	76	1	1	5	9	15	19	60	
20-34	179	8.9	108	1	1	5	12	21	31	53	
35-49	121	7.5	66	1	1	5	10	15	23	50	
50-64	71	7.8	90	1	1	4	9	17	30	46	
65+	65	8.4	115	1	2	5	9	14	27	64	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	80	4.5	24	<1	1	3	5	9	14	27	
B. Operated	467	3.6	14	<1	1	2	4	8	11	20	
2. MULTIPLE DX											
A. Not Operated	137	5.9	42	1	1	4	8	11	14	37	
B. Operated	572	8.0	90	1	1	5	10	16	24	53	
1. SINGLE DX	547	3.7	15	<1	1	2	5	8	11	20	
2. MULTIPLE DX	709	7.6	81	1	1	5	9	16	23	50	
A. NOT OPERATED	217	5.4	36	<1	1	4	7	11	15	35	
B. OPERATED	1039	6.0	60	1	1	3	7	14	19	47	
TOTAL											
0-19 YRS	339	5.0	47	<1	1	3	6	12	16	36	
20-34	405	6.2	65	1	1	3	8	15	21	45	
35-49	249	5.8	43	1	1	4	8	12	16	30	
50-64	148	5.9	51	1	1	4	7	13	16	40	
65+	115	7.7	83	1	1	5	9	14	22	56	
GRAND TOTAL	1256	5.9	56	1	1	3	7	13	18	43	

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	16	1.9	3	<1	<1	1	2	3	7	8	
20-34	20	2.7	6	<1	1	2	3	4	8	12	
35-49	19	3.5	5	1	1	3	4	5	8	11	
50-64	12	2.6	3	1	1	2	4	5	6	6	
65+	10	5.8	4	2	3	6	7	8	9	9	
B. Operated											
0-19 YRS	262	2.7	3	<1	1	2	3	5	5	7	
20-34	304	3.1	4	<1	1	3	4	6	7	9	
35-49	113	3.8	5	<1	1	3	5	7	8	10	
50-64	34	4.6	9	1	1	4	6	9	9	15	
65+	17	6.2	9	2	3	6	8	11	12	12	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	20	4.2	82	<1	1	2	3	6	24	42	
20-34	30	3.4	6	1	1	2	5	7	7	8	
35-49	28	4.8	10	1	1	4	7	10	11	11	
50-64	22	4.9	26	1	1	3	6	9	16	25	
65+	60	5.5	12	1	2	5	7	10	14	18	
B. Operated											
0-19 YRS	282	3.5	5	1	1	3	5	6	7	10	
20-34	475	4.1	13	1	1	4	5	7	8	18	
35-49	151	4.2	9	1	1	4	5	8	10	15	
50-64	64	6.0	19	1	2	5	8	13	15	20	
65+	25	8.4	37	2	2	7	11	17	20	27	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	77	3.1	6	<1	1	3	4	6	8	12	
B. Operated	730	3.2	4	<1	1	3	4	6	7	10	
2. MULTIPLE DX											
A. Not Operated	160	4.7	21	1	1	4	6	8	11	24	
B. Operated	997	4.2	12	1	1	4	5	7	9	18	
1. SINGLE DX	807	3.2	5	<1	1	3	4	6	7	10	
2. MULTIPLE DX	1157	4.3	13	1	1	4	5	8	10	18	
A. NOT OPERATED	237	4.2	17	1	1	3	5	8	11	19	
B. OPERATED	1727	3.8	9	<1	1	3	5	7	8	15	
TOTAL											
0-19 YRS	580	3.1	7	<1	1	3	4	6	6	9	
20-34	829	3.7	9	<1	1	3	5	7	8	12	
35-49	311	4.0	7	1	1	3	5	8	9	13	
50-64	132	5.2	17	1	1	4	7	10	13	21	
65+	112	6.3	18	2	2	5	8	11	15	22	
GRAND TOTAL	1964	3.8	10	<1	1	3	5	7	8	15	

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	66	3.7	5	1	1	3	5	6	7	13	
20-34	861	5.4	11	1	2	5	7	10	11	16	
35-49	799	5.6	10	2	2	5	7	9	12	15	
50-64	337	6.0	13	2	2	5	8	11	12	18	
65+	86	6.0	10	2	2	5	8	11	11	16	
B. Operated											
0-19 YRS	12	5.9	45	1	1	4	7	14	23	25	
20-34	212	5.6	19	1	2	4	8	12	15	19	
35-49	174	5.7	19	1	1	5	8	11	14	18	
50-64	35	4.7	12	1	1	3	7	10	12	13	
65+	7	8.0	45	2	2	5	12	19	20	20	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	68	4.8	6	1	2	4	6	8	9	12	
20-34	672	6.0	13	2	2	5	8	10	12	19	
35-49	973	6.7	17	2	3	6	8	12	14	21	
50-64	658	6.6	14	2	3	6	8	11	14	20	
65+	486	6.7	15	2	3	6	8	11	14	21	
B. Operated											
0-19 YRS	3	9.0	79	2	2	6	16	19	19	19	
20-34	161	7.9	29	2	2	7	11	14	18	27	
35-49	170	7.9	21	2	2	8	11	14	16	21	
50-64	94	8.2	26	2	3	7	11	16	19	23	
65+	31	10.3	24	4	5	9	12	18	20	24	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	2149	5.5	11	2	2	5	7	10	12	16	
B. Operated	440	5.6	20	1	1	4	8	12	15	19	
2. MULTIPLE DX											
A. Not Operated	2857	6.5	15	2	3	6	8	11	14	20	
B. Operated	459	8.1	25	2	2	8	11	15	17	24	
1. SINGLE DX	2589	5.6	13	1	2	5	7	10	12	17	
2. MULTIPLE DX	3316	6.7	17	2	3	6	8	12	14	21	
A. NOT OPERATED	5006	6.1	14	2	2	5	8	11	13	19	
B. OPERATED	899	6.9	24	1	2	6	10	14	16	23	
TOTAL 0-19 YRS	149	4.5	10	1	1	4	6	8	9	19	
20-34	1906	5.8	15	1	2	5	8	11	13	19	
35-49	2116	6.3	15	2	2	5	8	11	14	19	
50-64	1124	6.5	15	2	3	6	8	11	14	20	
65+	610	6.8	16	2	3	6	8	12	15	21	
GRAND TOTAL	5905	6.2	15	2	2	5	8	11	14	20	

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	134	3.1	7	<1	<1	2	4	6	8	13	
20-34	685	5.1	12	1	2	4	7	10	11	17	
35-49	590	5.2	13	1	2	4	7	9	11	19	
50-64	190	5.1	9	1	2	4	7	10	11	15	
65+	60	5.0	10	1	2	4	7	10	11	15	
B. Operated											
0-19 YRS	19	3.4	4	1	2	3	5	6	7	8	
20-34	239	4.9	21	1	1	3	6	11	15	24	
35-49	189	5.9	21	1	2	4	8	12	14	20	
50-64	29	4.8	13	1	2	3	5	11	14	14	
65+	4	4.0	13	1	1	4	7	8	8	8	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	197	3.4	11	1	1	3	4	6	9	17	
20-34	1003	5.4	15	1	2	5	7	10	12	20	
35-49	989	6.1	19	2	2	5	8	11	14	21	
50-64	618	6.2	17	1	2	5	8	11	14	20	
65+	414	6.3	16	2	2	5	8	11	14	21	
B. Operated											
0-19 YRS	20	4.4	10	1	2	3	6	9	11	12	
20-34	224	6.7	28	1	2	5	9	13	17	25	
35-49	260	7.6	53	1	1	6	10	16	21	31	
50-64	91	7.1	35	2	2	6	9	14	20	33	
65+	32	9.4	38	3	3	8	13	19	20	25	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1659	5.0	12	1	1	4	6	10	11	17	
B. Operated	480	5.2	20	1	2	4	7	11	14	23	
2. MULTIPLE DX											
A. Not Operated	3221	5.8	17	1	2	5	7	11	13	20	
B. Operated	627	7.2	40	1	2	6	10	15	20	28	
1. SINGLE DX	2139	5.0	14	1	2	4	7	10	12	18	
2. MULTIPLE DX	3848	6.0	21	1	2	5	8	11	14	23	
A. NOT OPERATED	4880	5.5	15	1	2	5	7	10	12	20	
B. OPERATED	1107	6.3	32	1	2	5	8	13	18	25	
TOTAL 0-19 YRS	370	3.4	9	1	1	3	4	6	8	15	
20-34	2151	5.4	16	1	2	4	7	10	13	21	
35-49	2028	6.0	22	1	2	5	8	11	14	24	
50-64	928	6.0	18	1	2	5	8	11	14	20	
65+	510	6.3	18	2	2	5	8	11	15	21	
GRAND TOTAL	5987	5.6	19	1	2	5	7	11	14	22	

366 Hospitals, Southern Region, January-December 1985

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	40	2.4	3	<1	1	2	3	4	5	10	
20-34	79	2.9	4	1	1	2	3	6	8	10	
35-49	50	2.8	2	1	1	3	4	4	5	7	
50-64	28	2.9	3	1	1	3	4	5	6	7	
65+	18	3.4	5	<1	1	3	4	7	8	9	
B. Operated											
0-19 YRS	106	2.2	1	<1	1	2	3	4	4	5	
20-34	278	2.6	2	1	1	2	3	4	5	9	
35-49	269	2.9	5	1	1	3	4	5	5	8	
50-64	264	3.7	4	1	2	3	5	6	7	11	
65+	122	4.3	4	2	2	4	5	7	8	11	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	42	2.4	3	<1	1	2	3	5	6	8	
20-34	97	3.6	8	1	1	3	4	8	10	15	
35-49	97	4.2	7	1	1	4	6	8	10	12	
50-64	82	4.0	6	1	1	4	5	7	9	13	
65+	150	5.8	20	1	2	5	7	11	15	22	
B. Operated											
0-19 YRS	45	2.9	4	<1	1	2	4	5	8	11	
20-34	110	3.7	15	1	1	3	4	6	8	24	
35-49	130	4.8	24	1	1	4	5	9	13	27	
50-64	213	4.6	9	2	2	4	6	8	10	20	
65+	147	5.8	18	2	2	5	7	11	14	18	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	215	2.8	3	1	1	2	4	5	7	10	
B. Operated	1039	3.1	4	1	1	3	4	5	6	10	
2. MULTIPLE DX											
A. Not Operated	468	4.4	12	1	1	3	5	9	11	18	
B. Operated	645	4.6	15	1	2	4	5	8	11	21	
1. SINGLE DX	1254	3.1	4	1	1	3	4	5	6	10	
2. MULTIPLE DX	1113	4.5	14	1	1	4	5	8	11	19	
A. NOT OPERATED	683	3.9	10	1	1	3	5	8	10	17	
B. OPERATED	1684	3.7	9	1	1	3	4	7	8	15	
TOTAL 0-19 YRS	233	2.4	2	<1	1	2	3	4	5	9	
20-34	564	3.0	6	1	1	2	4	5	7	11	
35-49	546	3.6	10	1	1	3	4	6	8	17	
50-64	587	4.1	6	1	2	4	5	7	9	12	
65+	437	5.3	15	2	2	4	6	10	13	19	
GRAND TOTAL	2367	3.8	9	1	1	3	5	7	9	16	

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	1224	1.4	1	<1	1	1	2	2	3	5	
20-34	361	1.7	2	<1	1	1	2	3	4	9	
35-49	100	2.0	3	<1	1	1	2	4	5	9	
50-64	40	2.1	2	1	1	2	3	4	5	8	
65+	33	2.3	2	1	1	2	3	4	5	7	
B. Operated											
0-19 YRS	5	4.2	24	1	1	1	7	12	12	12	
20-34	5	1.2		1	1	1	2	2	2	2	
35-49	1	1.0		1	1	1	1	1	1	1	
50-64	1	3.0		3	3	3	3	3	3	3	
65+											
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	1306	1.8	3	<1	1	1	2	3	4	8	
20-34	1002	2.5	7	<1	1	2	3	5	6	12	
35-49	482	3.3	17	<1	1	2	4	7	9	14	
50-64	289	3.3	8	1	1	2	4	6	8	15	
65+	444	4.4	16	1	1	3	6	9	12	22	
B. Operated											
0-19 YRS	282	2.8	18	1	1	2	3	5	9	16	
20-34	311	3.7	30	<1	1	2	4	7	11	24	
35-49	140	4.3	34	1	1	2	5	9	13	30	
50-64	98	5.7	59	1	1	3	7	10	23	43	
65+	110	6.1	92	1	1	3	7	13	19	59	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	1758	1.5	1	<1	1	1	2	3	3	7	
B. Operated	12	2.6	11	1	1	1	2	8	11	12	
2. MULTIPLE DX											
A. Not Operated	3523	2.7	9	1	1	2	3	5	7	13	
B. Operated	941	4.0	38	1	1	2	4	8	12	36	
1. SINGLE DX	1770	1.5	2	<1	1	1	2	3	3	7	
2. MULTIPLE DX	4464	3.0	15	1	1	2	3	6	8	17	
A. NOT OPERATED	5281	2.3	6	<1	1	1	3	5	6	12	
B. OPERATED	953	4.0	38	1	1	2	4	8	12	36	
TOTAL 0-19 YRS	2817	1.7	4	<1	1	1	2	3	4	9	
20-34	1679	2.6	10	<1	1	2	3	5	7	13	
35-49	723	3.3	18	<1	1	2	4	7	9	17	
50-64	428	3.7	20	1	1	2	4	8	9	28	
65+	587	4.6	30	1	1	3	6	9	12	23	
GRAND TOTAL	6234	2.6	12	<1	1	2	3	5	7	15	

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	601	1.8	5	<1	1	1	2	3	5	13
20-34	191	2.7	21	<1	1	1	2	5	9	29
35-49	56	3.0	10	<1	<1	2	4	7	8	18
50-64	25	3.8	24	<1	1	2	4	6	16	23
65+	43	5.3	59	<1	1	2	7	14	23	36
B. Operated										
0-19 YRS	45	7.8	59	1	2	5	8	17	27	38
20-34	28	9.2	88	1	2	6	11	22	27	44
35-49	17	12.2	422	1	1	5	17	67	95	99+
50-64	16	4.5	6	1	2	4	7	8	8	8
65+	31	11.9	106	2	4	9	13	24	39	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	815	3.4	48	<1	1	2	3	7	11	62
20-34	505	4.5	69	<1	1	2	4	9	20	60
35-49	254	5.1	66	1	1	3	5	11	17	36
50-64	184	5.8	54	1	1	3	7	13	17	42
65+	347	6.7	63	1	1	4	8	14	19	51
B. Operated										
0-19 YRS	254	14.8	381	1	1	8	21	50	78	99+
20-34	275	13.4	332	1	1	6	19	52	71	99+
35-49	110	15.1	360	1	1	8	25	47	70	99+
50-64	83	13.9	352	1	1	8	19	61	99+	99+
65+	224	13.6	158	1	2	10	18	30	41	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	916	2.3	12	<1	1	1	2	4	7	20
B. Operated	137	9.2	116	1	2	7	11	19	29	89
2. MULTIPLE DX										
A. Not Operated	2105	4.6	60	1	1	2	5	10	16	52
B. Operated	946	14.0	308	1	1	8	19	45	67	99+
1. SINGLE DX	1053	3.2	31	<1	1	1	3	7	12	29
2. MULTIPLE DX	3051	7.5	156	1	1	3	8	21	38	99+
A. NOT OPERATED	3021	3.9	46	<1	1	2	4	8	14	37
B. OPERATED	1083	13.4	286	1	1	8	18	40	65	99+
TOTAL 0-19 YRS	1715	4.6	102	<1	1	1	3	11	22	84
20-34	999	6.7	150	<1	1	2	6	20	38	99+
35-49	437	7.6	166	1	1	3	8	20	38	99+
50-64	308	7.7	143	1	1	4	9	19	43	99+
65+	645	9.2	109	1	1	6	11	21	30	55
GRAND TOTAL	4104	6.4	127	1	1	2	6	17	30	90

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.0	7	1	1	2	4	5	9	13
20-34	44	3.4	10	<1	1	2	5	7	10	15
35-49	19	2.7	3	1	1	3	3	5	7	8
50-64	10	2.8	2	1	1	3	4	5	5	5
65+	5	3.4	5	<1	<1	3	5	7	7	7
B. Operated										
0-19 YRS	39	4.4	6	2	2	4	5	7	10	14
20-34	115	5.1	7	2	3	4	6	8	9	16
35-49	36	5.1	6	1	2	5	6	8	9	13
50-64	10	6.2	8	2	2	6	7	10	12	12
65+	7	6.0	24	2	2	5	7	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	3.9	10	1	1	3	5	8	11	16
20-34	107	5.0	54	1	1	3	5	9	12	52
35-49	72	4.3	8	1	2	3	5	9	10	14
50-64	78	6.3	47	2	2	4	7	11	18	41
65+	104	8.0	40	3	3	7	10	13	19	39
B. Operated										
0-19 YRS	120	9.5	78	2	3	7	11	18	27	51
20-34	312	8.6	43	2	3	7	10	16	22	34
35-49	140	10.7	160	3	3	7	11	20	27	74
50-64	107	10.8	76	3	3	8	13	21	28	44
65+	117	11.1	91	3	3	8	13	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.1	7	<1	1	2	4	6	8	14
B. Operated	207	5.0	7	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	419	5.7	37	1	2	4	7	11	13	39
B. Operated	796	9.8	81	2	3	7	11	19	25	50
1. SINGLE DX	309	4.4	8	1	2	4	6	8	9	15
2. MULTIPLE DX	1215	8.4	70	2	2	6	10	17	23	48
A. NOT OPERATED	521	5.2	32	1	1	4	6	10	13	33
B. OPERATED	1003	8.8	70	2	3	6	10	17	24	48
TOTAL 0-19 YRS	241	6.7	51	1	2	5	8	13	17	42
20-34	578	6.8	39	1	2	5	8	13	18	32
35-49	267	7.6	98	1	2	5	8	13	20	63
50-64	205	8.5	64	2	2	6	10	19	26	40
65+	233	9.4	68	3	3	7	11	18	26	49
GRAND TOTAL	1524	7.6	60	1	2	5	9	15	20	44

366 Hospitals, Southern Region, January-December 1985

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	3.0	5	1	1	2	4	7	8	11
20-34	81	2.8	6	1	1	2	4	7	8	10
35-49	30	2.5	6	1	1	2	2	7	9	9
50-64	6	2.0	<1	<1		2	2	3	3	3
65+	8	3.1	5	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	81	6.6	6	3	4	6	8	10	11	13
20-34	149	6.7	10	2	4	6	8	11	13	17
35-49	39	6.9	15	1	2	6	8	12	15	17
50-64	17	7.8	20	3	4	6	10	14	17	19
65+	7	7.7	22	1	1	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	3.6	11	1	1	3	4	8	9	14
20-34	169	3.8	8	1	1	3	5	8	10	12
35-49	73	4.6	19	1	1	4	6	8	9	27
50-64	42	5.4	16	<1	1	4	7	11	14	17
65+	75	5.7	16	1	2	5	8	10	13	22
B. Operated										
0-19 YRS	277	11.5	152	3	3	8	12	24	35	75
20-34	579	12.3	124	4	5	9	13	25	40	70
35-49	259	13.3	107	4	5	10	15	30	38	52
50-64	108	13.6	130	4	5	9	17	29	36	57
65+	102	15.8	203	2	3	12	20	32	56	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	2.9	5	1	1	2	4	7	8	10
B. Operated	293	6.8	10	2	3	6	8	11	13	17
2. MULTIPLE DX										
A. Not Operated	563	4.2	12	1	1	3	5	9	10	16
B. Operated	1325	12.7	134	3	5	9	14	27	40	69
1. SINGLE DX	582	4.8	12	1	1	4	7	9	11	15
2. MULTIPLE DX	1808	10.2	113	1	2	7	11	22	32	62
A. NOT OPERATED	852	3.7	10	1	1	3	5	8	10	15
B. OPERATED	1618	11.6	117	3	4	8	13	23	35	65
TOTAL 0-19 YRS	726	6.8	77	1	1	5	8	12	21	53
20-34	978	9.2	92	1	2	7	10	17	28	61
35-49	401	10.3	92	1	2	8	12	22	33	50
50-64	173	10.6	102	1	2	7	12	23	31	52
65+	192	11.0	141	2	2	8	13	24	34	74
GRAND TOTAL	2470	8.9	94	1	2	7	10	18	28	57

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	2	1	1	2	4	4	4	4
20-34	12	3.2	2	1	1	3	4	5	6	6
35-49	6	2.7	2	<1	<1	3	3	5	5	5
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	162	2.4	5	<1	1	2	3	5	6	10
20-34	101	2.9	5	1	1	2	4	5	6	14
35-49	46	3.1	4	<1	1	3	4	6	7	8
50-64	16	2.9	6	1	1	2	4	5	9	11
65+	9	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.6	6	<1	1	3	5	8	8	8
20-34	22	2.7	3	<1	1	2	4	5	6	8
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	6	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	163	3.9	15	1	1	3	5	7	9	15
20-34	194	4.1	15	1	1	3	5	7	10	14
35-49	96	4.3	13	1	1	4	5	8	10	22
50-64	65	4.1	20	1	1	3	5	7	8	29
65+	52	3.8	9	1	1	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.9	2	1	1	3	4	5	5	6
B. Operated	334	2.7	5	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	66	3.0	4	1	1	3	4	6	8	8
B. Operated	570	4.0	14	1	1	3	5	7	9	20
1. SINGLE DX	364	2.7	5	<1	1	2	4	5	6	10
2. MULTIPLE DX	636	3.9	13	1	1	3	5	7	9	18
A. NOT OPERATED	96	2.9	3	1	1	3	4	5	7	8
B. OPERATED	904	3.5	11	1	1	3	4	7	8	16
TOTAL 0-19 YRS	357	3.2	10	1	1	3	4	6	7	13
20-34	329	3.6	11	1	1	3	4	6	9	13
35-49	160	3.7	9	1	1	3	5	7	8	20
50-64	85	3.8	17	1	1	3	4	7	8	27
65+	69	3.5	8	1	1	3	4	7	8	16
GRAND TOTAL	1000	3.5	11	1	1	3	4	6	8	14

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.5	36	<1	<1	1	2	4	4	43
20-34	56	2.1	3	<1	<1	1	3	4	5	9
35-49	26	2.2	4	<1	<1	1	2	5	6	9
50-64	8	1.9	3	1	1	1	2	5	6	6
65+	6	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	265	2.0	7	<1	1	1	2	3	5	16
20-34	163	2.2	5	<1	<1	1	2	4	6	11
35-49	52	2.8	7	<1	1	2	3	7	10	12
50-64	25	2.1	2	<1	1	2	3	5	5	5
65+	21	1.9	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	2.7	34	1	1	2	3	4	5	33
20-34	235	2.4	3	<1	<1	2	3	5	6	10
35-49	117	3.3	16	<1	1	2	4	6	8	24
50-64	87	3.7	17	1	1	2	5	8	10	25
65+	122	4.5	17	1	1	4	5	9	11	24
B. Operated										
0-19 YRS	493	2.7	23	1	1	2	3	5	7	17
20-34	615	3.6	20	<1	1	2	4	7	11	21
35-49	259	4.3	49	1	1	2	5	9	13	46
50-64	150	5.2	43	1	1	3	6	12	19	37
65+	188	4.8	31	1	1	3	5	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	2.2	16	<1	<1	1	2	4	5	9
B. Operated	526	2.1	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
A. Not Operated	719	3.1	17	<1	1	2	4	6	8	18
B. Operated	1705	3.7	29	<1	1	2	4	8	11	25
1. SINGLE DX	688	2.1	8	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2424	3.5	25	<1	1	2	4	7	10	24
A. NOT OPERATED	881	2.9	17	<1	1	2	4	6	7	17
B. OPERATED	2231	3.3	24	<1	1	2	4	7	10	23
TOTAL										
0-19 YRS	982	2.5	21	<1	1	2	3	4	6	17
20-34	1069	3.0	14	<1	<1	2	4	6	9	16
35-49	454	3.8	33	<1	1	2	4	8	10	23
50-64	270	4.3	30	1	1	2	5	9	15	30
65+	337	4.4	24	1	1	3	5	9	14	25
GRAND TOTAL	3112	3.2	22	<1	1	2	4	6	9	23

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	1.7	1	<1	1	1	2	3	4	6
20-34	223	1.9	2	<1	<1	1	2	3	4	7
35-49	54	1.8	1	<1	1	1	2	4	4	6
50-64	15	2.1	1	1	1	2	2	4	5	5
65+	6	2.8	7	<1	<1	2	5	7	7	7
B. Operated										
0-19 YRS	118	2.4	4	<1	1	2	3	5	7	11
20-34	214	3.6	7	<1	1	3	5	7	8	11
35-49	88	3.6	8	<1	1	3	5	7	10	13
50-64	24	4.4	16	1	1	3	6	11	13	16
65+	6	3.7	8	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	2.6	4	<1	1	2	3	5	7	10
20-34	165	2.4	4	<1	<1	2	3	4	6	11
35-49	74	3.3	6	<1	1	3	5	6	8	12
50-64	30	3.1	11	<1	<1	2	4	6	7	18
65+	12	4.4	8	<1	1	4	6	9	11	11
B. Operated										
0-19 YRS	166	4.8	16	1	1	4	6	10	13	18
20-34	389	5.4	20	1	1	5	7	11	14	22
35-49	160	9.1	159	1	1	6	10	17	36	71
50-64	56	9.0	104	1	1	6	10	19	35	53
65+	25	9.0	131	1	1	5	10	15	34	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	398	1.8	2	<1	1	1	2	4	4	6
B. Operated	450	3.4	7	<1	1	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	343	2.8	5	<1	1	2	3	6	7	11
B. Operated	796	6.4	59	1	1	5	9	12	17	42
1. SINGLE DX	848	2.6	5	<1	1	2	3	6	7	11
2. MULTIPLE DX	1139	5.3	46	1	1	4	6	11	14	39
A. NOT OPERATED	741	2.3	3	<1	1	2	3	4	6	10
B. OPERATED	1246	5.3	43	1	1	4	7	10	14	33
TOTAL										
0-19 YRS	446	3.2	10	<1	1	2	4	7	9	14
20-34	991	3.7	13	<1	1	3	5	8	10	19
35-49	376	5.7	80	<1	1	3	6	11	15	55
50-64	125	5.9	60	1	1	3	7	12	18	46
65+	49	6.4	76	<1	1	4	8	13	16	56
GRAND TOTAL	1987	4.2	30	<1	1	3	5	8	11	25

366 Hospitals, Southern Region, January-December 1985

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.4	2	1	1	2	3	4	5	8
20-34	166	2.3	2	<1	<1	2	3	4	6	8
35-49	53	2.5	3	<1	1	2	3	6	6	9
50-64	18	3.1	5	1	1	2	3	7	9	9
65+	14	3.2	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	485	2.1	4	<1	1	1	2	4	5	10
20-34	783	2.6	6	<1	1	2	3	6	7	12
35-49	292	2.5	6	<1	1	2	3	5	7	14
50-64	161	2.3	3	<1	1	2	3	5	6	7
65+	70	2.4	4	1	1	2	2	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.4	10	<1	1	3	4	7	9	18
20-34	155	3.3	8	<1	1	3	4	7	8	23
35-49	78	3.3	6	<1	1	3	4	6	9	12
50-64	40	4.7	10	1	1	4	6	9	11	14
65+	36	4.7	6	1	2	4	6	8	10	11
B. Operated										
0-19 YRS	398	2.8	10	1	1	2	3	6	7	15
20-34	882	3.4	16	<1	1	2	4	7	10	22
35-49	384	4.3	46	1	1	2	4	9	15	35
50-64	193	4.6	61	1	1	2	5	8	16	64
65+	157	4.8	36	1	1	3	6	10	15	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	2.5	3	<1	1	2	3	5	6	9
B. Operated	1791	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	393	3.6	8	1	1	3	4	7	9	15
B. Operated	2014	3.7	27	1	1	2	4	7	10	27
1. SINGLE DX	2112	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2407	3.7	24	1	1	2	4	7	10	25
A. NOT OPERATED	714	3.1	6	<1	1	2	4	6	8	13
B. OPERATED	3805	3.1	17	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	1037	2.5	7	<1	1	2	3	5	7	12
20-34	1986	3.0	11	<1	1	2	4	6	8	16
35-49	807	3.4	25	1	1	2	4	7	10	25
50-64	412	3.6	32	1	1	2	4	7	9	31
65+	277	4.1	23	1	1	3	5	8	11	26
GRAND TOTAL	4519	3.1	15	<1	1	2	4	6	9	19

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	2.9	9	<1	1	2	3	5	8	16
20-34	156	2.7	5	1	1	2	3	6	8	10
35-49	57	3.3	5	<1	1	3	4	7	8	10
50-64	14	3.4	8	<1	1	2	4	8	9	9
65+	7	4.7	3	2	2	5	6	7	7	7
B. Operated										
0-19 YRS	450	3.6	16	1	1	2	4	8	11	22
20-34	417	4.0	16	1	1	3	5	9	11	20
35-49	154	4.7	29	1	1	3	5	9	14	31
50-64	70	4.2	17	1	1	3	5	9	11	21
65+	50	6.9	66	<1	1	5	8	13	20	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	3.4	4	1	1	3	4	6	7	12
20-34	120	4.3	12	1	1	3	5	8	9	22
35-49	60	4.6	13	1	1	4	6	8	9	22
50-64	54	6.0	14	<1	1	6	8	10	11	24
65+	71	6.6	18	1	2	6	8	13	16	19
B. Operated										
0-19 YRS	274	6.1	59	1	1	4	7	15	20	38
20-34	347	7.9	85	1	1	5	10	17	27	47
35-49	157	7.8	63	1	2	6	10	15	23	38
50-64	113	9.7	76	1	2	7	12	20	25	48
65+	108	9.5	101	2	2	7	11	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	362	2.9	7	<1	1	2	4	6	8	10
B. Operated	1141	4.1	20	1	1	3	5	9	12	23
2. MULTIPLE DX										
A. Not Operated	396	4.8	13	1	1	4	6	9	11	20
B. Operated	999	7.8	76	1	1	5	9	17	24	44
1. SINGLE DX	1503	3.8	17	1	1	3	5	8	11	22
2. MULTIPLE DX	1395	6.9	60	1	1	5	8	15	22	39
A. NOT OPERATED	758	3.9	11	1	1	3	5	8	10	16
B. OPERATED	2140	5.8	50	1	1	4	7	13	19	36
TOTAL 0-19 YRS	943	4.2	28	1	1	3	5	8	13	26
20-34	1040	5.2	41	1	1	3	6	10	15	35
35-49	428	5.6	39	1	1	4	7	13	15	35
50-64	251	7.0	49	1	1	5	9	16	21	31
65+	236	7.9	68	1	2	6	10	16	22	47
GRAND TOTAL	2898	5.3	40	1	1	3	6	11	16	34

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.1	3	1	1	2	2	5	7	7
20-34	4	4.3	18	1	1	3	7	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	4.3	9	<1	<1	5	6	7	7	7
B. Operated										
0-19 YRS	16	3.1	4	1	1	3	4	7	7	7
20-34	24	3.5	12	<1	<1	2	5	9	11	14
35-49	14	4.7	13	<1	1	4	8	10	12	12
50-64	8	5.5	33	1	1	3	7	16	18	18
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.1	1	1	1	2	3	4	4	4
20-34	11	3.6	13	1	1	2	7	9	10	10
35-49	6	3.3	6	1	1	3	3	8	8	8
50-64	3	9.7	8	8	8	8	12	13	13	13
65+	9	4.4	7	1	1	4	6	8	10	10
B. Operated										
0-19 YRS	32	9.8	148	1	1	4	14	26	41	47
20-34	139	10.7	228	1	1	5	11	23	47	81
35-49	57	9.1	175	1	1	5	9	22	27	85
50-64	22	6.7	30	1	1	6	9	14	18	22
65+	16	10.3	147	1	1	5	17	30	34	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.7	6	<1	1	2	4	7	8	10
B. Operated	64	3.9	12	<1	1	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	41	3.8	10	1	1	3	5	9	10	13
B. Operated	266	9.9	185	1	1	5	11	22	37	78
1. SINGLE DX	86	3.6	11	<1	1	2	5	9	10	17
2. MULTIPLE DX	307	9.1	166	1	1	5	10	20	33	73
A. NOT OPERATED	63	3.4	9	1	1	2	4	8	10	13
B. OPERATED	330	8.7	157	1	1	5	10	20	31	70
TOTAL 0-19 YRS	73	5.7	79	1	1	2	5	16	20	46
20-34	178	9.2	189	1	1	5	10	20	35	76
35-49	78	7.8	135	1	1	4	9	15	26	75
50-64	34	6.6	28	1	1	5	9	13	17	22
65+	30	7.4	88	1	1	4	7	26	30	36
GRAND TOTAL	393	7.9	137	1	1	4	9	18	28	66

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	8	5.0	23	1	1	3	8	13	13	13
35-49	4	4.0	6	1	1	4	6	7	7	7
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	71	3.7	11	1	1	2	4	9	12	14
20-34	101	4.0	22	1	1	3	4	8	10	29
35-49	43	4.2	18	1	1	3	5	9	11	25
50-64	26	5.0	31	<1	1	3	6	14	18	24
65+	10	5.1	9	2	2	4	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.2	28	1	2	4	5	10	19	23
20-34	24	4.0	14	1	1	3	5	8	12	18
35-49	14	5.0	14	<1	1	4	7	12	13	13
50-64	19	7.6	29	1	2	6	11	16	19	21
65+	22	7.3	43	1	2	5	10	21	52	99+
B. Operated										
0-19 YRS	52	4.5	23	1	1	3	5	9	15	27
20-34	98	4.8	30	1	1	3	6	10	15	69
35-49	52	6.9	96	1	1	4	9	14	45	99
50-64	36	5.7	29	1	1	4	8	13	17	24
65+	27	9.1	79	1	1	7	10	20	28	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.1	12	1	1	3	5	10	12	13
B. Operated	251	4.1	19	1	1	3	5	9	12	24
2. MULTIPLE DX										
A. Not Operated	95	5.8	27	1	2	4	7	13	19	66
B. Operated	265	5.7	48	1	1	3	7	13	19	52
1. SINGLE DX	272	4.1	18	1	1	3	5	9	12	23
2. MULTIPLE DX	360	5.8	42	1	1	4	7	13	19	52
A. NOT OPERATED	116	5.5	25	1	1	4	7	13	18	50
B. OPERATED	516	4.9	34	1	1	3	6	10	15	39
TOTAL 0-19 YRS	143	4.1	17	1	1	3	5	9	12	23
20-34	231	4.4	25	1	1	3	5	9	13	37
35-49	113	5.5	54	1	1	3	6	12	15	69
50-64	83	5.9	29	1	1	4	8	14	17	24
65+	62	7.5	53	1	2	5	10	19	26	92
GRAND TOTAL	632	5.1	32	1	1	3	6	11	16	39

366 Hospitals, Southern Region, January-December 1985

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	3.7	3	1	1	4	5	6	7	8
20-34	45	3.9	4	<1	1	4	5	6	7	11
35-49	20	4.5	12	<1	1	4	6	9	11	13
50-64	4	3.5	2	2	2	3	4	5	5	5
65+	4	3.5	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	11	6.5	36	<1	1	4	8	17	20	20
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	3.9	4	1	1	4	5	6	7	12
20-34	74	3.4	7	<1	1	3	5	7	8	14
35-49	32	3.2	3	1	1	3	4	5	7	9
50-64	14	4.6	10	1	2	3	6	9	11	12
65+	17	3.4	4	1	1	3	5	6	7	8
B. Operated										
0-19 YRS	17	6.2	15	1	2	5	9	12	14	15
20-34	24	3.8	4	1	2	3	5	6	8	8
35-49	9	2.7	2	1	1	2	3	5	5	5
50-64	5	6.0	17	2	2	5	9	12	12	12
65+	7	2.1	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	3.8	4	1	1	4	5	6	7	11
B. Operated	14	5.8	32	<1	1	4	8	15	19	20
2. MULTIPLE DX										
A. Not Operated	234	3.6	5	1	1	3	5	6	8	12
B. Operated	62	4.3	9	1	2	3	5	8	11	15
1. SINGLE DX	233	3.9	6	1	1	4	5	6	8	13
2. MULTIPLE DX	296	3.8	6	1	1	3	5	7	8	13
A. NOT OPERATED	453	3.7	5	1	1	4	5	6	7	11
B. OPERATED	76	4.6	13	1	1	3	6	9	12	19
TOTAL 0-19 YRS										
20-34	271	4.0	6	1	1	4	5	6	8	15
35-49	144	3.6	6	<1	1	3	5	6	7	11
50-64	61	3.5	6	1	1	3	4	7	9	13
65+	25	4.7	10	1	2	3	6	9	12	12
	28	3.1	3	1	1	3	4	6	6	8
GRAND TOTAL	529	3.9	6	1	1	4	5	6	8	13

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	445	1.9	2	<1	1	1	2	3	4	9
20-34	427	2.3	4	<1	1	2	3	4	5	10
35-49	200	2.6	5	<1	1	2	3	5	7	13
50-64	104	3.3	7	1	1	2	4	6	9	14
65+	113	3.5	9	1	1	3	5	6	9	17
B. Operated										
0-19 YRS	76	2.2	6	<1	<1	2	2	4	5	17
20-34	75	3.4	50	<1	1	2	3	7	8	48
35-49	42	3.6	6	1	1	3	5	8	9	10
50-64	35	5.6	22	<1	1	4	9	13	15	17
65+	20	4.4	43	1	1	3	4	7	20	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	790	2.3	5	<1	1	2	3	4	6	10
20-34	1104	2.9	7	<1	1	2	4	6	7	13
35-49	633	3.6	12	1	1	3	5	7	10	18
50-64	493	4.1	13	1	1	3	5	8	11	16
65+	1074	5.7	25	1	2	4	7	11	15	25
B. Operated										
0-19 YRS	125	4.0	19	1	1	3	5	8	11	23
20-34	188	4.6	34	<1	1	3	6	9	14	27
35-49	103	5.5	24	1	1	4	7	10	17	24
50-64	107	6.9	71	1	1	5	8	12	15	53
65+	155	8.9	82	1	2	6	11	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1289	2.4	5	<1	1	2	3	5	6	11
B. Operated	248	3.5	25	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. Not Operated	4094	3.8	14	1	1	3	5	8	10	18
B. Operated	678	6.0	50	1	1	4	8	12	19	38
1. SINGLE DX	1537	2.6	8	<1	1	2	3	5	7	13
2. MULTIPLE DX	4772	4.1	20	1	1	3	5	8	12	22
A. NOT OPERATED	5383	3.4	12	1	1	2	4	7	10	17
B. OPERATED	926	5.3	44	1	1	3	7	11	16	35
TOTAL 0-19 YRS										
20-34	1794	3.0	11	<1	1	2	4	6	8	15
35-49	978	3.6	12	1	1	3	5	7	10	20
50-64	739	4.5	22	1	1	3	6	9	12	17
65+	1362	5.9	32	1	1	4	7	12	16	30
GRAND TOTAL	6309	3.7	17	1	1	2	5	8	10	20

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.1	5	1	1	2	2	3	5	12
20-34	36	2.5	3	<1	1	2	3	4	7	7
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	6	2.7	4	1	1	2	4	6	6	6
65+										
B. Operated										
0-19 YRS	16	2.6	12	<1	<1	1	3	4	12	15
20-34	50	4.2	15	<1	1	3	6	9	13	18
35-49	23	3.3	5	<1	1	2	5	6	7	10
50-64	7	2.3	5	1	1	1	4	6	6	6
65+	4	5.8	12	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.6	23	<1	1	2	4	7	15	22
20-34	31	4.2	11	2	2	3	5	8	14	15
35-49	22	4.4	10	1	1	3	6	9	11	12
50-64	8	4.8	16	1	1	4	5	11	14	14
65+	8	3.9	16	1	1	2	5	11	13	13
B. Operated										
0-19 YRS	27	5.9	41	1	1	3	10	17	19	21
20-34	83	6.6	62	1	1	3	6	21	28	78
35-49	35	5.0	18	<1	1	3	6	12	14	16
50-64	35	8.0	101	1	2	4	9	23	32	46
65+	7	3.9	14	1	1	3	4	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.4	3	1	1	2	3	4	6	11
B. Operated	100	3.7	12	<1	1	3	5	7	11	17
2. MULTIPLE DX										
A. Not Operated	89	4.1	14	1	1	3	5	9	13	19
B. Operated	187	6.3	57	1	1	3	7	17	22	42
1. SINGLE DX	179	3.1	8	<1	1	2	4	7	9	16
2. MULTIPLE DX	276	5.6	44	1	1	3	6	14	21	34
A. NOT OPERATED	168	3.3	10	1	1	2	4	7	10	15
B. OPERATED	287	5.4	42	1	1	3	6	13	21	34
TOTAL 0-19 YRS	88	3.7	23	<1	1	2	3	11	16	22
20-34	200	4.9	34	1	1	3	5	11	20	34
35-49	92	4.1	11	1	1	3	5	10	12	16
50-64	56	6.2	71	1	1	3	6	14	26	45
65+	19	4.3	14	1	1	3	6	11	13	13
GRAND TOTAL	455	4.6	31	1	1	3	5	11	16	34

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	8	1.3		<1	<1	<1	1	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	7	2.4	3	1	1	2	4	5	5	5
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49										
50-64	2	6.0	50	1	1	6	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.2		<1	<1	1	1	2	2	2
B. Operated	14	1.6	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. Not Operated	5	3.6	1	3	3	3	4	5	5	5
B. Operated	12	3.1	9	1	1	2	4	7	10	11
1. SINGLE DX	27	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	17	3.2	6	1	1	3	4	5	9	11
A. NOT OPERATED	18	1.8	2	<1	<1	1	3	4	5	5
B. OPERATED	26	2.3	5	<1	<1	1	3	5	6	11
TOTAL 0-19 YRS	29	1.7	1	<1	<1	1	2	4	5	5
20-34	7	2.9	3	1	1	3	4	5	5	5
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64	2	6.0	50	1	1	6	11	11	11	11
65+										
GRAND TOTAL	44	2.1	4	<1	<1	1	3	5	5	11

366 Hospitals, Southern Region, January-December 1985

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	1.3	1	<1	<1	1	1	2	2	7
20-34	73	1.5	2	<1	<1	1	2	2	3	8
35-49	68	1.5	2	<1	<1	1	1	3	4	10
50-64	64	1.7	2	<1	<1	1	2	3	5	8
65+	58	1.6	1	<1	1	1	2	3	5	6
B. Operated										
0-19 YRS	136	2.0	4	<1	<1	1	2	4	6	10
20-34	15	3.3	7	1	1	2	6	7	8	9
35-49	19	2.1	5	<1	<1	1	2	5	8	10
50-64	12	3.7	16	<1	<1	2	5	11	13	13
65+	12	2.0	4	<1	<1	1	2	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	2.1	3	<1	<1	1	2	4	5	11
20-34	27	4.5	43	<1	1	3	5	10	15	34
35-49	44	2.9	6	<1	1	2	4	7	8	9
50-64	86	2.5	4	<1	1	2	4	5	6	10
65+	196	3.8	17	1	1	3	5	8	10	21
B. Operated										
0-19 YRS	76	4.3	35	<1	1	2	5	10	25	81
20-34	26	6.4	62	<1	<1	4	8	18	25	33
35-49	46	5.9	33	1	1	4	8	15	18	24
50-64	67	5.4	26	1	1	3	8	13	16	87
65+	134	5.5	32	1	1	4	7	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	683	1.4	1	<1	<1	1	1	2	3	7
B. Operated	194	2.2	5	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	488	3.1	12	<1	1	2	4	6	9	16
B. Operated	349	5.3	34	1	1	3	7	12	18	33
1. SINGLE DX	877	1.6	2	<1	<1	1	1	3	4	9
2. MULTIPLE DX	837	4.0	22	<1	1	2	5	9	12	27
A. NOT OPERATED	1171	2.1	6	<1	<1	1	2	4	6	12
B. OPERATED	543	4.2	26	<1	1	2	6	10	14	28
TOTAL 0-19 YRS	767	1.8	6	<1	<1	1	2	3	5	13
20-34	141	3.2	24	<1	<1	1	3	7	10	33
35-49	177	3.1	14	<1	<1	1	3	8	11	20
50-64	229	3.2	13	<1	1	2	4	8	11	22
65+	400	4.0	21	1	1	2	5	9	11	22
GRAND TOTAL	1714	2.8	13	<1	<1	1	3	6	9	21

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	7.6	29	<1	1	8	11	14	17	23
20-34	22	8.6	57	1	2	6	12	21	25	29
35-49	13	4.5	8	1	1	4	7	8	9	9
50-64	3	8.7	58	2	2	7	14	17	17	17
65+	3	7.0	31	<1	<1	8	11	12	12	12
B. Operated										
0-19 YRS	81	9.1	89	1	2	6	12	19	23	55
20-34	57	9.2	78	2	2	6	13	18	22	53
35-49	30	11.6	150	2	2	8	14	32	37	53
50-64	25	10.9	94	2	3	9	12	19	33	47
65+	10	11.8	64	4	5	10	14	24	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	9.5	129	1	2	7	11	21	23	72
20-34	54	7.2	32	1	1	6	10	15	19	23
35-49	33	6.7	43	1	1	7	9	11	15	36
50-64	33	10.3	101	2	3	7	12	20	36	48
65+	50	10.4	72	1	3	9	13	16	19	56
B. Operated										
0-19 YRS	138	17.2	262	2	3	13	23	38	47	78
20-34	146	18.0	266	2	3	13	25	41	53	89
35-49	88	18.7	290	1	2	13	28	40	51	83
50-64	89	17.0	166	3	3	14	22	37	43	58
65+	101	24.7	394	3	5	21	36	58	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	7.4	35	1	1	7	10	16	19	27
B. Operated	203	9.9	94	1	2	7	13	19	28	54
2. MULTIPLE DX										
A. Not Operated	255	9.0	83	1	2	7	11	17	22	56
B. Operated	562	19.0	281	2	3	14	26	41	53	96
1. SINGLE DX	284	9.2	78	1	2	7	12	18	24	51
2. MULTIPLE DX	817	15.8	241	1	2	11	21	37	49	87
A. NOT OPERATED	336	8.6	72	1	1	7	11	17	21	49
B. OPERATED	765	16.5	247	2	2	12	22	38	49	88
TOTAL 0-19 YRS	344	12.3	177	1	2	8	15	25	39	74
20-34	279	13.4	189	1	2	9	18	31	43	73
35-49	164	13.8	221	1	2	8	19	36	43	61
50-64	150	14.3	146	2	3	11	19	33	40	51
65+	164	19.2	316	3	4	14	28	45	62	99+
GRAND TOTAL	1101	14.1	207	1	2	9	19	33	44	77

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	248	4.7	24	1	1	3	7	10	13	23
20-34	162	4.6	22	1	1	3	6	11	13	20
35-49	64	4.4	21	<1	<1	2	6	10	15	20
50-64	29	4.8	18	1	1	3	7	10	16	16
65+	8	4.0	15	1	1	3	4	11	13	13
B. Operated										
0-19 YRS	51	8.7	107	1	1	5	12	16	31	50
20-34	31	8.2	69	1	1	6	10	18	29	36
35-49	20	6.2	30	1	1	5	9	15	18	18
50-64	10	11.8	110	2	3	8	12	30	37	37
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	534	5.5	24	1	1	4	7	12	16	21
20-34	342	5.1	20	1	1	4	7	11	15	19
35-49	195	5.6	21	1	1	4	8	12	15	21
50-64	115	8.5	66	1	2	6	11	17	24	47
65+	101	10.1	89	1	2	8	13	20	26	54
B. Operated										
0-19 YRS	139	12.2	134	1	2	9	16	26	35	65
20-34	115	9.9	101	1	2	7	12	22	38	67
35-49	67	11.4	131	1	2	8	16	24	34	57
50-64	41	17.0	246	2	3	13	21	35	39	90
65+	45	19.3	202	4	6	15	28	35	47	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	511	4.6	22	1	1	3	6	11	14	22
B. Operated	113	8.4	82	1	1	6	11	17	29	45
2. MULTIPLE DX										
A. Not Operated	1287	6.0	33	1	1	4	8	13	18	25
B. Operated	407	12.7	151	1	2	9	17	28	37	65
1. SINGLE DX	624	5.3	35	1	1	3	7	12	16	33
2. MULTIPLE DX	1694	7.6	70	1	1	5	10	17	22	44
A. NOT OPERATED	1798	5.6	31	1	1	4	7	12	16	24
B. OPERATED	520	11.8	139	1	2	8	15	27	36	61
TOTAL 0-19 YRS	972	6.4	50	1	1	4	8	15	19	35
20-34	650	6.0	41	1	1	4	8	13	18	37
35-49	346	6.6	49	1	1	4	9	15	18	34
50-64	195	9.9	113	1	2	7	13	21	30	47
65+	155	12.4	137	2	2	10	17	28	34	69
GRAND TOTAL	2318	7.0	61	1	1	5	9	16	20	39

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.4	4	<1	<1	2	3	5	7	8
20-34	33	5.3	108	<1	1	3	6	9	12	61
35-49	25	4.8	8	1	1	4	7	9	9	10
50-64	8	6.6	18	1	1	6	10	12	12	12
65+	3	6.3	16	4	4	4	9	11	11	11
B. Operated										
0-19 YRS	46	3.1	9	<1	1	2	4	7	10	15
20-34	82	3.8	20	<1	1	2	4	8	11	27
35-49	36	2.8	4	<1	1	2	4	5	7	9
50-64	14	3.7	14	<1	1	2	6	11	12	12
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	10.9	299	<1	1	4	11	31	60	71
20-34	55	4.6	16	<1	1	4	5	9	13	22
35-49	32	5.6	20	<1	1	5	8	10	15	20
50-64	26	6.9	51	1	1	5	7	14	21	34
65+	27	9.5	107	2	2	7	12	13	21	57
B. Operated										
0-19 YRS	65	7.3	215	<1	1	2	4	19	45	81
20-34	134	5.8	177	1	1	2	5	9	14	91
35-49	63	7.7	128	1	1	4	9	27	38	95
50-64	34	6.5	41	1	1	4	10	19	22	99+
65+	20	12.1	269	1	2	5	15	23	49	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	4.6	46	<1	1	3	6	9	11	41
B. Operated	179	3.4	13	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. Not Operated	176	7.2	98	1	1	4	8	14	19	62
B. Operated	316	7.0	166	1	1	3	7	15	32	93
1. SINGLE DX	269	3.8	24	<1	1	2	5	8	11	22
2. MULTIPLE DX	492	7.0	142	1	1	3	7	14	25	86
A. NOT OPERATED	266	6.3	81	<1	1	4	7	12	16	60
B. OPERATED	495	5.7	114	<1	1	2	5	12	22	86
TOTAL 0-19 YRS	168	6.3	158	<1	1	2	5	14	26	70
20-34	304	5.0	98	<1	1	2	5	9	13	85
35-49	156	5.7	61	1	1	3	7	10	19	60
50-64	82	6.2	38	1	1	4	9	15	20	78
65+	51	10.2	163	1	2	7	12	18	24	74
GRAND TOTAL	761	5.9	103	<1	1	3	6	12	19	74

366 Hospitals, Southern Region, January-December 1985

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	181	1.9	2	<1	1	1	2	3	5	9
20-34	196	2.5	4	<1	1	2	3	5	6	11
35-49	93	3.4	7	<1	1	3	5	7	10	10
50-64	38	3.3	6	1	1	3	4	6	10	11
65+	34	3.7	14	1	1	2	5	8	11	19
B. Operated										
0-19 YRS	43	3.7	13	<1	1	2	5	9	11	17
20-34	85	3.9	20	<1	1	2	4	8	11	26
35-49	45	6.1	81	<1	1	3	7	13	20	56
50-64	15	4.3	20	<1	1	3	5	7	16	19
65+	7	8.7	18	2	3	9	11	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	280	2.5	4	<1	1	2	3	5	7	10
20-34	353	3.5	19	1	1	2	4	7	9	13
35-49	209	4.1	16	1	1	3	5	8	10	14
50-64	160	4.6	11	1	1	4	6	9	13	16
65+	233	6.4	31	1	2	5	8	12	16	31
B. Operated										
0-19 YRS	105	6.8	75	1	1	4	8	15	20	50
20-34	209	6.9	43	1	1	5	9	16	19	33
35-49	111	8.1	63	1	2	5	10	18	25	40
50-64	58	9.2	138	1	1	6	11	18	31	71
65+	64	10.9	131	2	2	8	14	22	29	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	542	2.6	5	1	1	2	3	5	7	11
B. Operated	195	4.6	33	<1	1	3	5	9	13	26
2. MULTIPLE DX										
A. Not Operated	1235	4.1	18	1	1	3	5	8	11	18
B. Operated	547	7.8	75	1	1	5	10	17	23	40
1. SINGLE DX	737	3.1	13	1	1	2	4	7	9	17
2. MULTIPLE DX	1782	5.2	39	1	1	3	6	11	15	31
A. NOT OPERATED	1777	3.6	15	1	1	2	5	8	10	16
B. OPERATED	742	7.0	66	1	1	4	9	15	22	39
TOTAL 0-19 YRS	609	3.1	19	1	1	2	3	6	9	19
20-34	843	4.2	24	1	1	3	5	9	12	25
35-49	458	5.1	35	1	1	3	6	10	14	32
50-64	271	5.4	42	1	1	4	6	11	14	34
65+	338	7.0	52	1	2	5	9	14	19	35
GRAND TOTAL	2519	4.6	32	1	1	3	6	10	13	29

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1308	1.6	2	<1	<1	1	2	3	4	6
20-34	585	1.9	4	<1	1	1	2	3	4	8
35-49	236	2.1	3	<1	1	2	3	4	5	9
50-64	76	3.2	15	<1	1	2	3	7	10	24
65+	69	2.9	7	1	1	2	4	5	6	17
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	5.5	35	1	1	3	9	14	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1427	3.3	38	<1	1	2	3	6	9	33
20-34	1890	3.3	19	<1	1	2	4	6	10	22
35-49	1153	4.2	28	<1	1	3	4	8	14	29
50-64	620	4.8	26	1	1	3	6	10	15	27
65+	1041	5.7	21	1	2	5	7	11	14	21
B. Operated										
0-19 YRS	22	9.3	90	2	2	5	13	24	31	39
20-34	40	8.5	165	1	1	4	10	20	28	74
35-49	42	10.2	131	2	2	6	14	29	43	99
50-64	38	9.8	32	1	2	10	13	18	20	22
65+	65	11.9	103	1	3	9	15	25	34	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2274	1.9	3	<1	1	1	2	3	4	8
B. Operated	11	5.6	30	1	1	2	11	14	15	15
2. MULTIPLE DX										
A. Not Operated	6131	4.1	27	1	1	3	5	8	12	28
B. Operated	207	10.2	106	1	2	8	13	22	31	64
1. SINGLE DX	2285	1.9	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	6338	4.3	31	1	1	3	5	9	13	28
A. NOT OPERATED	8405	3.5	21	<1	1	2	4	7	10	23
B. OPERATED	218	10.0	103	1	2	8	13	22	31	62
TOTAL 0-19 YRS	2759	2.6	22	<1	1	1	3	4	6	24
20-34	2519	3.1	18	<1	1	2	3	6	9	21
35-49	1432	4.0	28	<1	1	2	4	8	14	29
50-64	737	4.9	27	1	1	3	6	11	15	27
65+	1176	5.9	27	1	2	5	7	11	15	26
GRAND TOTAL	8623	3.6	25	<1	1	2	4	8	11	25

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	758	1.7	3	<1	1	1	2	3	5	8
20-34	383	1.7	1	<1	1	1	2	3	4	7
35-49	193	2.1	5	<1	1	1	2	4	6	15
50-64	104	1.9	3	1	1	1	2	3	5	10
65+	41	1.6	1	<1	<1	1	2	3	3	4
B. Operated										
0-19 YRS	21	3.1	4	1	1	2	4	6	8	8
20-34	21	3.5	5	1	1	3	5	6	8	9
35-49	6	3.7	4	2	2	3	5	7	7	7
50-64	7	4.9	22	1	1	3	7	13	14	14
65+	3	8.7	44	3	3	7	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	404	2.4	6	1	1	2	3	5	6	10
20-34	304	3.0	27	<1	1	2	3	6	8	19
35-49	231	3.7	24	1	1	2	4	7	11	23
50-64	181	3.9	22	1	1	2	4	8	12	27
65+	161	4.1	15	1	1	3	5	9	11	21
B. Operated										
0-19 YRS	19	12.0	293	1	1	5	13	43	58	59
20-34	34	8.6	84	1	2	7	12	20	40	99+
35-49	24	10.0	91	1	2	7	14	25	32	38
50-64	18	5.5	14	1	2	4	7	11	13	15
65+	16	13.8	337	1	2	8	14	32	61	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1479	1.8	3	<1	1	1	2	3	5	8
B. Operated	58	3.8	9	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. Not Operated	1281	3.2	18	1	1	2	4	6	9	21
B. Operated	111	9.7	147	1	2	6	11	23	38	84
1. SINGLE DX	1537	1.8	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	1392	3.7	31	1	1	2	4	8	12	29
A. NOT OPERATED	2760	2.4	10	<1	1	1	3	5	7	15
B. OPERATED	169	7.7	107	1	1	4	9	15	30	71
TOTAL 0-19 YRS	1202	2.2	10	<1	1	1	2	4	6	11
20-34	742	2.6	18	<1	1	1	3	5	7	16
35-49	454	3.4	22	<1	1	2	4	6	11	25
50-64	310	3.3	16	1	1	2	4	7	11	23
65+	221	4.4	43	1	1	3	5	9	13	30
GRAND TOTAL	2929	2.7	17	<1	1	2	3	5	8	19

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	324	1.7	1	1	1	1	2	3	4	7
20-34	198	1.8	2	<1	1	1	2	3	4	7
35-49	158	2.1	3	1	1	2	3	4	5	11
50-64	129	2.2	3	<1	1	2	3	4	5	10
65+	87	3.1	5	1	1	3	4	6	7	11
B. Operated										
0-19 YRS	5	3.4	8	1	1	2	5	8	8	8
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	8	4.0	20	<1	<1	2	7	11	12	12
50-64	1	24.0	24	24	24	24	24	24	24	24
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	350	3.5	24	1	1	2	4	7	10	24
20-34	312	2.7	6	<1	1	2	4	5	7	12
35-49	392	3.5	9	1	1	3	4	7	9	14
50-64	513	4.7	31	1	1	3	6	9	13	27
65+	1191	5.9	28	1	2	5	7	11	15	26
B. Operated										
0-19 YRS	31	14.2	312	1	2	9	19	69	96	99+
20-34	38	7.8	77	1	1	5	10	18	27	42
35-49	40	7.7	98	1	1	5	9	28	39	99+
50-64	60	11.1	172	1	1	6	14	26	37	75
65+	95	9.8	84	1	1	8	13	25	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	896	2.0	3	<1	1	1	2	4	5	8
B. Operated	19	4.9	34	<1	1	2	7	11	19	24
2. MULTIPLE DX										
A. Not Operated	2758	4.7	24	1	1	3	6	9	12	23
B. Operated	264	10.0	134	1	1	7	13	26	40	99+
1. SINGLE DX	915	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	3022	5.1	36	1	1	4	6	10	14	35
A. NOT OPERATED	3654	4.0	20	1	1	3	5	8	11	21
B. OPERATED	283	9.7	128	1	1	6	12	25	39	99+
TOTAL 0-19 YRS	710	3.1	32	1	1	2	3	6	9	35
20-34	551	2.7	11	<1	1	2	3	5	7	17
35-49	598	3.4	15	1	1	2	4	7	10	21
50-64	703	4.8	43	1	1	3	6	9	15	31
65+	1375	6.0	32	1	2	5	7	11	16	34
GRAND TOTAL	3937	4.4	30	1	1	3	5	9	13	29

366 Hospitals, Southern Region, January-December 1985

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
0-19 YRS	70	3.4	20	1	1	2	4	6	7	31	
20-34	39	4.4	34	1	1	3	5	7	12	36	
35-49	37	4.1	12	1	1	3	6	9	11	17	
50-64	41	5.8	34	<1	1	4	8	11	18	29	
65+	62	7.0	86	1	1	4	8	14	22	49	
B. Operated											
0-19 YRS	356	4.7	25	1	1	3	5	9	13	27	
20-34	364	4.1	17	<1	1	3	5	9	13	23	
35-49	364	5.1	27	<1	1	3	7	11	15	27	
50-64	526	6.2	27	1	1	4	9	13	16	25	
65+	737	7.4	41	1	2	5	11	15	19	33	
2. MULTIPLE DX											
A. Not Operated											
0-19 YRS	167	5.2	31	1	1	3	7	12	16	32	
20-34	109	4.8	26	1	1	4	6	9	11	28	
35-49	133	5.5	18	1	1	5	7	10	13	23	
50-64	187	6.0	57	1	1	4	7	12	16	43	
65+	391	6.8	41	1	2	5	9	13	17	30	
B. Operated											
0-19 YRS	682	9.2	112	2	2	5	10	23	32	60	
20-34	677	8.3	114	1	2	5	10	18	28	61	
35-49	1016	8.2	82	1	2	5	10	17	26	50	
50-64	1590	8.6	80	1	2	6	11	19	27	49	
65+	2667	10.0	104	1	2	7	13	21	30	52	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated											
	249	5.0	41	1	1	3	6	10	13	36	
B. Operated											
	2347	5.8	31	1	1	4	8	13	16	27	
2. MULTIPLE DX											
A. Not Operated											
	987	6.0	38	1	1	4	8	12	15	30	
B. Operated											
	6632	9.1	97	1	2	6	11	20	29	52	
1. SINGLE DX											
	2596	5.8	32	1	1	4	8	13	16	27	
2. MULTIPLE DX											
	7619	8.7	91	1	2	6	11	19	27	51	
A. NOT OPERATED											
	1236	5.8	39	1	1	4	7	11	15	31	
B. OPERATED											
	8979	8.3	82	1	2	5	11	18	25	47	
TOTAL 0-19 YRS											
	1275	7.1	77	1	1	4	8	16	25	48	
20-34	1189	6.6	78	1	1	4	8	14	21	44	
35-49	1550	7.1	64	1	1	5	9	15	21	42	
50-64	2344	7.8	67	1	2	5	10	16	22	45	
65+	3857	9.1	87	1	2	6	12	19	26	49	
GRAND TOTAL											
	10215	8.0	77	1	2	5	10	17	24	46	

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	1.5	1	<1	1	1	2	2	3	6
20-34	184	2.3	2	<1	1	2	3	4	5	8
35-49	105	2.6	3	1	1	2	3	5	6	8
50-64	103	3.1	3	1	1	3	4	5	7	10
65+	174	3.5	5	1	1	3	4	6	7	12
B. Operated										
0-19 YRS	142	1.6	1	<1	1	1	2	3	4	6
20-34	200	2.4	4	<1	1	2	3	5	7	10
35-49	108	3.0	4	1	1	2	4	6	7	9
50-64	51	3.2	7	1	1	2	4	6	7	14
65+	76	4.5	13	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	1.8	1	<1	1	1	2	4	4	6
20-34	95	3.5	31	1	1	3	4	6	7	35
35-49	88	3.7	8	1	1	3	5	7	10	15
50-64	145	3.6	8	1	1	3	5	7	9	24
65+	259	4.3	19	1	1	3	5	8	9	20
B. Operated										
0-19 YRS	36	4.3	30	1	1	2	5	11	18	23
20-34	104	3.3	8	1	1	2	4	7	8	15
35-49	101	5.1	21	1	1	4	7	11	16	21
50-64	92	5.3	42	1	1	4	6	10	14	40
65+	205	5.4	35	1	1	4	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	691	2.6	3	1	1	2	3	5	6	9
B. Operated	577	2.7	5	<1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	634	3.7	16	1	1	3	4	7	9	17
B. Operated	538	4.8	29	1	1	3	6	11	14	25
1. SINGLE DX	1268	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	1172	4.2	22	1	1	3	5	9	12	23
A. NOT OPERATED	1325	3.2	10	1	1	2	4	6	8	13
B. OPERATED	1115	3.7	18	1	1	2	5	8	11	20
TOTAL										
0-19 YRS	350	1.9	5	<1	1	1	2	3	5	11
20-34	583	2.7	9	<1	1	2	3	5	7	12
35-49	402	3.6	10	1	1	3	5	7	9	16
50-64	391	3.8	15	1	1	3	5	7	10	22
65+	714	4.4	20	1	1	3	5	8	12	21
GRAND TOTAL	2440	3.4	13	1	1	2	4	7	9	17

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	4.5	8	1	2	4	6	8	11	14
20-34	139	4.7	10	1	2	4	6	8	11	16
35-49	89	5.4	21	2	2	4	7	9	11	28
50-64	72	6.3	13	2	2	6	8	12	14	16
65+	60	6.5	22	2	2	5	8	14	17	20
B. Operated										
0-19 YRS	61	5.5	16	1	1	5	7	10	12	21
20-34	85	6.4	23	1	2	5	8	13	17	25
35-49	101	8.7	51	2	2	7	11	19	22	37
50-64	71	9.9	98	1	2	7	11	20	32	49
65+	49	10.1	89	1	2	7	13	27	30	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	6.2	25	2	2	5	8	12	16	28
20-34	137	6.5	27	2	3	5	8	12	18	28
35-49	162	7.0	23	2	3	6	9	14	16	25
50-64	199	8.0	30	2	3	7	10	14	20	31
65+	229	8.9	50	3	4	7	11	16	20	31
B. Operated										
0-19 YRS	71	8.5	80	2	2	5	11	20	39	88
20-34	147	10.6	132	2	3	8	12	20	26	67
35-49	182	11.9	135	2	3	9	15	22	30	68
50-64	230	13.3	135	2	3	10	18	28	36	54
65+	269	16.5	240	2	3	12	21	35	48	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	5.3	14	1	2	4	7	10	13	20
B. Operated	367	8.1	55	1	2	6	10	17	21	41
2. MULTIPLE DX										
A. Not Operated	797	7.6	34	2	3	6	9	14	18	27
B. Operated	899	13.2	167	2	3	9	16	27	40	72
1. SINGLE DX	792	6.6	35	1	2	5	8	13	18	30
2. MULTIPLE DX	1696	10.6	112	2	3	7	13	21	28	60
A. NOT OPERATED	1222	6.8	29	2	2	5	8	13	16	26
B. OPERATED	1266	11.7	140	2	2	8	15	24	35	65
TOTAL										
0-19 YRS	267	6.2	35	1	2	5	8	12	18	43
20-34	508	7.2	57	2	2	5	8	14	19	36
35-49	534	8.7	72	2	3	6	11	18	23	47
50-64	572	10.1	85	2	3	7	13	21	28	44
65+	607	12.1	150	2	3	8	15	25	35	69
GRAND TOTAL	2488	9.3	91	2	2	7	11	19	26	52

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	3.2	6	<1	1	3	4	7	9	11
20-34	77	2.9	7	1	1	2	3	6	8	13
35-49	97	4.9	22	1	1	3	6	11	13	25
50-64	75	5.5	24	1	1	4	8	11	16	23
65+	63	4.8	25	1	1	3	7	10	12	25
B. Operated										
0-19 YRS	60	4.0	21	<1	1	3	5	8	9	30
20-34	114	5.3	49	1	1	4	6	9	12	40
35-49	130	5.6	17	1	1	5	8	11	14	19
50-64	103	6.0	34	<1	1	4	8	12	16	32
65+	109	6.4	56	<1	1	4	7	14	21	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	3.8	11	1	1	3	5	9	12	14
20-34	186	4.3	15	1	1	3	5	9	12	19
35-49	214	4.7	15	1	1	3	6	10	11	19
50-64	234	5.8	18	1	1	5	8	12	15	20
65+	387	6.5	38	1	1	5	9	13	16	25
B. Operated										
0-19 YRS	127	5.6	45	1	1	3	8	15	20	33
20-34	274	5.8	52	1	1	3	7	13	20	45
35-49	358	7.7	64	1	1	5	11	17	23	36
50-64	425	8.9	71	1	1	7	12	19	25	52
65+	684	9.0	106	1	1	6	12	22	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	371	4.3	18	1	1	3	6	10	12	23
B. Operated	516	5.6	36	1	1	4	7	11	15	29
2. MULTIPLE DX										
A. Not Operated	1114	5.4	24	1	1	4	7	11	14	23
B. Operated	1868	8.0	79	1	1	5	11	18	25	47
1. SINGLE DX	887	5.1	29	1	1	3	7	11	14	26
2. MULTIPLE DX	2982	7.0	60	1	1	5	9	16	22	42
A. NOT OPERATED	1485	5.1	23	1	1	4	7	11	14	23
B. OPERATED	2384	7.5	71	1	1	5	10	17	23	45
TOTAL										
0-19 YRS	339	4.4	25	1	1	3	5	9	14	29
20-34	651	4.9	36	1	1	3	6	10	14	34
35-49	799	6.2	40	1	1	4	8	13	18	30
50-64	837	7.3	50	1	1	5	10	16	20	42
65+	1243	7.8	78	1	1	5	10	18	24	48
GRAND TOTAL	3869	6.6	54	1	1	4	9	14	20	38

366 Hospitals, Southern Region, January-December 1985

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.1	2	<1	1	2	3	4	5	6
20-34	8	3.9	6	1	1	3	5	8	9	9
35-49	9	3.2	4	1	1	3	5	6	6	6
50-64	8	4.8	3	2	2	5	6	7	7	7
65+	5	2.2	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS										
20-34										
35-49	4	3.5	4	1	1	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	4.1	19	<1	1	3	4	9	11	24
20-34	14	4.9	6	1	2	5	7	8	9	9
35-49	22	4.9	10	1	2	4	6	10	13	14
50-64	24	4.0	10	1	2	3	5	10	11	13
65+	43	4.3	14	1	1	3	6	9	12	17
B. Operated										
0-19 YRS	6	5.7	19	1	1	5	8	12	12	12
20-34	7	5.1	24	1	1	4	4	14	16	16
35-49	5	6.6	6	4	4	6	8	10	10	10
50-64	18	6.7	22	1	2	6	8	14	18	20
65+	11	9.2	20	2	3	8	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	2.9	3	1	1	2	4	6	7	9
B. Operated	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	141	4.4	13	1	1	3	6	9	11	18
B. Operated	47	6.9	20	1	2	6	8	14	16	20
1. SINGLE DX	62	3.0	3	1	1	2	4	6	7	9
2. MULTIPLE DX	188	5.0	16	1	1	4	7	10	13	19
A. NOT OPERATED	199	3.9	11	1	1	3	5	8	10	16
B. OPERATED	51	6.6	20	1	2	6	8	13	16	20
TOTAL 0-19 YRS	72	3.5	13	<1	1	2	4	8	9	21
20-34	29	4.7	10	1	1	4	6	9	10	16
35-49	40	4.6	8	1	1	4	6	8	11	14
50-64	50	5.1	14	1	2	4	7	9	13	20
65+	59	5.1	18	1	1	3	8	11	14	17
GRAND TOTAL	250	4.5	14	1	1	3	6	9	12	17

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	18	1.6	1	<1	<1	1	2	3	4	4
20-34	1203	1.6	1	<1	<1	1	2	3	4	5
35-49	447	1.4	1	<1	<1	1	2	3	3	5
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	1.3	1	<1	<1	<1	1	3	3	4
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	23	3.6	4	1	1	3	5	6	7	8
20-34	837	2.0	2	<1	<1	2	3	4	5	7
35-49	426	1.8	2	<1	<1	1	2	3	4	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.0		<1	<1	1	1	1	1	1
B. Operated	1671	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	31	1.3	1	<1	<1	<1	1	2	3	4
B. Operated	1290	2.0	2	<1	<1	2	2	4	5	7
1. SINGLE DX	1678	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1321	2.0	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	38	1.2		<1	<1	<1	1	2	3	4
B. OPERATED	2961	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	41	2.7	4	<1	<1	2	4	5	7	8
20-34	2074	1.8	1	<1	<1	1	2	3	4	6
35-49	876	1.6	1	<1	<1	1	2	3	4	5
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	2999	1.7	1	<1	<1	1	2	3	4	6

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499	12	36.8	196	17	19	33	47	57	62	63
1500-1749	13	21.8	38	13	14	24	26	30	30	30
1750-2499	2344	3.3	5	1	2	3	4	5	7	12
2500+	105780	2.8	2	1	1	3	3	4	5	6
B. Operated										
1-999 G										
1000-1499	4	35.3	472	8	8	37	52	58	58	58
1500-1749	4	26.5	15	23	23	25	29	32	32	32
1750-2499	16	8.8	27	2	2	10	13	15	16	16
2500+	65	6.1	22	1	2	4	10	14	16	19
2. MULTIPLE DX										
A. Not Operated										
1-999 G	41	63.1	341	39	43	68	82	99+	99+	99+
1000-1499	212	38.0	244	16	22	35	46	60	69	84
1500-1749	359	22.9	84	11	13	21	28	36	40	52
1750-2499	5139	6.6	34	2	2	5	8	14	17	28
2500+	48834	3.6	4	2	2	3	4	6	7	10
B. Operated										
1-999 G	90	73.2	318	44	57	89	99+	99+	99+	99+
1000-1499	281	48.7	380	19	28	47	65	93	99+	99+
1500-1749	147	31.5	188	15	19	28	37	50	68	99+
1750-2499	484	16.8	157	3	6	14	22	31	55	99+
2500+	1285	8.7	87	2	2	6	10	18	29	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	108149	2.8	2	1	1	3	3	4	5	7
B. Operated										
	89	8.8	88	2	2	5	11	18	26	53
2. MULTIPLE DX										
A. Not Operated										
	54585	4.2	19	2	2	3	5	6	9	22
B. Operated										
	2287	19.3	448	2	3	11	30	65	94	99+
1. SINGLE DX	108238	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	56872	4.8	45	2	2	3	5	7	12	41
A. NOT OPERATED	162734	3.3	8	1	2	3	4	5	6	12
B. OPERATED	2376	18.9	438	2	3	11	29	63	93	99+
TOTAL 1-999 G										
	131	70.1	345	41	47	83	99+	99+	99+	99+
1000-1499	509	43.8	347	17	24	41	58	78	95	99+
1500-1749	523	25.3	126	12	14	23	30	39	47	76
1750-2499	7983	6.2	43	1	2	4	7	14	18	33
2500+	155964	3.1	4	1	2	3	4	5	6	9
GRAND TOTAL	165110	3.5	18	1	2	3	4	5	6	19

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499	1	30.0		30	30	30	30	30	30	30
1500-1749	6	19.2	55	12	12	17	21	32	33	33
1750-2499	247	4.7	5	2	2	4	6	7	9	14
2500+	876	4.1	3	2	2	4	5	6	7	9
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	13.5	54	5	5	14	19	21	21	21
2500+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	66.3	114	54	54	73	99+	99+	99+	99+
1000-1499	44	34.5	197	10	16	34	43	48	53	82
1500-1749	71	22.6	79	10	13	22	28	35	37	54
1750-2499	808	8.3	36	3	3	6	11	16	20	32
2500+	664	5.1	11	2	3	5	6	7	9	19
B. Operated										
1-999 G	12	75.1	291	53	58	99+	99+	99+	99+	99+
1000-1499	51	43.9	271	15	19	45	59	71	95	99+
1500-1749	39	32.5	175	16	17	32	37	53	62	68
1750-2499	86	17.5	129	6	8	15	20	28	43	66
2500+	16	7.5	20	3	4	6	9	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
	1130	4.3	6	2	2	4	5	6	7	12
B. Operated										
	5	12.2	49	5	5	10	19	21	21	21
2. MULTIPLE DX										
A. Not Operated										
	1590	8.4	71	2	3	5	9	18	25	44
B. Operated										
	204	29.6	446	6	8	28	47	84	99+	99+
1. SINGLE DX	1135	4.4	6	2	2	4	5	6	7	14
2. MULTIPLE DX	1794	10.8	158	3	3	6	13	27	42	99+
A. NOT OPERATED	2720	6.7	48	2	3	5	7	14	20	40
B. OPERATED	209	29.2	443	5	8	25	46	82	99+	99+
TOTAL 1-999 G										
	15	73.3	258	54	56	99+	99+	99+	99+	99+
1000-1499	96	39.4	255	13	17	41	48	63	76	99+
1500-1749	116	25.8	132	12	15	22	32	37	45	65
1750-2499	1145	8.2	46	2	3	6	11	16	20	34
2500+	1557	4.6	7	2	2	4	5	6	8	14
GRAND TOTAL	2929	8.3	109	2	3	5	8	18	32	72

366 Hospitals, Southern Region, January-December 1985

**395: Single or multiple liveborn, born before admission to hospital
(V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. SINGLE DX											
A. Not Operated											
1-999 G											
1000-1499											
1500-1749											
1750-2499	23	3.3	4	<1	1	3	4	6	7	9	
2500+	317	2.2	1	<1	1	2	3	4	4	6	
B. Operated											
1-999 G											
1000-1499											
1500-1749											
1750-2499	1	32.0		32	32	32	32	32	32	32	
2500+											
2. MULTIPLE DX											
A. Not Operated											
1-999 G											
1000-1499	2	25.5	13	23	23	25	28	28	28	28	
1500-1749	4	21.3	20	17	17	21	25	26	26	26	
1750-2499	53	8.4	47	2	2	6	12	20	22	28	
2500+	141	3.3	4	1	1	3	4	6	7	10	
B. Operated											
1-999 G											
1000-1499	2	49.5	313	37	37	49	62	62	62	62	
1500-1749	3	29.3	484	7	7	30	46	51	51	51	
1750-2499	10	17.3	125	7	7	15	22	34	44	44	
2500+	7	6.7	6	2	3	7	8	9	9	9	
SUBTOTALS:											
1. SINGLE DX											
A. Not Operated	340	2.3	2	<1	1	2	3	4	5	7	
B. Operated	1	32.0		32	32	32	32	32	32	32	
2. MULTIPLE DX											
A. Not Operated	200	5.2	30	1	2	3	6	12	19	27	
B. Operated	22	18.5	272	5	6	10	28	53	75	99+	
1. SINGLE DX	341	2.4	4	<1	1	2	3	4	5	7	
2. MULTIPLE DX	222	6.6	68	1	2	3	7	17	24	54	
A. NOT OPERATED	540	3.4	14	1	1	2	3	6	9	23	
B. OPERATED	23	19.1	267	5	7	11	31	52	73	99+	
TOTAL 1-999 G											
1000-1499	4	37.5	300	23	23	32	49	62	62	62	
1500-1749	7	24.7	190	7	9	24	29	47	51	51	
1750-2499	87	8.3	65	1	2	5	11	21	24	40	
2500+	465	2.6	3	1	1	2	3	5	6	9	
GRAND TOTAL	563	4.0	34	1	1	2	4	7	14	32	

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.9	1	<1	<1	2	2	3	4	4
20-34	9	2.3	3	<1	<1	2	3	5	6	6
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
0-19 YRS	371	2.2	3	<1	<1	2	3	4	5	8
20-34	438	2.3	2	<1	1	2	3	4	5	8
35-49	201	2.4	2	<1	1	2	3	4	5	8
50-64	144	2.6	3	<1	1	2	3	5	7	9
65+	95	3.0	6	<1	<1	2	4	5	6	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	10	<1	<1	3	7	8	9	9
20-34	11	2.3	9	<1	<1	1	2	6	11	11
35-49	4	1.5	1	1	1	1	2	2	2	2
50-64	5	3.4	14	1	1	2	5	10	10	10
65+	4	3.8	14	1	1	3	6	9	9	9
B. Operated										
0-19 YRS	165	3.5	15	<1	1	2	4	7	10	25
20-34	120	3.6	11	<1	1	3	5	7	10	44
35-49	89	3.8	14	1	1	3	4	8	9	24
50-64	66	4.6	16	1	1	3	6	9	12	20
65+	74	6.3	45	1	2	4	8	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.2	2	<1	<1	2	3	4	5	6
B. Operated	1249	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	34	3.0	9	<1	<1	1	4	9	10	11
B. Operated	514	4.1	19	1	1	3	5	8	11	28
1. SINGLE DX	1285	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	548	4.1	18	<1	1	3	5	8	11	27
A. NOT OPERATED	70	2.6	5	<1	<1	2	3	6	9	11
B. OPERATED	1763	2.9	8	<1	1	2	3	5	7	15
TOTAL 0-19 YRS										
20-34	561	2.6	7	<1	<1	2	3	5	6	14
35-49	578	2.6	4	<1	1	2	3	5	6	11
50-64	299	2.8	6	1	1	2	3	5	7	10
65+	219	3.2	8	1	1	2	4	7	9	17
	176	4.4	25	<1	1	3	5	9	15	29
GRAND TOTAL	1833	2.9	8	<1	1	2	3	5	7	15

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	2	7.0	50	2	2	7	12	12	12	12
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.6	3	1	1	2	3	5	6	6
20-34	6	6.8	165	1	1	2	3	30	33	33
35-49	12	1.6		<1	<1	2	2	2	2	2
50-64	24	2.1	1	<1	<1	2	2	3	4	5
65+	39	1.6		1	1	1	2	2	3	3
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	110	1.2	1	<1	<1	<1	<1	<1	3	6
35-49	28	3.3	7	<1	<1	2	5	7	9	11
50-64	55	2.7	7	<1	<1	<1	4	7	9	11
65+	25	3.8	11	<1	<1	2	6	10	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	7	1	1	2	5	6	6	6
B. Operated	6	5.0	18	<1	<1	4	7	11	12	12
2. MULTIPLE DX										
A. Not Operated	91	2.2	12	<1	1	2	2	3	4	22
B. Operated	220	2.2	5	<1	<1	<1	2	5	8	11
1. SINGLE DX	9	4.3	14	<1	<1	2	6	10	12	12
2. MULTIPLE DX	311	2.2	7	<1	<1	1	2	4	7	11
A. NOT OPERATED	94	2.2	11	<1	1	2	2	3	5	21
B. OPERATED	226	2.2	6	<1	<1	<1	2	6	8	11
TOTAL 0-19 YRS	13	2.7	3	1	1	2	3	5	6	6
20-34	117	1.5	9	<1	<1	<1	<1	1	4	15
35-49	44	2.9	6	<1	<1	2	4	6	8	11
50-64	81	2.6	6	<1	<1	2	3	6	9	12
65+	65	2.5	6	<1	1	2	2	6	9	11
GRAND TOTAL	320	2.2	7	<1	<1	1	2	5	7	11

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	932	2.8	23	<1	<1	1	3	5	10	21
20-34	1151	3.7	47	<1	<1	1	3	8	20	35
35-49	540	5.6	75	<1	1	2	5	23	24	40
50-64	532	4.0	51	<1	1	2	3	10	21	30
65+	440	5.9	66	<1	1	2	7	18	25	34
B. Operated										
0-19 YRS	354	3.6	19	<1	<1	2	4	8	9	21
20-34	827	3.6	12	<1	<1	3	5	8	9	15
35-49	534	4.2	11	<1	1	3	6	9	11	14
50-64	351	5.0	20	<1	1	3	8	10	12	22
65+	213	6.4	33	<1	1	5	9	13	16	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1807	3.8	29	1	1	3	4	6	12	28
20-34	1497	4.3	58	<1	1	2	4	6	15	42
35-49	2599	3.5	31	1	1	2	4	6	9	30
50-64	6072	3.4	21	1	1	2	4	6	9	27
65+	6455	4.7	49	1	1	3	5	8	17	37
B. Operated										
0-19 YRS	540	5.2	47	1	1	3	7	12	16	57
20-34	972	5.1	65	1	1	3	6	10	14	65
35-49	1085	5.0	34	1	1	3	6	10	13	33
50-64	1534	5.8	44	1	1	4	7	11	17	35
65+	1556	6.6	56	1	1	4	9	14	19	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3595	4.1	49	<1	<1	2	3	10	22	34
B. Operated	2279	4.2	17	<1	<1	3	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	18430	4.0	36	1	1	2	4	6	13	32
B. Operated	5687	5.7	50	1	1	4	7	12	17	39
1. SINGLE DX	5874	4.1	37	<1	<1	2	4	10	16	30
2. MULTIPLE DX	24117	4.4	40	1	1	3	5	8	14	33
A. NOT OPERATED	22025	4.0	38	1	1	2	4	7	14	32
B. OPERATED	7966	5.3	41	1	1	3	7	11	15	35
TOTAL 0-19 YRS	3633	3.7	30	<1	1	2	4	8	12	26
20-34	4447	4.2	48	<1	1	2	4	8	13	36
35-49	4758	4.1	35	1	1	2	4	8	13	30
50-64	8489	3.9	28	1	1	2	4	8	12	28
65+	8664	5.1	51	1	1	3	5	11	18	38
GRAND TOTAL	29991	4.3	39	1	1	2	5	9	15	33

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

- 290 Other puerperal complications 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
- 380 Third degree burns 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis — <i>see Appendicitis, acute</i>
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction — <i>see Dependence</i>
	Adenocarcinoma — <i>see Neoplasm, malignant</i>
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — <i>see Valvular disease</i>
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — <i>see Arteriosclerosis</i>
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — <i>see Neoplasm, malignant</i>
	Carcinoma — <i>see Neoplasm, malignant</i>
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — <i>see Effect, adverse</i>
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — <i>see Anomaly, congenital</i>
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — <i>see Cerebrovascular accident</i>
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — see <i>Ulcer, duodenal</i>
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — <i>see Ulcer, gastric</i>
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

{ DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — <i>see Valvular disease</i>
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involucional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial in- farction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — <i>see Diabetes mellitus</i>
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cir- rhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema.
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — <i>see Valvular disease</i>
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	III-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — <i>see Disease, Paget's</i>
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — <i>see Ulcer, peptic</i>
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — <i>see Valvular disease</i>

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	<i>Sarcoma -- see Neoplasm, malignant, connective tissue</i>
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — <i>see Valvular disease</i>
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — <i>see Ulcer, gastric</i>
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — <i>see Organic brain syndrome</i>
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — <i>see</i> Valvular disease
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — <i>see Laceration</i>
12	Yellow fever